# AIR SPEAKER V2

FS2


**USER MANUAL** 

# **BLUETOOTH SPEAKER**

- Micro USB Charge Port
- 2 AUX In
- 6 Volume -
- 3 LED Indicator Volume +
- Power Switch
- S Hands-free/Pause/Play

## MAGNETIC BASE

- 8 USB Charge Port
- DC Jack
- Power indicator





## What's in the box

1 x V2 Bluetooth speaker 1 x Micro USB charge cable

1 x AUX cable

1 x Magnetic base

1 x Power adaptor

1 x Supporting holder

1 x User manual

# Touch button with LED lighting mode

## Power button 4

Long press 2 seconds to power on the speaker.

Short press it to switch to "Breathing mode" while Bluetooth connected.

Short press it again to switch to twinkle mode.

Long press 2 seconds to power off.

# Play/Pause button ⑤

Short press it while Bluetooth connected, it switches to Play/Pause.

Short press it in AUX mode, no function.

Long press for 3 seconds to disconnect existing Bluetooth device, (you will hear voice notification) and speaker is able to pair with other devices.

## Volume - 6

Press to turn down volume.

## Volume + (7)

Press to turn up the volume, a "beep" notification will be heard if volume reaches maximum.

# **LED Mode**

Power off - LED lights off Power on - LED light blinks for 1 second Bluetooth connected - LED light blink for 1 second

# Turning on the Base (9)

- 1. First connect the power adaptor with the magnetic base ③.
- 2. The red LED power indicator on the bottom of the base will turn on **10**.

# Charging the speaker (3.7V 800mAh built-in rechargeable battery)

- 1. Use the supplied USB cable to connect the speaker directly to the USB port ① on the base ⑧. Alternatively connect the speaker directly to a PC/laptop/Mac, or to any 5V USB adaptor (not included).
- 2. The red LED (under the USB cover) turns on during charging, and turns off when the speaker is fully charged.
- 3. Unplug the USB cable once the speaker is fully charged.
- 4. The red LED will blink when the battery is low (<21%), along with an indication sound.
- 5. The base (connected to AC adapter) can charge the speaker wirelessly when speaker floats above it.

# Pairing the speaker with Bluetooth enabled mobile devices, tablets and laptops

- 1. Keep the speaker and Bluetooth enabled device within three feet of each other whilst pairing.
- 2. Turn on the speaker (4). The red and white LEDs will blink quickly (3), which means the speaker is now in standby mode and is ready for pairing.
- 3. Turn on the Bluetooth function on your Bluetooth enabled device and search for Bluetooth devices. Select "V2" in the device list and press connect. Some devices will prompt for a password to pair with the speaker. If so, enter '0000'.
- 4. Once you have successfully paired your devices, the LED will change to a continuous blue light.

#### Note:

- 1. If the pairing is not successful, turn the speaker off and try to pair again.
- 2. Once you have successfully paired your device with the speaker, the speaker will remember your Bluetooth enabled device, unless the pairing information is deleted from your device.
- 3. If you would like to pair another device, disconnect the existing device and repeat steps 1-4.

# Pairing the speaker with an iPhone, iPad or iPod Touch

- 1. Keep the speaker and iPhone/iPad/iPod within three feet of each other whilst pairing.
- 2. Turn on the speaker (4). The red and white LEDs will blink quickly (3), which means the speaker is now in standby mode and is ready for pairing.
- 3. On iPhone/iPad/iPod go to Settings > Bluetooth, make sure Bluetooth is switched on, then from the list of devices select 'V2' and press connect.

# Pairing the speaker with a Bluetooth-enabled PC or laptop/notebook

- 1. Keep the speaker and PC or laptop within three feet of each other whilst pairing.
- 2. Turn on the speaker ④. The red and white LEDs will blink quickly ③, which means the speaker is now in standby mode and is ready for pairing.
- 3. Run the Bluetooth program on your system.
- 4. Please use the 'Search new device' function in the program.
- 5. Your system should find 'V2' on your dialog. Double click the icon to confirm the program has successfully paired to the speaker. Some devices will prompt for a password to pair with the Bluetooth speaker. If so, enter '0000'.

# Pairing the speaker with Mac OS X 10 or above

- 1. Keep the speaker and the Mac within three feet of each other whilst pairing.
- 2. Turn on the speaker ④. The red and white LEDs will blink quickly ③, which means the speaker is now in standby mode and is ready for pairing.

- 3. On the Mac, choose 'setup Bluetooth device' from the Bluetooth status menu in the menu bar, and follow the onscreen instructions to pair it with the speaker. If the Bluetooth status menu is not available, open 'Bluetooth preferences' and select the 'Show Bluetooth status in the menu bar' check box. Some devices will prompt for a password to pair with the Bluetooth speaker. If so, enter '0000'.
- 4. Open 'V2' and click 'Sound'.
- 5. Click 'Output' and select the Bluetooth speaker.
- 6. Click 'Input' and select your speaker. Adjust the Input and Output volume.

# Re-connecting to a paired device

Every time when speaker is turned on, it has one of 2 attempts

- 1. connect to last paired device automatically, then you can play music directly.
- 2. come up on the Bluetooth enabled device as an output channel, select the speaker as output channel and then play music.

# Hands-free / play / pause ⑤

- 1. To answer a phone call, press the 'hands-free' button once ⑤. Press the button again to end the call.
- 2. Whilst music is playing, press the button once to pause or play music.

## Volume control 6,7


Control the volume using the buttons (6), (7) on the speaker itself or on the paired device (iPod etc.)

# **AUX port 2**

- 1. Using the supplied AUX cable, connect the AUX port ② on the speaker to any music device with a 3.5mm headphone port.
- 2. Now you can play music through the device via cable instead of Bluetooth.

# How to make the speaker levitate

- 1. Make sure the magnetic base is powered on with the power adaptor connected and place it on a stable and level surface.
- 2. Place the speaker inside the supporting holder and hold it firmly in place with both hands.
- 3. Place the holder (with speaker held firmly in position) over the base by lowering it vertically until it is resting on the table surface and sits correctly over the base.
- 4. Gently remove your hands from the speaker then vertically remove the holder.







#### **IMPORTANT!**

The electromagnetic field sensor inside the base of the speaker is designed to automatically turn off the power to the unit under certain conditions, such as overheating, in order to prevent damage to the circuitry and ensure long product life. If after a few tries you have not successfully levitated the speaker and the base becomes very hot, unplug the base and wait five minutes before trying again.

#### **ATTENTION**

- \* Make sure the unit is installed on a flat surface.
- \* Be aware that the speaker should not be used over 35°C.
- \* Keep away from any steel objects or any other electronic items (Phones, Watches...etc).
- \* This speaker is for indoor use only!
- \* People with pacemakers should not come into contact with the device.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.