

123456



A

正面

背面

更改履历		
版本	更改内容	日期
01	新下发	2016.08.27
02	修改尺寸	2016.11.01

A



183.0

136.5

D

- 技术要求:
- 1.认证信息:有 ☐ 无 ☒
 - 2.裁剪整齐;
 - 3.无脏污;
 - 4.符合GGS0018 GoerTek CEP产品环保技术标准;
 - 5.其他环保要求:无
 - 6.材质: 300g双铜纸, 双面哑膜;
 - 7.印刷: CMYK四色印刷;
 - 8.公差: $\pm 1.5\text{mm}$.

适用原始机种	Orchid	图纸编号	307001016806
材料	300g双铜纸, 双面哑膜	图纸名称	QSG
Goertek		纸幅比例	单位
		A4	mm
		共1张第1张	

123456

123456

A

更改履历		
版本	更改内容	日期
01	新下发	2016.08.27
02	修改尺寸	2016.11.01

A

正面

背面

Caring for your Lily Camera



Open the back door to charge and access SD card

Check for smudges on camera lens before takeoff



Inspect props for damage and replace if needed

Rinse motors after exposure to saltwater, dirt, sand or mud



Be Safe During Flight



Fly in winds under 24 km/h (15 mph) and temperatures between -10 and 40 °C (14 and 104 °F)



For use in water it is important to keep the back door closed at all times



If water gets inside Lily through the back door, it could result in fire or explosion



If you suspect water has entered your Lily, contact support@lily.camera immediately

© 2016 Lily Robotics, Inc.

183

136.5

- 技术要求:
- 1.认证信息:有 ☐ 无 ☒
 - 2.裁剪整齐;
 - 3.无脏污;
 - 4.符合GGS0018 GoerTek CEP产品环保技术标准;
 - 5.其他环保要求:无;
 - 6.材质: 300g双铜纸, 双面哑膜;
 - 7.印刷: CMYK四色印刷;
 - 8.公差: ±1.5mm.

D

适用原始机种	Orchid	图纸编号	307001016808
材料	300g双铜纸, 双面哑膜	图纸名称	QSG
Goertek		纸幅比例单位	共1张第1张
		A4 / mm	

123456

歌尔保密资料，未经授权禁止扩散