

## **MODULAR APPROVAL LETTER**

Modular Approval Requirement	Yes	No
(i) The radio elements of the modular transmitter must have	Yes	
their own shielding. The physical crystal and tuning capacitors		
may be located external to the shielded radio elements.		
(ii) The modular transmitter must have buffered	Yes	
modulation/data inputs (if such inputs are provided) to ensure		
that the module will comply with part 15 requirements under		
conditions of excessive data rates or over-modulation.		
(iii) The modular transmitter must have its own power supply	Yes	
regulation.		
(iv) The modular transmitter must comply with the antenna	Yes	
and transmission system requirements of §§ 15.203,		
15.204(b) and 15.204(c). The antenna must either be		
permanently attached or employ a "unique" antenna coupler		
(at all connections between the module and the antenna,		
including the cable). The "professional installation" provision		
of § 15.203 is not applicable to modules but can apply to		
limited modular		
approvals under paragraph (b) of this section.		
(v) The modular transmitter must be tested in a stand-alone	Yes	
configuration		
(vi) The modular transmitter must be equipped with either a	Yes	
permanently affixed label or must be capable of electronically		
displaying its FCC identification number.		
(vii) The modular transmitter must comply with any specific	Yes	
rules or operating requirements that ordinarily apply to a		
complete transmitter and the manufacturer must provide		
adequate instructions along with the module to explain any		
such requirements. A copy of these instructions must be		
included in the application for equipment authorization.	.,	
(viii) The modular transmitter must comply with any	Yes	
applicable RF exposure requirements in its final configuration.		

09/21/2016

By Jean-Luc ALANIC, CEO