

RF EXPOSURE **EVALUATION REPORT**

APPLICANT

Beijing TechFit Technology Co., Ltd.

PRODUCT NAME

Smart band

MODEL NAME

B1SP

TRADE NAME

TechFit

BRAND NAME

TechFit

FCC ID

2AICE-B1SP

47CFR 2.1093

STANDARD(S)

KDB 447498 D01 General RF Exposure

Guidance v06

ISSUE DATE

2016-06-02

ATIONS TECHNOLOGY Co., Ltd. SHENZHEN MORLAB

NOTE: This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,

Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Fax: 86-755-36698525

E-mail: service@morlab.cn

Tel: 86-755-36698555 Fax: 86-755-36698525



DIRECTORY

TEST REPORT DECLARATION	3
1. TECHNICAL INFORMATION	4
1.1. IDENTIFICATION OF APPLICANT 1.2. IDENTIFICATION OF MANUFACTURER 1.3. EQUIPMENT UNDER TEST (EUT) 1.3.1. PHOTOGRAPHS OF THE EUT	4
1.2. IDENTIFICATION OF MANUFACTURER·····	4
1.3. EQUIPMENT UNDER TEST (EUT)	4
1.3.1. PHOTOGRAPHS OF THE EUT	5
1.3.2. IDENTIFICATION OF ALL USED EUT	6
1.4. APPLIED REFERENCE DOCUMENTS	6
2.DEVICE CATEGORY AND RF EXPOSURE LIMIT	7
3.MEASUREMENT OF CONDUCTED PEAK OUTPUT POWER	8
E TIAL TORL MO DE TIAL TORL MO DE	ZLAB
4. RF EXPOSURE EVALUATION	8
ANNEX A GENERAL INFORMATION	9

		Change History	
Issue	Date	Reason for change	
1.0 2016-06-02 First edition			AB
MORE	W. C.	B SRIAL MORE ME AB SELAL ME	ORL



TEST REPORT DECLARATION

Applicant	Beijing TechFit Technology Co., Ltd.
Applicant Address	Room 305, Building No. 99, Balizhuang Xili, Chaoyang district, Beijing city
Manufacturer	NanJing Zhongke MengLian Information Technology Co.,LTD
Manufacturer Address	3rd Floor,Building A,Area 3,XuZhuang software Park,NanJing,China
Product Name	Smart band
Model Name	B1SP
Brand Name	TechFit
HW Version	MLHS01_V1.1
SW Version	TechFitB1SP V1.1.0
Test Standards	47CFR 2.1093; KDB 447498 D01 General RF Exposure Guidance v06
Issue Date	2016-06-02
SAR Evaluation	Not Required

Tested by	:	Liu Jun		
		Liu Jun		
Reviewed by	•	Zhm Zhan Zhu Zhan		
Approved by				
		Zeng Dexin		



1. TECHNICAL INFORMATION

Note: the following data is based on the information by the applicant.

1.1. Identification of Applicant

Company Name:	Beijing TechFit Technology Co., Ltd.	
Address:	Room 305, Building No. 99, Balizhuang Xili, Chaoyang district, Beijing	
The Mokey Mic	city	

1.2. Identification of Manufacturer

Company Name:	NanJing Zhongke MengLian Information Technology Co.,LTD
Address:	3rd Floor,Building A,Area 3,XuZhuang software Park,NanJing,China

1.3. Equipment Under Test (EUT)

Model Name:	B1SP
Trade Name:	TechFit
Brand Name:	TechFit
Hardware Version:	MLHS01_V1.1
Software Version:	TechFitB1SP V1.1.0
Frequency Bands:	Bluetooth 4.0:2402-2480MHz;
Modulation Mode:	Bluetooth 4.0: GFSK;
Antenna type:	Fixed Internal Antenna
Development Stage:	Identical prototype



1.3.1. Photographs of the EUT

1. EUT front view



2. EUT rear view





1.3.2. Identification of all used EUT

The EUT identity consists of numerical and letter characters, the letter character indicates the test sample, and the following two numerical characters indicate the software version of the test sample.

EUT Identity	Hardware Version	Software Version
1#	MLHS01_V1.1	TechFitB1SP V1.1.0

1.4. Applied Reference Documents

Leading reference documents for testing:

No.	Identity	Document Title
1 OPLAS	47 CFR§2.1093	Radiofrequency Radiation Exposure Evaluation: portable devices
2	KDB 447498 D01v06	General RF Exposure Guidance



2. DEVICE CATEGORY AND RF EXPOSURE LIMIT

Per user manual, this device is a Bluetooth band. Based on 47CFR 2.1093, this device belongs to portable device category with General Population/Uncontrolled exposure.

Portable Devices:

47CFR 2.1093(b)

For purposes of this section, a portable device is defined as a transmitting device designed to be used so that the radiating structure(s) of the device is/are within 20 centimeters of the body of the user.

GENERAL POPULATION / UNCONTROLLED EXPOSURE

47CFR 2.1093(d) (2)

Limits for General Population/Uncontrolled exposure: 0.08 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 1.6 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 4 W/kg, as averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). General Population/Uncontrolled limits apply when the general public may be exposed, or when persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or do not exercise control over their exposure. Warning labels placed on consumer devices such as cellular telephones will not be sufficient reason to allow these devices to be evaluated subject to limits for occupational/controlled exposure in paragraph (d)(1) of this section.





3. MEASUREMENT OF CONDUCTED PEAK OUTPUT POWER

1. Bluetooth 4.0 Average output power

Band	Channel	Frequency (MHz)	Output Power(dBm)
2 5 5			GFSK
QLAB.	0	2402	-1.76
BT4.0	19	2440	-3.03
LAE JOR	39	2480	-4.47

4. RF EXPOSURE EVALUATION

The device only incorporates a Bluetooth transmitter, so standalone SAR evaluation is required for Bluetooth and simultaneous SAR is not required.

Standalone transmission SAR evaluation

According to KDB 447498 section 4.3.1, the 1-g SAR test exclusion thresholds at test separation Distances ≤ 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]·[$\sqrt{f(GHz)}$] ≤ 3.0

The maximum tune-up limit power is **0.71mW** @ **2.402GHz**

When Bluetooth hand is worn on the hand, BT antenna spacing 0mm from body, so use **5mm** as the most conservative minimum test separation distance,

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]·[$\sqrt{f(GHz)}$] =**0.22** \leq 3.0

So SAR evaluation is not required for this device.



ANNEX A GENERAL INFORMATION

1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Department:	Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Responsible Test Lab Manager:	Mr. Su Feng
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd. Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang
	Road, Block 67, BaoAn District, ShenZhen, GuangDong
	Province, P. R. China

***** FND OF REPORT *****

