Appendix C

RF Test Data for 2.4G WIFI (Conducted Measurement)


Product Name: TABLET PC Trade Mark: FUSION5 Test Model: FWIN232


Environmental Conditions


Temperature:	24.3 ° C
Relative Humidity:	53.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Tom.Liu
Supervised by:	Jayden.Zhuo

C.1 Duty Cycle


Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
11B 2437		Ant1	100	PASS
11G	2437	Ant1	100	PASS
11N20SISO	2437	Ant1	100	PASS
11N40SISO	2437	Ant1	100	PASS








Duty Cycle_11N20SISO_2437_Ant1



Duty Cycle_11N40SISO_2437_Ant1





C.2 Maximum Peak Conducted Output Power

Mode	Channel	Meas.Level [dBm]	Limit [dBm]	Verdict
	LCH	11.91	30	PASS
11B	MCH	11.47	30	PASS
	HCH	11.49	30	PASS
	LCH	12.19	30	PASS
11G	MCH	12.39	30	PASS
	HCH	12.45	30	PASS
	LCH	12.27	30	PASS
11N20SISO	MCH	12.62	30	PASS
	HCH	12.70	30	PASS
	LCH	13.44	30	PASS
11N40SISO	MCH	13.92	30	PASS
	HCH	13.77	30	PASS

C.3 Maximum Power Spectral Density


Mode	Channel	Meas.Level [dBm/30KHz]	Limit [dBm/3KHz]	Verdict
	LCH	-9.314	8	PASS
11B	MCH	-9.733	8	PASS
	HCH	-9.793	8	PASS
	LCH	-15.374	8	PASS
11G	MCH	-14.982	8	PASS
	HCH	-14.874	8	PASS
	LCH	-15.163	8	PASS
11N20SISO	MCH	-14.816	8	PASS
	HCH	-14.855	8	PASS
	LCH	-18.079	8	PASS
11N40SISO	MCH	-17.805	8	PASS
	HCH	-17.124	8	PASS






C.4 6dB Bandwidth


Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
	LCH	9.990	≥0.5	PASS
11B	MCH	9.970	≥0.5	PASS
	HCH	9.979	≥0.5	PASS
	LCH	16.61	≥0.5	PASS
11G	MCH	16.61	≥0.5	PASS
	HCH	16.61	≥0.5	PASS
	LCH	17.85	≥0.5	PASS
11N20SISO	MCH	17.81	≥0.5	PASS
	HCH	17.83	≥0.5	PASS
	LCH	36.52	≥0.5	PASS
11N40SISO	MCH	36.50	≥0.5	PASS
	HCH	36.44	≥0.5	PASS








C.5 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
	LCH	-4.093	-44.043	-24.093	PASS
11B	MCH	-4.535	-44.500	-24.535	PASS
	HCH	-4.622	-44.784	-24.622	PASS
	LCH	-12.641	-44.801	-32.641	PASS
11G	MCH	-12.436	-44.033	-32.436	PASS
	HCH	-12.547	-43.392	-32.547	PASS
	LCH	-12.662	-44.834	-32.662	PASS
11N20	MCH	-12.246	-45.353	-32.246	PASS
SISO	HCH	-12.131	-39.785	-32.131	PASS
	LCH	-15.062	-45.144	-35.062	PASS
11N40	MCH	-14.854	-44.359	-34.854	PASS
SISO	НСН	-14.432	-44.306	-34.432	PASS
































C.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
5	LCH	-4.060	-50.434	-24.06	PASS
11B	HCH	-4.511	-50.729	-24.51	PASS
	LCH	-12.675	-50.108	-32.68	PASS
11G	HCH	-12.493	-50.737	-32.49	PASS
	LCH	-13.166	-50.909	-33.17	PASS
11N20SISO	HCH	-11.912	-50.581	-31.91	PASS
	LCH	-15.229	-51.046	-35.23	PASS
11N40SISO	HCH	-14.484	-51.211	-34.48	PASS






STATUS





C.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
	2412	Ant1	2310.0	-42.26	2.5	0	55.5	PEAK	74	PASS
	2412	Ant1	2310.0	-54.78	2.5	0	42.98	AV	54	PASS
	2412	Ant1	2390.0	-44.75	2.5	0	53.01	PEAK	74	PASS
	2412	Ant1	2390.0	-54.40	2.5	0	43.36	AV	54	PASS
11B	2462	Ant1	2483.5	-43.99	2.5	0	53.77	PEAK	74	PASS
	2462	Ant1	2483.5	-54.13	2.5	0	43.63	AV	54	PASS
	2462	Ant1	2500.0	-44.50	2.5	0	53.26	PEAK	74	PASS
	2462	Ant1	2500.0	-54.03	2.5	0	43.73	AV	54	PASS
	2412	Ant1	2310.0	-44.86	2.5	0	52.9	PEAK	74	PASS
	2412	Ant1	2310.0	-54.70	2.5	0	43.06	AV	54	PASS
	2412	Ant1	2390.0	-44.17	2.5	0	53.59	PEAK	74	PASS
	2412	Ant1	2390.0	-54.22	2.5	0	43.54	AV	54	PASS
11G	2462	Ant1	2483.5	-43.62	2.5	0	54.14	PEAK	74	PASS
	2462	Ant1	2483.5	-54.00	2.5	0	43.76	AV	54	PASS
	2462	Ant1	2500.0	-42.79	2.5	0	54.97	PEAK	74	PASS
	2462	Ant1	2500.0	-53.91	2.5	0	43.85	AV	54	PASS
	2412	Ant1	2310.0	-41.62	2.5	0	56.14	PEAK	74	PASS
	2412	Ant1	2310.0	-54.73	2.5	0	43.03	AV	54	PASS
	2412	Ant1	2390.0	-43.40	2.5	0	54.36	PEAK	74	PASS
11N20	2412	Ant1	2390.0	-54.17	2.5	0	43.59	AV	54	PASS
SISO	2462	Ant1	2483.5	-42.66	2.5	0	55.1	PEAK	74	PASS
	2462	Ant1	2483.5	-54.00	2.5	0	43.76	AV	54	PASS
	2462	Ant1	2500.0	-43.75	2.5	0	54.01	PEAK	74	PASS
	2462	Ant1	2500.0	-53.92	2.5	0	43.84	AV	54	PASS
11N40	2422	Ant1	2310.0	-44.75	2.5	0	53.01	PEAK	74	PASS
SISO	2422	Ant1	2310.0	-54.74	2.5	0	43.02	AV	54	PASS


7	<u>HENZHEN I</u>	<u>.CS COMP</u>	<i>LIANCE</i>	<u>TESTING LA</u>	<u>ABORATORY L.</u>	ID. F0	CC ID: 2AIKX-FV	VIN232 1	Report No.: 1	<u>LCS180.</u>	<u>9040/1AED</u>
	į										
		2422	Ant1	2390.0	-44.47	2.5	0	53.29	PEAK	74	PASS
		2422	Ant1	2390.0	-54.30	2.5	0	43.46	AV	54	PASS
		2452	Ant1	2483.5	-41.92	2.5	0	55.84	PEAK	74	PASS
		2452	Ant1	2483.5	-53.90	2.5	0	43.86	AV	54	PASS
		2452	Ant1	2500.0	-43.36	2.5	0	54.4	PEAK	74	PASS
		2452	Ant1	2500.0	-53.80	2.5	0	43.96	AV	54	PASS










Page 39 of 46







Restrict-band band-edge measurements_11B_2462_Ant1_AV










Restrict-band band-edge measurements_11G_2412_Ant1_AV










Restrict-band band-edge measurements_11G_2462_Ant1_AV










Restrict-band band-edge measurements_11N20SISO_2412_Ant1_AV










Restrict-band band-edge measurements_11N20SISO_2462_Ant1_AV









Restrict-band band-edge measurements_11N40SISO_2422_Ant1_AV







Restrict-band band-edge measurements_11N40SISO_2452_Ant1_AV

