











Page 168 of 268 Report No.: 190515008RFM-1

5.8 FIELD STRENGTH OF SPURIOUS RADIATION

FCC 47 CFR Part 2.1051.

GSM 850 & WCDMA Band V & LTE Band 5: FCC 47 CFR Part 22.917(a)(b). GSM 1900 & WCDMA Band II & LTE Band 2: FCC 47 CFR Part 24.238(a)(b),

Test Requirement: WCDMA Band IV & LTE Band 4: FCC 47 CFR Part 27.53(h)(1),

LTE Band 12 & Band 17: FCC 47 CFR Part 27.53(g)

LTE Band 7: FCC 47 CFR Part 27.53(m)(4) **Test Method:** ANSI C63.26-2015 & KDB 971168 D01v03r01

Receiver Setup:

Frequency	Detector RBW		VBW	Remark
0.009 MHz-30 MHz	Peak	10 kHz	30 KHz	Peak
30 MHz-1 GHz	Quasi-peak	120 kHz	300 KHz	Peak
Above 1 GHz	Peak	1 MHz	3 MHz	Peak

Limits:

FCC 47 CFR Part 22 & FCC 47 CFR Part 24: The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB. The emission limit equal to -13 dBm.

FCC 47 CFR Part 27.53(g): For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least 43 + 10 log (P) dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC 47 CFR Part 27.53(h)(1): Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10 log10 (P) dB. The emission limit equal to -13 dBm.

FCC 47 CFR Part 27.53(m)(4): For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Refer to section 4.2.1 for details. Test Setup:

Test Procedures:

- Scan up to 10th harmonic, find the maximum radiation frequency to measure.
- The technique used to find the Spurious Emissions of the transmitter was the antenna substitution method. Substitution method was performed to determine the actual ERP/EIRP emission levels of the EUT.

Test procedure as below:

- 1) The EUT was powered ON and placed on a 0.8/1.5m high table at a 3 meter semi/fully Anechoic Chamber. The antenna of the transmitter was extended to its maximum length. Modulation mode and the measuring receiver shall be tuned to the frequency of the transmitter under test.
- 2) The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- 3) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 4) Steps 1) to 3) were performed with the EUT and the receive antenna in both vertical and horizontal polarization.
- The transmitter was then removed and replaced with another antenna. The center of the antenna was



Page 169 of 268 Report No.: 190515008RFM-1

approximately at the same location as the center of the transmitter.

- 6) A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 3) is obtained for this set of conditions.
- 7) The output power into the substitution antenna was then measured.
- 8) Steps 6) and 7) were repeated with both antennas polarized.
- 9) Calculate power in dBm by the following formula:

ERP(dBm) = Pg(dBm) - cable loss (dB) + antenna gain (dBd) EIRP(dBm) = Pg(dBm) - cable loss (dB) + antenna gain (dBi)

EIRP=ERP+2.15dB

where:

Pg is the generator output power into the substitution antenna.

- 10) Test the EUT in the lowest channel, the middle channel the Highest channel
- 11) The radiation measurements are performed in X, Y, Z axis positioning for EUT operation mode, and found the Y axis positioning which it is worse case.
- 12) Repeat above procedures until all frequencies measured was complete.

Equipment Used: Refer to section 3 for details.

Test Result: Pass

The measurement data as follows:

5.8.1 Radiated Emission Test Data (30 MHz to 1 GHz)

GSM 850 1Tx-slot_Lowest Channel

ш	Ari7/	ntal
п	orizo	nılaı

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
I	1	95.649	-86.53	27.25	-59.28	-13.00	-46.28	Peak
I	2	163.162	-87.01	28.09	-58.92	-13.00	-45.92	Peak
I	3	868.886	-86.48	40.12	-46.36	-13.00	-33.36	Peak

Vertica	nl		A		1 1		
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	182.578	-88.39	28.50	-59.89	-13.00	-46.89	Peak
2	573.988	-87.97	35.93	-52.04	-13.00	-39.04	Peak
3	945.334	-86.34	41.03	-45.31	-13.00	-32.31	Peak

GSM 850 1Tx-slot Middle Channel

١	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	94.314	-87.18	27.17	-60.01	-13.00	-47.01	Peak
	2	159.759	-88.30	28.13	-60.17	-13.00	-47.17	Peak
	3	793.028	-86.61	39.46	-47.15	-13.00	-34.15	Peak



Vertica	Vertical										
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark				
1	193.137	-87.48	28.32	-59.16	-13.00	-46.16	Peak				
2	498.730	-86.59	35.17	-51.42	-13.00	-38.42	Peak				
3	838.887	-86.56	39.70	-46.86	-13.00	-33.86	Peak				

GSM 8	GSM 850 1Tx-slot_Highest Channel											
Horizo	Horizontal											
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark					
1	137.840	-88.02	27.37	-60.65	-13.00	-47.65	Peak					
2	346.074	-87.28	32.20	-55.08	-13.00	-42.08	Peak					
3	925.613	-86.08	41.14	-44.94	-13.00	-31.94	Peak					

	Vertical								
	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
	1	56.864	-88.79	25.52	-63.27	-13.00	-50.27	Peak	
ĺ	2	97.002	-88.01	27.31	-60.70	-13.00	-47.70	Peak	
Ц	3	925.613	-85.90	41.14	-44.76	-13.00	-31.76	Peak	

GSW 1	900 1 I X-SIOt_I	Lowest Chann	iel				
Horizo	ntal						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-73.12	-2.97	-76.09	-13.00	-63.09	Peak
2	270.616	-80.88	2.29	-78.59	-13.00	-65.59	Peak
3	793.028	-82.00	10.26	-71.74	-13.00	-58.74	Peak

Vertical								
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	50.461	-75.25	-2.54	-77.79	-13.00	-64.79	Peak	
2	290.317	-80.36	2.78	-77.58	-13.00	-64.58	Peak	
3	684.226	-79.99	8.81	-71.18	-13.00	-58.18	Peak	



GSM 1900 1Tx-slot_Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.379	-72.28	-2.79	-75.07	-13.00	-62.07	Peak
2	159.759	-79.11	-0.36	-79.47	-13.00	-66.47	Peak
3	728.897	-79.52	9.24	-70.28	-13.00	-57.28	Peak

Vertica	ıl 🥒							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	74.270	-77.31	-2.59	-79.90	-13.00	-66.90	Peak	
2	424.300	-80.10	4.91	-75.19	-13.00	-62.19	Peak	
3	815.635	-81.63	10.21	-71.42	-13.00	-58.42	Peak	

GSM 1900 1Tx-slot_Highest Channel

1			<i>B</i>			A		
	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.135	-72.72	-2.97	-75.69	-13.00	-62.69	Peak
L,	2	140.777	-79.85	-0.93	-80.78	-13.00	-67.78	Peak
10000	3	760.287	-80.81	9.99	-70.82	-13.00	-57.82	Peak

Vertica	l		1			11	
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-76.03	-2.97	-79.00	-13.00	-66.00	Peak
2	366.087	-80.95	3.80	-77.15	-13.00	-64.15	Peak
3	754.963	-81.27	9.78	-71.49	-13.00	-58.49	Peak



WCDMA Band II RMC 12.2Kbps_Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-71.82	-2.89	-74.71	-13.00	-61.71	Peak
2	484.907	-80.77	5.50	-75.27	-13.00	-62.27	Peak
3	821.387	-81.44	10.27	-71.17	-13.00	-58.17	Peak

Vertica	Vertical						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	70.210	-77.09	-2.86	-79.95	-13.00	-66.95	Peak
2	97.002	-77.92	-1.40	-79.32	-13.00	-66.32	Peak
3	693.910	-80.94	8.94	-72.00	-13.00	-59.00	Peak

WCDMA Band II RMC 12.2Kbps_Middle Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
ľ	1	53.379	-73.21	-2.79	-76.00	-13.00	-63.00	Peak
Ī	2	159.759	-79.59	-0.36	-79.95	-13.00	-66.95	Peak
	3	620.117	-80.26	7.98	-72.28	-13.00	-59.28	Peak

Vertica	ıl		A	7 1	1 /		
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	49.063	-77.52	-2.42	-79.94	-13.00	-66.94	Peak
2	144.790	-79.33	-0.92	-80.25	-13.00	-67.25	Peak
3	703.731	-80.97	9.07	-71.90	-13.00	-58.90	Peak



WCDMA Band II RMC 12.2Kbps_Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	55.288	-73.60	-3.13	-76.73	-13.00	-63.73	Peak
2	183.866	-80.55	0.14	-80.41	-13.00	-67.41	Peak
3	708.694	-81.10	8.98	-72.12	-13.00	-59.12	Peak

Vertica	Vertical							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	32.870	-79.60	4.75	-74.85	-13.00	-61.85	Peak	
2	97.002	-79.42	-1.40	-80.82	-13.00	-67.82	Peak	
3	633.328	-80.61	8.08	-72.53	-13.00	-59.53	Peak	

WCDMA Band IV RMC 12.2Kbps_Lowest Channel

1						A		
	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	69.230	-74.32	-2.95	-77.27	-13.00	-64.27	Peak
L,	2	159.759	-80.20	-0.36	-80.56	-13.00	-67.56	Peak
10000	3	582.112	-79.82	6.95	-72.87	-13.00	-59.87	Peak

Vertica	nl .		1				
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	97.002	-78.42	-1.40	-79.82	-13.00	-66.82	Peak
2	461.631	-80.37	5.24	-75.13	-13.00	-62.13	Peak
3	815.635	-81.61	10.21	-71.40	-13.00	-58.40	Peak



WCDMA Band IV RMC 12.2Kbps_Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	32.184	-77.72	5.36	-72.36	-13.00	-59.36	Peak
2	69.230	-73.38	-2.95	-76.33	-13.00	-63.33	Peak
3	739.214	-80.66	9.27	-71.39	-13.00	-58.39	Peak

Vertica	ıl 🥒								
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark		
1	47.703	-76.65	-2.22	-78.87	-13.00	-65.87	Peak		
2	97.002	-78.86	-1.40	-80.26	-13.00	-67.26	Peak		
3	776.485	-81.70	10.05	-71.65	-13.00	-58.65	Peak		

WCDMA Band IV RMC 12.2Kbps_Highest Channel

9								
	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.135	-72.57	-2.97	-75.54	-13.00	-62.54	Peak
1	2	69.230	-73.76	-2.95	-76.71	-13.00	-63.71	Peak
(Second	3	684.226	-81.14	8.81	-72.33	-13.00	-59.33	Peak

Vertical				1 6		*	
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	51.900	-76.12	-2.47	-78.59	-13.00	-65.59	Peak
2	95.649	-78.59	-1.46	-80.05	-13.00	-67.05	Peak
3	723.793	-80.08	9.06	-71.02	-13.00	-58.02	Peak



WCDMA Band V RMC 12.2Kbps_Lowest Channel

Horizontal

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
Ī	1	95.649	-88.46	27.25	-61.21	-13.00	-48.21	Peak
	2	156.426	-88.17	27.93	-60.24	-13.00	-47.24	Peak
	3	620.117	-88.24	37.24	-51.00	-13.00	-38.00	Peak

Vertica	Vertical						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	111.640	-87.44	27.44	-60.00	-13.00	-47.00	Peak
2	427.292	-87.28	33.84	-53.44	-13.00	-40.44	Peak
3	679.435	-87.92	38.03	-49.89	-13.00	-36.89	Peak

WCDMA Band V RMC 12.2Kbps_Middle Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	95.649	-86.87	27.25	-59.62	-13.00	-46.62	Peak
2	257.627	-87.33	29.89	-57.44	-13.00	-44.44	Peak
3	538.811	-87.89	35.56	-52.33	-13.00	-39.33	Peak

Vertica	nl		<u>A</u>	1 1	<u> </u>		
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	95.649	-85.87	27.25	-58.62	-13.00	-45.62	Peak
2	131.224	-86.20	27.11	-59.09	-13.00	-46.09	Peak
3	655.977	-87.30	37.50	-49.80	-13.00	-36.80	Peak



WCDMA Band V RMC 12.2Kbps_Highest Channel

	riz		

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	31.292	-89.23	34.87	-54.36	-13.00	-41.36	Peak
2	97.002	-87.40	27.31	-60.09	-13.00	-47.09	Peak
3	594.514	-88.01	36.62	-51.39	-13.00	-38.39	Peak

Vertica	ul 🥒								
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark		
1	97.002	-87.24	27.31	-59.93	-13.00	-46.93	Peak		
2	165.472	-87.38	28.05	-59.33	-13.00	-46.33	Peak		
3	615.774	-87.19	37.19	-50.00	-13.00	-37.00	Peak		

LTE Band 2/ 1.4 MHz _Lowest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	53.756	-73.21	-6.15	-79.36	-13.00	-66.36	Peak
Ш	2	106.281	-78.81	-3.98	-82.79	-13.00	-69.79	Peak
(Outro)	3	945.334	-82.71	16.62	-66.09	-13.00	-53.09	Peak

Vertica			1		1 1		y
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	47.703	-76.36	-5.30	-81.66	-13.00	-68.66	Peak
2	424.300	-80.67	8.13	-72.54	-13.00	-59.54	Peak
3	932.141	-82.00	16.35	-65.65	-13.00	-52.65	Peak



LTE Band 2/ 1.4 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	47.703	-73.05	-5.30	-78.35	-13.00	-65.35	Peak
2	292.364	-81.40	2.44	-78.96	-13.00	-65.96	Peak
3	815.635	-81.76	14.28	-67.48	-13.00	-54.48	Peak

\/ ^	-41	cal
VH	LLI	(:21

	7 7 7								
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark		
1	31.959	-81.21	3.43	-77.78	-13.00	-64.78	Peak		
2	181.300	-80.75	-1.09	-81.84	-13.00	-68.84	Peak		
3	965.474	-82.38	17.11	-65.27	-13.00	-52.27	Peak		

LTE Band 2/ 1.4 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.135	-72.37	-6.13	-78.50	-13.00	-65.50	Peak
Ш	2	214.606	-80.08	0.02	-80.06	-13.00	-67.06	Peak
To the last	3	651.383	-80.42	12.32	-68.10	-13.00	-55.10	Peak

V/O	rtı	cal	
VC	ıu	cai	

		7	18	J B	7 /	W	
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	52.634	-76.78	-6.20	-82.98	-13.00	-69.98	Peak
2	208.658	-82.47	-0.19	-82.66	-13.00	-69.66	Peak
3	844.803	-82.79	14.79	-68.00	-13.00	-55.00	Peak



LTE Band 2/3 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-74.16	-6.13	-80.29	-13.00	-67.29	Peak
2	138.812	-79.95	-2.77	-82.72	-13.00	-69.72	Peak
3	793.028	-81.44	14.02	-67.42	-13.00	-54.42	Peak

	rt		

Voluda							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.379	-75.97	-6.16	-82.13	-13.00	-69.13	Peak
2	114.822	-79.37	-3.60	-82.97	-13.00	-69.97	Peak
3	713.692	-79.66	12.90	-66.76	-13.00	-53.76	Peak

LTE Band 2/3 MHz _Middle Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.135	-73.14	-6.13	-79.27	-13.00	-66.27	Peak
	2	105.537	-77.90	-4.00	-81.90	-13.00	-68.90	Peak
- Control	3	925.613	-81.30	16.24	-65.06	-13.00	-52.06	Peak

	-					
N	Δ	rt	ı	r	2	ı
w		ıL		u	а	

o ci ti can			7	131	7 15	7 /	W.
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	42.331	-79.41	-2.96	-82.37	-13.00	-69.37	Peak
2	211.611	-80.75	-0.09	-80.84	-13.00	-67.84	Peak
3	952.000	-82.03	16.80	-65.23	-13.00	-52.23	Peak



LTE Band 2/3 MHz _Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.901	-73.38	-6.10	-79.48	-13.00	-66.48	Peak
2	464.887	-80.04	9.08	-70.96	-13.00	-57.96	Peak
3	952.000	-81.94	16.80	-65.14	-13.00	-52.14	Peak

Vertical

VCITICA	75,11041							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	52.634	-76.42	-6.20	-82.62	-13.00	-69.62	Peak	
2	300.699	-80.23	2.66	-77.57	-13.00	-64.57	Peak	
3	938.714	-81.23	16.46	-64.77	-13.00	-51.77	Peak	

LTE Band 2/5 MHz _Lowest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	47.703	-73.71	-5.30	-79.01	-13.00	-66.01	Peak
Ш	2	637.795	-80.12	12.15	-67.97	-13.00	-54.97	Peak
1000	3	945.334	-81.74	16.62	-65.12	-13.00	-52.12	Peak

	-					
N	Δ	rt	ı	r	2	ı
w		ıL		u	а	

1011100	Vortioal		7.35	B.			
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	47.703	-76.80	-5.30	-82.10	-13.00	-69.10	Peak
2	165.472	-79.93	-1.70	-81.63	-13.00	-68.63	Peak
3	899.958	-81.24	15.70	-65.54	-13.00	-52.54	Peak



LTE Band 2/5 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-72.25	-6.15	-78.40	-13.00	-65.40	Peak
2	216.120	-81.04	0.07	-80.97	-13.00	-67.97	Peak
3	887.398	-81.35	15.39	-65.96	-13.00	-52.96	Peak

Vertical

Fortion							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	45.095	-77.82	-4.16	-81.98	-13.00	-68.98	Peak
2	231.853	-81.16	0.43	-80.73	-13.00	-67.73	Peak
3	844.803	-81.90	14.79	-67.11	-13.00	-54.11	Peak

LTE Band 2/5 MHz _Highest Channel

.1	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.901	-73.60	-6.10	-79.70	-13.00	-66.70	Peak
Ш	2	158.640	-80.26	-1.94	-82.20	-13.00	-69.20	Peak
1000	3	527.571	-81.08	10.22	-70.86	-13.00	-57.86	Peak

Vertical	
----------	--

Vertical			3/						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark		
1	43.845	-77.20	-3.61	-80.81	-13.00	-67.81	Peak		
2	300.699	-80.23	2.66	-77.57	-13.00	-64.57	Peak		
3	938.714	-81.23	16.46	-64.77	-13.00	-51.77	Peak		



LTE Band 2/10 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-73.15	-6.15	-79.30	-13.00	-66.30	Peak
2	427.292	-81.89	8.27	-73.62	-13.00	-60.62	Peak
3	815.635	-81.43	14.28	-67.15	-13.00	-54.15	Peak

		a

VOICIOG		A						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	43.845	-78.58	-3.61	-82.19	-13.00	-69.19	Peak	
2	214.606	-80.60	0.02	-80.58	-13.00	-67.58	Peak	
3	723.793	-80.90	12.98	-67.92	-13.00	-54.92	Peak	

LTE Band 2/ 10 MHz _Middle Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.135	-73.15	-6.13	-79.28	-13.00	-66.28	Peak
L.	2	222.281	-82.09	0.24	-81.85	-13.00	-68.85	Peak
No.	3	965.474	-82.55	17.11	-65.44	-13.00	-52.44	Peak

<i>1</i> ~			

VOITIO	Vertical		3/	All and the second	7 6		W .	
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	42.931	-77.60	-3.22	-80.82	-13.00	-67.82	Peak	
2	208.658	-82.13	-0.19	-82.32	-13.00	-69.32	Peak	
3	958.714	-82.61	16.99	-65.62	-13.00	-52.62	Peak	



LTE Band 2/10 MHz _Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-73.33	-6.15	-79.48	-13.00	-66.48	Peak
2	163.162	-79.76	-1.79	-81.55	-13.00	-68.55	Peak
3	611.462	-80.67	11.72	-68.95	-13.00	-55.95	Peak

	ic	

VOLUME							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-77.44	-6.13	-83.57	-13.00	-70.57	Peak
2	98.375	-79.20	-4.30	-83.50	-13.00	-70.50	Peak
3	582.112	-80.46	11.21	-69.25	-13.00	-56.25	Peak

LTE Band 2/15 MHz Lowest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.135	-73.25	-6.13	-79.38	-13.00	-66.38	Peak
L.	2	210.129	-81.42	-0.14	-81.56	-13.00	-68.56	Peak
Total Control	3	804.252	-82.06	14.17	-67.89	-13.00	-54.89	Peak

	-					
N	Δ	rt	ı	r	2	ı
w		ıL		u	а	

		7	<i>B</i>				
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	45.733	-78.37	-4.44	-82.81	-13.00	-69.81	Peak
2	144.790	-79.92	-2.52	-82.44	-13.00	-69.44	Peak
3	938.714	-81.74	16.46	-65.28	-13.00	-52.28	Peak



LTE Band 2/15 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	47.703	-74.87	-5.30	-80.17	-13.00	-67.17	Peak
2	195.870	-80.84	-0.56	-81.40	-13.00	-68.40	Peak
3	952.000	-81.85	16.80	-65.05	-13.00	-52.05	Peak

		а

Totaloui							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	43.538	-77.92	-3.49	-81.41	-13.00	-68.41	Peak
2	146.839	-79.64	-2.43	-82.07	-13.00	-69.07	Peak
3	965.474	-83.33	17.11	-66.22	-13.00	-53.22	Peak

LTE Band 2/15 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	55.678	-74.17	-6.07	-80.24	-13.00	-67.24	Peak
	2	379.178	-80.17	6.51	-73.66	-13.00	-60.66	Peak
10000	3	703.731	-81.44	12.79	-68.65	-13.00	-55.65	Peak

	-
Vertical	Vertical

VOICIO	-		7	B.	<u> </u>	4 /	W .
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	43.845	-78.42	-3.61	-82.03	-13.00	-69.03	Peak
2	98.375	-79.20	-4.30	-83.50	-13.00	-70.50	Peak
3	856.760	-82.42	14.97	-67.45	-13.00	-54.45	Peak



LTE Band 2/20 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-73.25	-6.13	-79.38	-13.00	-66.38	Peak
2	498.730	-79.89	9.66	-70.23	-13.00	-57.23	Peak
3	815.635	-81.57	14.28	-67.29	-13.00	-54.29	Peak

\/ ^	-41	cal
VH	LLI	(:21

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	34.285	-79.33	1.88	-77.45	-13.00	-64.45	Peak
2	257.627	-82.00	1.34	-80.66	-13.00	-67.66	Peak
3	912.695	-81.43	15.98	-65.45	-13.00	-52.45	Peak

LTE Band 2/20 MHz _Middle Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	53.379	-72.36	-6.16	-78.52	-13.00	-65.52	Peak
Ш	2	101.893	-78.57	-4.09	-82.66	-13.00	-69.66	Peak
1000	3	906.304	-82.19	15.84	-66.35	-13.00	-53.35	Peak

Vertical

No.	Frequency (MHz)	Reading (dBm)	Correction factor	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
			(dB)				
1	47.703	-77.40	-5.30	-82.70	-13.00	-69.70	Peak
2	170.189	-80.02	-1.51	-81.53	-13.00	-68.53	Peak
3	809.924	-80.82	14.22	-66.60	-13.00	-53.60	Peak



LTE Band 2/ 20 MHz _Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	52.634	-74.16	-6.20	-80.36	-13.00	-67.36	Peak
2	225.427	-82.02	0.29	-81.73	-13.00	-68.73	Peak
3	912.695	-82.80	15.98	-66.82	-13.00	-53.82	Peak

	ic	

Vertion							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.379	-76.53	-6.16	-82.69	-13.00	-69.69	Peak
2	189.108	-81.29	-0.72	-82.01	-13.00	-69.01	Peak
3	972.283	-81.64	17.23	-64.41	-13.00	-51.41	Peak

LTE Band 4/ 1.4 MHz _Lowest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
		, ,	, ,	(dB)				
	1	53.756	-72.40	-6.15	-78.55	-13.00	-65.55	Peak
Щ	2	309.271	-82.45	3.15	-79.30	-13.00	-66.30	Peak
	3	804.252	-81.51	14.17	-67.34	-13.00	-54.34	Peak

V/O	rtı	cal	
VC	ıu	cai	

VOITIO			7	B.	<u> </u>		w/
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	43.845	-77.80	-3.61	-81.41	-13.00	-68.41	Peak
2	153.163	-81.32	-2.16	-83.48	-13.00	-70.48	Peak
3	481.511	-80.29	9.46	-70.83	-13.00	-57.83	Peak



LTE Band 4/ 1.4 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	55.678	-73.25	-6.07	-79.32	-13.00	-66.32	Peak
2	292.364	-81.06	2.44	-78.62	-13.00	-65.62	Peak
3	875.013	-81.97	15.17	-66.80	-13.00	-53.80	Peak

		a

VOICIOG		A						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	36.014	-80.97	0.73	-80.24	-13.00	-67.24	Peak	
2	294.426	-82.32	2.49	-79.83	-13.00	-66.83	Peak	
3	925.613	-82.23	16.24	-65.99	-13.00	-52.99	Peak	

LTE Band 4/ 1.4 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	55.288	-72.69	-6.08	-78.77	-13.00	-65.77	Peak
Щ	2	252.252	-82.48	1.15	-81.33	-13.00	-68.33	Peak
To control	3	938.714	-82.48	16.46	-66.02	-13.00	-53.02	Peak

Vertical
Vertical

VOITIO			The state of the s	25	7 /	4 /	W
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	45.733	-78.73	-4.44	-83.17	-13.00	-70.17	Peak
2	114.822	-79.96	-3.60	-83.56	-13.00	-70.56	Peak
3	765.648	-82.08	13.58	-68.50	-13.00	-55.50	Peak



LTE Band 4/3 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-72.50	-6.15	-78.65	-13.00	-65.65	Peak
2	282.270	-80.44	2.11	-78.33	-13.00	-65.33	Peak
3	660.602	-79.71	12.44	-67.27	-13.00	-54.27	Peak

		a

VCITICA		A							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark		
1	37.830	-80.30	-0.48	-80.78	-13.00	-67.78	Peak		
2	168.997	-80.49	-1.56	-82.05	-13.00	-69.05	Peak		
3	723.793	-81.10	12.98	-68.12	-13.00	-55.12	Peak		

LTE Band 4/3 MHz Middle Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	53.379	-73.20	-6.16	-79.36	-13.00	-66.36	Peak
u.	2	217.644	-81.70	0.13	-81.57	-13.00	-68.57	Peak
100	3	945.334	-82.17	16.62	-65.55	-13.00	-52.55	Peak

<i>1</i> ~			

VOITIO	vertioai		3/	Al .				
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	43.845	-77.70	-3.61	-81.31	-13.00	-68.31	Peak	
2	315.860	-81.81	3.40	-78.41	-13.00	-65.41	Peak	
3	787.475	-80.91	13.93	-66.98	-13.00	-53.98	Peak	



LTE Band 4/3 MHz _Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-72.19	-6.15	-78.34	-13.00	-65.34	Peak
2	191.784	-80.79	-0.64	-81.43	-13.00	-68.43	Peak
3	642.292	-80.11	12.21	-67.90	-13.00	-54.90	Peak

	ic	

Vertion	· //	A CONTRACTOR OF THE CONTRACTOR						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	43.845	-78.00	-3.61	-81.61	-13.00	-68.61	Peak	
2	288.284	-80.13	2.32	-77.81	-13.00	-64.81	Peak	
3	679.435	-82.52	12.49	-70.03	-13.00	-57.03	Peak	

LTE Band 4/5 MHz _Lowest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	55.678	-73.39	-6.07	-79.46	-13.00	-66.46	Peak
L.	2	205.746	-80.54	-0.30	-80.84	-13.00	-67.84	Peak
No.	3	611.462	-80.37	11.72	-68.65	-13.00	-55.65	Peak

V/O	rtı	cal	
VC	ıu	cai	

Vortioar							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	30.639	-80.93	4.32	-76.61	-13.00	-63.61	Peak
2	165.472	-79.89	-1.70	-81.59	-13.00	-68.59	Peak
3	684.226	-81.76	12.54	-69.22	-13.00	-56.22	Peak



LTE Band 4/5 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.379	-73.37	-6.16	-79.53	-13.00	-66.53	Peak
2	171.389	-81.51	-1.47	-82.98	-13.00	-69.98	Peak
3	821.387	-81.98	14.35	-67.63	-13.00	-54.63	Peak

Vertical

Vertion	· //	A CONTRACTOR OF THE CONTRACTOR						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	53.379	-76.29	-6.16	-82.45	-13.00	-69.45	Peak	
2	387.257	-80.07	6.76	-73.31	-13.00	-60.31	Peak	
3	744.427	-81.65	13.18	-68.47	-13.00	-55.47	Peak	

LTE Band 4/5 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	53.379	-72.04	-6.16	-78.20	-13.00	-65.20	Peak
	2	464.887	-80.92	9.08	-71.84	-13.00	-58.84	Peak
(Account)	3	856.760	-81.89	14.97	-66.92	-13.00	-53.92	Peak

	-					
N	Δ	rt	ı	r	2	ı
w		ıL		u	а	

	voi tilotti		7				W
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	45.095	-77.20	-4.16	-81.36	-13.00	-68.36	Peak
2	554.171	-80.98	10.68	-70.30	-13.00	-57.30	Peak
3	838.887	-81.53	14.70	-66.83	-13.00	-53.83	Peak



LTE Band 4/ 10 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-73.48	-6.13	-79.61	-13.00	-66.61	Peak
2	187.783	-81.05	-0.78	-81.83	-13.00	-68.83	Peak
3	651.383	-82.10	12.32	-69.78	-13.00	-56.78	Peak

	ic	

VCITIO	· //	A CONTRACTOR OF THE CONTRACTOR						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	43.845	-78.61	-3.61	-82.22	-13.00	-69.22	Peak	
2	246.990	-81.36	0.96	-80.40	-13.00	-67.40	Peak	
3	698.804	-81.74	12.74	-69.00	-13.00	-56.00	Peak	

LTE Band 4/ 10 MHz _Middle Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
	1	45.095	-75.00	-4.16	-79.16	-13.00	-66.16	Peak	
u.	2	204.305	-81.73	-0.34	-82.07	-13.00	-69.07	Peak	
10000	3	713.692	-81.40	12.90	-68.50	-13.00	-55.50	Peak	

Ve	rti	cal
ve	rtic	Call

No.	Frequency (MHz)	(dBm)		Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	, ,	,	(dB)				
1	37.041	-79.78	0.04	-79.74	-13.00	-66.74	Peak
2	217.644	-82.54	0.13	-82.41	-13.00	-69.41	Peak
3	906.304	-82.02	15.84	-66.18	-13.00	-53.18	Peak



LTE Band 4/ 10 MHz _Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-73.20	-6.13	-79.33	-13.00	-66.33	Peak
2	250.486	-81.45	1.08	-80.37	-13.00	-67.37	Peak
3	776.485	-81.09	13.75	-67.34	-13.00	-54.34	Peak

	ic	

TOTALOGI							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	31.959	-81.18	3.43	-77.75	-13.00	-64.75	Peak
2	195.870	-81.88	-0.56	-82.44	-13.00	-69.44	Peak
3	938.714	-81.96	16.46	-65.50	-13.00	-52.50	Peak

LTE Band 4/15 MHz Lowest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.135	-72.69	-6.13	-78.82	-13.00	-65.82	Peak
	2	217.644	-81.53	0.13	-81.40	-13.00	-68.40	Peak
Town College	3	919.132	-82.67	16.12	-66.55	-13.00	-53.55	Peak

_	
	Vertical
	verticai

Vertion			3/	B.	<u> </u>		11/
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.901	-76.06	-6.10	-82.16	-13.00	-69.16	Peak
2	189.108	-80.61	-0.72	-81.33	-13.00	-68.33	Peak
3	881.184	-81.82	15.23	-66.59	-13.00	-53.59	Peak



LTE Band 4/15 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-72.73	-6.13	-78.86	-13.00	-65.86	Peak
2	208.658	-81.47	-0.19	-81.66	-13.00	-68.66	Peak
3	919.132	-81.25	16.12	-65.13	-13.00	-52.13	Peak

	ic	

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	52.634	-75.88	-6.20	-82.08	-13.00	-69.08	Peak
2	204.305	-80.91	-0.34	-81.25	-13.00	-68.25	Peak
3	527.571	-81.46	10.22	-71.24	-13.00	-58.24	Peak

LTE Band 4/15 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.135	-73.81	-6.13	-79.94	-13.00	-66.94	Peak
M.	2	200.043	-80.57	-0.50	-81.07	-13.00	-68.07	Peak
No.	3	979.139	-82.60	17.35	-65.25	-13.00	-52.25	Peak

_	
	Vertical
	verticai

Vertion			3/	Al .	<u> </u>		11/
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	43.845	-77.59	-3.61	-81.20	-13.00	-68.20	Peak
2	205.746	-80.95	-0.30	-81.25	-13.00	-68.25	Peak
3	862.802	-80.98	15.04	-65.94	-13.00	-52.94	Peak



LTE Band 4/20 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-73.73	-6.15	-79.88	-13.00	-66.88	Peak
2	162.020	-80.77	-1.82	-82.59	-13.00	-69.59	Peak
3	881.184	-82.53	15.23	-67.30	-13.00	-54.30	Peak

Vertical

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-77.41	-6.15	-83.56	-13.00	-70.56	Peak
2	744.427	-81.55	13.18	-68.37	-13.00	-55.37	Peak

LTE Band 4/20 MHz _Middle Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-72.56	-6.13	-78.69	-13.00	-65.69	Peak
2	288.284	-82.67	2.32	-80.35	-13.00	-67.35	Peak
3	684.226	-81.20	12.54	-68.66	-13.00	-55.66	Peak

Vertica	Vertical			7 /			
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	44.154	-79.62	-3.75	-83.37	-13.00	-70.37	Peak
2	248.732	-81.86	1.02	-80.84	-13.00	-67.84	Peak
3	660.602	-81.80	12.44	-69.36	-13.00	-56.36	Peak



LTE Band 4/ 20 MHz _Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-72.78	-6.15	-78.93	-13.00	-65.93	Peak
2	187.783	-80.77	-0.78	-81.55	-13.00	-68.55	Peak
3	965.474	-82.14	17.11	-65.03	-13.00	-52.03	Peak

	rt		

VOILIO		fe .					
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	33.570	-79.74	2.35	-77.39	-13.00	-64.39	Peak
2	187.783	-80.61	-0.78	-81.39	-13.00	-68.39	Peak
3	887.398	-81.17	15.39	-65.78	-13.00	-52.78	Peak

LTE Band 5/ 1.4 MHz _Lowest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	97.002	-85.89	27.31	-58.58	-13.00	-45.58	Peak
L.	2	148.917	-85.68	27.46	-58.22	-13.00	-45.22	Peak
To the last	3	669.952	-89.71	37.73	-51.98	-13.00	-38.98	Peak

	-					
N	Δ	rt	ı	r	2	ı
w		ıL		u	а	

	-		7	100	J B	7 /	W
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	31.959	-93.04	34.41	-58.63	-13.00	-45.63	Peak
2	276.382	-90.00	30.47	-59.53	-13.00	-46.53	Peak
3	523.876	-87.97	35.37	-52.60	-13.00	-39.60	Peak



LTE Band 5/ 1.4 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	32.184	-91.56	34.21	-57.35	-13.00	-44.35	Peak
2	288.284	-89.01	30.77	-58.24	-13.00	-45.24	Peak
3	674.677	-88.22	37.88	-50.34	-13.00	-37.34	Peak

Vertical

VCITICA	• //	A CONTRACTOR OF THE CONTRACTOR					
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	30.639	-93.48	35.32	-58.16	-13.00	-45.16	Peak
2	132.149	-90.16	27.09	-63.07	-13.00	-50.07	Peak
3	708.694	-89.65	38.21	-51.44	-13.00	-38.44	Peak

LTE Band 5/ 1.4 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	30.855	-93.42	35.17	-58.25	-13.00	-45.25	Peak
Ш	2	233.488	-89.32	29.11	-60.21	-13.00	-47.21	Peak
(Common or other party)	3	633.328	-89.33	37.34	-51.99	-13.00	-38.99	Peak

Vertica	l			A y			J.
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	34.285	-93.15	32.39	-60.76	-13.00	-47.76	Peak
2	214.606	-89.52	28.13	-61.39	-13.00	-48.39	Peak
3	798.620	-88.65	39.57	-49.08	-13.00	-36.08	Peak



LTE Band 5/3 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	34.527	-92.27	32.24	-60.03	-13.00	-47.03	Peak
2	170.189	-89.80	27.98	-61.82	-13.00	-48.82	Peak
3	615.774	-89.15	37.19	-51.96	-13.00	-38.96	Peak

Vertical

Vertica	· ·	file and the second					
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	32.870	-92.28	33.60	-58.68	-13.00	-45.68	Peak
2	300.699	-89.05	30.70	-58.35	-13.00	-45.35	Peak
3	624.490	-88.53	37.29	-51.24	-13.00	-38.24	Peak

LTE Band 5/3 MHz Middle Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	30.855	-91.27	35.17	-56.10	-13.00	-43.10	Peak
ш	2	152.090	-90.94	27.60	-63.34	-13.00	-50.34	Peak
100	3	708.694	-89.34	38.21	-51.13	-13.00	-38.13	Peak

	-					
N	Δ	rt	ı	r	2	ı
w		ıL		u	а	

vortious			7.35	B.		7 /	W.
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	36.781	-90.93	30.90	-60.03	-13.00	-47.03	Peak
2	173.815	-90.16	28.21	-61.95	-13.00	-48.95	Peak
3	723.793	-87.79	38.29	-49.50	-13.00	-36.50	Peak



LTE Band 5/3 MHz _Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	33.101	-92.20	33.39	-58.81	-13.00	-45.81	Peak
2	346.074	-90.46	32.20	-58.26	-13.00	-45.26	Peak
3	642.292	-89.65	37.29	-52.36	-13.00	-39.36	Peak

	rt		

VOILIO	- /	fi .					
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	35.511	-91.17	31.61	-59.56	-13.00	-46.56	Peak
2	304.955	-89.54	30.70	-58.84	-13.00	-45.84	Peak
3	624.490	-88.85	37.29	-51.56	-13.00	-38.56	Peak

LTE Band 5/5 MHz _Lowest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	42.035	-91.17	28.79	-62.38	-13.00	-49.38	Peak
Ц.	2	173.815	-90.37	28.21	-62.16	-13.00	-49.16	Peak
Manage	3	679.435	-88.97	38.03	-50.94	-13.00	-37.94	Peak

V/O	rtı	cal	
VC	ıu	cai	

Voitioai								
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	32.184	-92.61	34.21	-58.40	-13.00	-45.40	Peak	
2	156.426	-89.07	27.93	-61.14	-13.00	-48.14	Peak	
3	684.226	-88.78	38.05	-50.73	-13.00	-37.73	Peak	



LTE Band 5/5 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	33.101	-92.61	33.39	-59.22	-13.00	-46.22	Peak
2	243.543	-90.66	29.67	-60.99	-13.00	-47.99	Peak
3	620.117	-89.77	37.24	-52.53	-13.00	-39.53	Peak

		a

7011100		fi .					
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	37.830	-90.72	30.38	-60.34	-13.00	-47.34	Peak
2	250.486	-90.21	29.60	-60.61	-13.00	-47.61	Peak
3	679.435	-89.72	38.03	-51.69	-13.00	-38.69	Peak

LTE Band 5/5 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	30.855	-91.67	(dB) 35.17	-56.50	-13.00	-43.50	Peak
W.	2	235.135	-89.75	29.18	-60.57	-13.00	-47.57	Peak
100	3	620.117	-89.42	37.24	-52.18	-13.00	-39.18	Peak

V/O	rtı	cal	
VC	ıu	cai	

v or troc	•		7	18	7 15	7 /	W
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	31.513	-91.81	34.71	-57.10	-13.00	-44.10	Peak
2	243.543	-89.35	29.67	-59.68	-13.00	-46.68	Peak
3	703.731	-88.56	38.30	-50.26	-13.00	-37.26	Peak



LTE Band 5/ 10 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	38.365	-93.64	30.12	-63.52	-13.00	-50.52	Peak
2	144.790	-88.77	27.62	-61.15	-13.00	-48.15	Peak
3	637.795	-88.08	37.30	-50.78	-13.00	-37.78	Peak

Vertical

VOILIO	- /	A							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark		
1	35.016	-92.32	31.93	-60.39	-13.00	-47.39	Peak		
2	123.181	-89.14	27.27	-61.87	-13.00	-48.87	Peak		
3	607.181	-88.45	37.05	-51.40	-13.00	-38.40	Peak		

LTE Band 5/ 10 MHz _Middle Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
M.	1	31.073	-92.77	35.02	-57.75	-13.00	-44.75	Peak
and a	2	343.651	-89.71	32.13	-57.58	-13.00	-44.58	Peak
	3	693.910	-89.04	38.18	-50.86	-13.00	-37.86	Peak

Vertica	I			A y			
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	30.639	-91.23	35.32	-55.91	-13.00	-42.91	Peak
2	202.875	-88.77	28.08	-60.69	-13.00	-47.69	Peak
3	708.694	-89.48	38.21	-51.27	-13.00	-38.27	Peak



LTE Band 5/ 10 MHz _Highest Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	32.870	-91.72	33.60	-58.12	-13.00	-45.12	Peak
2	270.616	-90.31	30.39	-59.92	-13.00	-46.92	Peak
3	488.326	-88.38	34.77	-53.61	-13.00	-40.61	Peak

	cal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	33.335	-92.45	33.18	-59.27	-13.00	-46.27	Peak
2	175.040	-89.42	28.28	-61.14	-13.00	-48.14	Peak
3	628.894	-88.15	37.35	-50.80	-13.00	-37.80	Peak

Page 201 of 268 Report No.: 190515008RFM-1

LTE Band 7/5 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-72.10	-6.15	-78.25	-25.00	-53.25	Peak
2	355.940	-81.40	5.33	-76.07	-25.00	-51.07	Peak
3	887.398	-82.08	15.39	-66.69	-25.00	-41.69	Peak

	,	-	•		
۱,	_	rt		ca	•

VOILIO							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	31.513	-79.38	3.73	-75.65	-25.00	-50.65	Peak
2	139.791	-80.07	-2.75	-82.82	-25.00	-57.82	Peak
3	979.139	-81.09	17.35	-63.74	-25.00	-38.74	Peak

LTE Band 7/5 MHz _Middle Channel

Horizontal

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.135	-73.31	-6.13	-79.44	-25.00	-54.44	Peak
ĺ	2	154.243	-80.55	-2.11	-82.66	-25.00	-57.66	Peak
Щ	3	573.988	-81.53	11.05	-70.48	-25.00	-45.48	Peak

Vertical

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	69.718	-77.88	-5.70	-83.58	-25.00	-58.58	Peak
2	193.137	-81.12	-0.61	-81.73	-25.00	-56.73	Peak
3	776.485	-81.38	13.75	-67.63	-25.00	-42.63	Peak

LTE Band 7/5 MHz _Highest Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-72.42	-6.15	-78.57	-25.00	-53.57	Peak
2	204.305	-81.61	-0.34	-81.95	-25.00	-56.95	Peak
3	804.252	-81.43	14.17	-67.26	-25.00	-42.26	Peak

Page 202 of 268 Report No.: 190515008RFM-1

-25.00

-43.07

Peak

Vertical											
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark				
1	53.756	-77.32	-6.15	-83.47	-25.00	-58.47	Peak				
2	183.866	-80.97	-0.97	-81.94	-25.00	-56.94	Peak				

-68.07

14.58

LTE Band 7/ 10 MHz _Lowest Channel

833.013

-82.65

Horizontal

3

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-73.25	-6.13	-79.38	-25.00	-54.38	Peak
2	191.784	-81.40	-0.64	-82.04	-25.00	-57.04	Peak
3	850.760	-80.74	14.88	-65.86	-25.00	-40.86	Peak

ĺ	Vertica	ľ /	1 /	J. P.	E J			
	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1	54.135	-77.04	-6.13	-83.17	-25.00	-58.17	Peak
I	2	194.499	-81.30	-0.60	-81.90	-25.00	-56.90	Peak
	3	734.037	-80.67	13.05	-67.62	-25.00	-42.62	Peak

LTE Band 7/10 MHz _Middle Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	55.288	-73.46	-6.08	-79.54	-25.00	-54.54	Peak
2	282.270	-80.39	2.11	-78.28	-25.00	-53.28	Peak
3	887.398	-81.64	15.39	-66.25	-25.00	-41.25	Peak

Vertica							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	50.461	-76.88	-6.29	-83.17	-25.00	-58.17	Peak
2	516.565	-81.39	10.00	-71.39	-25.00	-46.39	Peak
3	893.656	-82.05	15.54	-66.51	-25.00	-41.51	Peak



LTE Band 7/ 10 MHz _Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-73.18	-6.13	-79.31	-25.00	-54.31	Peak
2	220.724	-80.54	0.22	-80.32	-25.00	-55.32	Peak
3	868.886	-81.53	15.09	-66.44	-25.00	-41.44	Peak

		а

		A CONTRACTOR OF THE CONTRACTOR					
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.756	-76.41	-6.15	-82.56	-25.00	-57.56	Peak
2	187.783	-80.54	-0.78	-81.32	-25.00	-56.32	Peak
3	875.013	-81.86	15.17	-66.69	-25.00	-41.69	Peak

LTE Band 7/15 MHz Lowest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	53.756	-72.80	(dB) -6.15	-78.95	-25.00	-53.95	Peak
L.	2	148.917	-79.92	-2.32	-82.24	-25.00	-57.24	Peak
100	3	628.894	-81.58	11.98	-69.60	-25.00	-44.60	Peak

<i>1</i> ~			

Vertion			7	B.	<u> </u>		w/
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	43.845	-78.33	-3.61	-81.94	-25.00	-56.94	Peak
2	220.724	-80.44	0.22	-80.22	-25.00	-55.22	Peak
3	655.977	-80.32	12.38	-67.94	-25.00	-42.94	Peak



LTE Band 7/15 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	45.095	-74.00	-4.16	-78.16	-25.00	-53.16	Peak
2	160.885	-78.34	-1.86	-80.20	-25.00	-55.20	Peak
3	728.897	-79.60	13.02	-66.58	-25.00	-41.58	Peak

	ic	

Volume							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	39.459	-79.89	-1.56	-81.45	-25.00	-56.45	Peak
2	210.129	-79.91	-0.14	-80.05	-25.00	-55.05	Peak
3	744.427	-81.35	13.18	-68.17	-25.00	-43.17	Peak

LTE Band 7/15 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	43.845	-75.79	-3.61	-79.40	-25.00	-54.40	Peak
L	2	157.529	-79.38	-1.99	-81.37	-25.00	-56.37	Peak
No.	3	611.462	-81.01	11.72	-69.29	-25.00	-44.29	Peak

<i>1</i> ~			

VOITIOUI		3/	All and the second	7 6			
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	53.379	-77.23	-6.16	-83.39	-25.00	-58.39	Peak
2	154.243	-79.59	-2.11	-81.70	-25.00	-56.70	Peak
3	958.714	-81.56	16.99	-64.57	-25.00	-39.57	Peak



LTE Band 7/20 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-72.85	-6.13	-78.98	-25.00	-53.98	Peak
2	255.823	-81.20	1.27	-79.93	-25.00	-54.93	Peak
3	655.977	-81.67	12.38	-69.29	-25.00	-44.29	Peak

	ic	

Vertica		A CONTRACTOR OF THE CONTRACTOR						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	43.845	-78.55	-3.61	-82.16	-25.00	-57.16	Peak	
2	235.135	-80.63	0.54	-80.09	-25.00	-55.09	Peak	
3	754.963	-81.37	13.38	-67.99	-25.00	-42.99	Peak	

LTE Band 7/20 MHz _Middle Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	54.135	-73.99	-6.13	-80.12	-25.00	-55.12	Peak
L,	2	165.472	-81.64	-1.70	-83.34	-25.00	-58.34	Peak
(Common or other or o	3	958.714	-82.00	16.99	-65.01	-25.00	-40.01	Peak

	-					
N	Δ	rt	ı	r	2	ı
w		ıL		u	а	

Tortioan							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	50.461	-76.87	-6.29	-83.16	-25.00	-58.16	Peak
2	227.016	-82.32	0.31	-82.01	-25.00	-57.01	Peak
3	945.334	-82.81	16.62	-66.19	-25.00	-41.19	Peak



LTE Band 7/ 20 MHz _Highest Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	45.095	-75.05	-4.16	-79.21	-25.00	-54.21	Peak
2	189.108	-81.14	-0.72	-81.86	-25.00	-56.86	Peak
3	932.141	-82.60	16.35	-66.25	-25.00	-41.25	Peak

Ve	rtica	ı

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	51.900	-76.22	-6.23	-82.45	-25.00	-57.45	Peak
2	302.819	-82.76	2.78	-79.98	-25.00	-54.98	Peak
3	787.475	-81.01	13.93	-67.08	-25.00	-42.08	Peak



LTE Band 12/ 1.4 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-73.42	16.86	-56.56	-13.00	-43.56	Peak
2	151.025	-79.24	20.46	-58.78	-13.00	-45.78	Peak
3	633.328	-81.77	35.50	-46.27	-13.00	-33.27	Peak

		a

		A CONTRACTOR OF THE CONTRACTOR					
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	31.292	-81.60	26.91	-54.69	-13.00	-41.69	Peak
2	204.305	-80.94	22.16	-58.78	-13.00	-45.78	Peak
3	598.707	-82.45	34.99	-47.46	-13.00	-34.46	Peak

LTE Band 12/ 1.4 MHz _Middle Channel

Horizontal

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	35.263	-79.49	24.26	-55.23	-13.00	-42.23	Peak
	2	148.917	-79.14	20.38	-58.76	-13.00	-45.76	Peak
Town College	3	594.514	-82.15	34.91	-47.24	-13.00	-34.24	Peak

	-					
N	Δ	rt	ı	r	2	ı
w		ıL		u	а	

vortioe	-		7	131	7 15	7 /	W
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	43.538	-77.67	19.53	-58.14	-13.00	-45.14	Peak
2	164.313	-79.62	20.91	-58.71	-13.00	-45.71	Peak
3	598.707	-80.82	34.99	-45.83	-13.00	-32.83	Peak

LTE Band 12/ 1.4 MHz _Highest Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-73.05	16.86	-56.19	-13.00	-43.19	Peak
2	187.783	-81.22	21.78	-59.44	-13.00	-46.44	Peak
3	535.038	-80.41	33.84	-46.57	-13.00	-33.57	Peak



Vertical Correction Frequency Reading No. factor Result (dBm) Limit (dBm) Margin (dB) Remark (MHz) (dBm) (dB) 1 33.807 -82.48 25.23 -57.25 -13.00 -44.25 Peak 200.043 2 -81.70 22.02 -59.68 -13.00 -46.68 Peak 3 602.929 -82.10 35.06 -47.04 -13.00 -34.04 Peak

Report No.: 190515008RFM-1

LTE Band 12/3 MHz _Lowest Channel

N	0.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
-	1	54.901	-73.25	16.89	-56.36	-13.00	-43.36	Peak
2	2	151.025	-79.79	20.46	-59.33	-13.00	-46.33	Peak
	3	512.948	-79.64	33.40	-46.24	-13.00	-33.24	Peak

Vertica			7 1	j.			
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	43.845	-77.96	19.40	-58.56	-13.00	-45.56	Peak
2	205.746	-80.07	22.20	-57.87	-13.00	-44.87	Peak
3	611.462	-79.90	35.16	-44.74	-13.00	-31.74	Peak



LTE Band 12/3 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	56.071	-72.98	16.93	-56.05	-13.00	-43.05	Peak
2	152.090	-80.74	20.49	-60.25	-13.00	-47.25	Peak
3	611.462	-80.40	35.16	-45.24	-13.00	-32.24	Peak

		а

VOLUTO		A					
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	33.335	-80.67	25.55	-55.12	-13.00	-42.12	Peak
2	166.639	-80.13	20.99	-59.14	-13.00	-46.14	Peak
3	573.988	-81.10	34.51	-46.59	-13.00	-33.59	Peak

LTE Band 12/3 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	47.703	-73.76	17.71	-56.05	-13.00	-43.05	Peak
Ш	2	216.120	-81.15	22.53	-58.62	-13.00	-45.62	Peak
1000	3	554.171	-80.47	34.14	-46.33	-13.00	-33.33	Peak

V/O	rtı	cal	
VC	ıu	cai	

			7	100	7 15	7	W
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	43.538	-78.09	19.53	-58.56	-13.00	-45.56	Peak
2	141.769	-78.83	20.06	-58.77	-13.00	-45.77	Peak
3	598.707	-80.75	34.99	-45.76	-13.00	-32.76	Peak



LTE Band 12/5 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	54.135	-74.08	16.86	-57.22	-13.00	-44.22	Peak
2	329.462	-81.11	26.37	-54.74	-13.00	-41.74	Peak
3	646.822	-81.75	35.70	-46.05	-13.00	-33.05	Peak

		-	
M	0	rt	al

VOICIONI							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	36.781	-82.12	23.25	-58.87	-13.00	-45.87	Peak
2	172.598	-81.29	21.19	-60.10	-13.00	-47.10	Peak
3	535.038	-81.38	33.84	-47.54	-13.00	-34.54	Peak

LTE Band 12/5 MHz _Middle Channel

Horizontal

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	55.288	-71.97	16.91	-55.06	-13.00	-42.06	Peak
	2	193.137	-80.53	21.93	-58.60	-13.00	-45.60	Peak
Щ	3	569.969	-80.64	34.43	-46.21	-13.00	-33.21	Peak

Vertical

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	32.411	-80.23	26.17	-54.06	-13.00	-41.06	Peak
2	156.426	-80.16	20.64	-59.52	-13.00	-46.52	Peak
3	598.707	-82.00	34.99	-47.01	-13.00	-34.01	Peak



LTE Band 12/ 5 MHz _Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	56.071	-73.54	16.93	-56.61	-13.00	-43.61	Peak
2	148.917	-80.15	20.38	-59.77	-13.00	-46.77	Peak
3	546.437	-80.93	34.03	-46.90	-13.00	-33.90	Peak

١.	\boldsymbol{a}	r+ 1	ca	ı

VOITION							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	43.845	-77.92	19.40	-58.52	-13.00	-45.52	Peak
2	219.179	-82.47	22.64	-59.83	-13.00	-46.83	Peak
3	538.811	-81.73	33.91	-47.82	-13.00	-34.82	Peak

LTE Band 12/ 10 MHz _Lowest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	45.095	-74.51	18.85	-55.66	-13.00	-42.66	Peak
	2	73.233	-77.12	17.26	-59.86	-13.00	-46.86	Peak
Щ	3	562.014	-80.94	34.27	-46.67	-13.00	-33.67	Peak

١,	_	rt	٥.	_	_	ı
v	e	П	ш	1 =	и	

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	43.845	-78.93	19.40	-59.53	-13.00	-46.53	Peak
2	189.108	-81.10	21.84	-59.26	-13.00	-46.26	Peak
3	542.610	-80.79	33.98	-46.81	-13.00	-33.81	Peak



LTE Band 12/ 10 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	45.095	-74.92	18.85	-56.07	-13.00	-43.07	Peak
2	168.997	-81.11	21.07	-60.04	-13.00	-47.04	Peak
3	387.257	-80.43	29.51	-50.92	-13.00	-37.92	Peak

Vertical

Vertion	· //	A CONTRACTOR OF THE CONTRACTOR					
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	38.096	-79.77	22.36	-57.41	-13.00	-44.41	Peak
2	213.103	-81.15	22.44	-58.71	-13.00	-45.71	Peak
3	535.038	-81.34	33.84	-47.50	-13.00	-34.50	Peak

LTE Band 12/ 10 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	53.756	-73.21	16.84	-56.37	-13.00	-43.37	Peak
1	2	210.129	-80.55	22.34	-58.21	-13.00	-45.21	Peak
10000	3	554.171	-80.38	34.14	-46.24	-13.00	-33.24	Peak

١.	/e	rt	ī	^	2	ı
v	7	IL	ı	u	а	

VOILIO				<u> </u>	<u> </u>		
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	47.703	-73.47	17.71	-55.76	-13.00	-42.76	Peak
2	163.162	-79.35	20.86	-58.49	-13.00	-45.49	Peak
3	554.171	-80.38	34.14	-46.24	-13.00	-33.24	Peak



LTE Band 17/5 MHz _Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	110.858	-90.35	27.44	-62.91	-13.00	-49.91	Peak
2	264.971	-90.47	30.29	-60.18	-13.00	-47.18	Peak
3	598.707	-90.29	36.83	-53.46	-13.00	-40.46	Peak

Report No.: 190515008RFM-1

١.	\boldsymbol{a}	r+ 1	ca	ı

Vertion							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	121.462	-89.15	27.20	-61.95	-13.00	-48.95	Peak
2	313.648	-87.89	30.82	-57.07	-13.00	-44.07	Peak
3	554.171	-88.36	35.50	-52.86	-13.00	-39.86	Peak

LTE Band 17/5 MHz _Middle Channel

Horizontal

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	40.870	-92.30	29.08	-63.22	-13.00	-50.22	Peak
	2	141.769	-89.70	27.62	-62.08	-13.00	-49.08	Peak
Ш	3	538.811	-88.37	35.56	-52.81	-13.00	-39.81	Peak

Vertical

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	42.931	-90.24	28.25	-61.99	-13.00	-48.99	Peak
2	290.317	-90.53	30.81	-59.72	-13.00	-46.72	Peak
3	582.112	-89.71	36.22	-53.49	-13.00	-40.49	Peak



LTE Band 17/5 MHz _Highest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	32.411	-92.15	34.01	-58.14	-13.00	-45.14	Peak
2	140.777	-90.17	27.63	-62.54	-13.00	-49.54	Peak
3	607.181	-89.48	37.05	-52.43	-13.00	-39.43	Peak

		-	
M	0	rt	al

Vertilean							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	32.640	-90.87	33.80	-57.07	-13.00	-44.07	Peak
2	298.593	-89.51	30.76	-58.75	-13.00	-45.75	Peak
3	562.014	-89.15	35.61	-53.54	-13.00	-40.54	Peak

LTE Band 17/ 10 MHz _Lowest Channel

Horizontal

	No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	100.471	-90.16	27.40	-62.76	-13.00	-49.76	Peak
ĺ	2	284.261	-88.75	30.69	-58.06	-13.00	-45.06	Peak
Щ	3	565.978	-89.00	35.69	-53.31	-13.00	-40.31	Peak

Vertical

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	88.534	-90.54	26.64	-63.90	-13.00	-50.90	Peak
2	139.791	-90.46	27.60	-62.86	-13.00	-49.86	Peak
3	586.217	-90.25	36.30	-53.95	-13.00	-40.95	Peak



LTE Band 17/ 10 MHz _Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	100.471	-91.37	27.40	-63.97	-13.00	-50.97	Peak
2	346.074	-89.73	32.20	-57.53	-13.00	-44.53	Peak
3	578.036	-90.00	36.10	-53.90	-13.00	-40.90	Peak

		а

Voluda								
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	99.768	-90.62	27.44	-63.18	-13.00	-50.18	Peak	
2	241.838	-90.39	29.67	-60.72	-13.00	-47.72	Peak	
3	520.208	-89.20	35.30	-53.90	-13.00	-40.90	Peak	

LTE Band 17/ 10 MHz _Highest Channel

	No.	Frequency (MHz)	Reading (dBm)	Correction	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
	1	38.636	-91.78	(dB) 29.98	-61.80	-13.00	-48.80	Peak
II.	2	300.699	-89.61	30.70	-58.91	-13.00	-45.91	Peak
10000	3	607.181	-89.01	37.05	-51.96	-13.00	-38.96	Peak

Vertical
Vertical

1011100			7	B.		7 /	
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	37.302	-93.16	30.64	-62.52	-13.00	-49.52	Peak
2	139.791	-89.60	27.60	-62.00	-13.00	-49.00	Peak
3	406.782	-89.48	33.35	-56.13	-13.00	-43.13	Peak



5.8.2 Radiated Emission Test Data (Above 1GHz)

GSM 850 1Tx-slot_Lowest Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1648.400	-55.19	2.39	-52.80	-13.00	-39.80	Peak
2	2472.600	-50.17	9.16	-41.01	-13.00	-28.01	Peak

Vertica		1//					
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1648.400	-51.66	4.03	-47.63	-13.00	-34.63	Peak
2	2472.600	-60.22	11.49	-48.73	-13.00	-35.73	Peak

GSM 850 1Tx-slot_Middle Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1673.200	-55.23	2.59	-52.64	-13.00	-39.64	Peak
2	2509.800	-52.44	9.17	-43.27	-13.00	-30.27	Peak

Vertica	ıl		A		1 /		
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1648.400	-66.63	4.03	-62.60	-13.00	-49.60	Peak
2	1673.200	-51.16	4.31	-46.85	-13.00	-33.85	Peak
3	2509.800	-55.16	11.46	-43.70	-13.00	-30.70	Peak



GSM 850 1Tx-slot_Highest Channel

		•		
	\sim	-	70	nta
п	u	112	٧.	nta

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1697.600	-51.93	2.78	-49.15	-13.00	-36.15	Peak
2	2546.400	-59.33	9.22	-50.11	-13.00	-37.11	Peak

Vertica	Vertical						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	1697.600	-57.19	4.59	-52.60	-13.00	-39.60	Peak
2	2546.400	-58.27	11.45	-46.82	-13.00	-33.82	Peak

GSM 1900 1Tx-slot_Lowest Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3700.400	-51.08	13.77	-37.31	-13.00	-24.31	Peak
2	5550.600	-60.72	16.02	-44.70	-13.00	-31.70	Peak

Verti	cal						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3700.400	-54.31	15.13	-39.18	-13.00	-26.18	Peak
2	5550.600	-45.48	16.91	-28.57	-13.00	-15.57	Peak



GSM 1900 1Tx-slot_Middle Channel

Horizontal

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-54.53	13.87	-40.66	-13.00	-27.66	Peak
2	5640.000	-53.41	16.10	-37.31	-13.00	-24.31	Peak

Vertica	Vertical							
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark	
1	3760.000	-49.28	15.28	-34.00	-13.00	-21.00	Peak	
2	5640.000	-47.47	16.97	-30.50	-13.00	-17.50	Peak	

GSM 1900 1Tx-slot_Highest Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3819.600	-58.32	13.98	-44.34	-13.00	-31.34	Peak
2	5729.400	-61.92	16.37	-45.55	-13.00	-32.55	Peak

Vertica	ıl		A.	1 /			
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3819.600	-51.42	15.44	-35.98	-13.00	-22.98	Peak
2	5729.400	-57.17	17.23	-39.94	-13.00	-26.94	Peak



WCDMA Band II RMC 12.2Kbps_Lowest Channel

н	^r	170	nta	
	OI.	ızu	ıııa	

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3704.800	-65.27	13.78	-51.49	-13.00	-38.49	Peak
2	5557.200	-66.15	16.01	-50.14	-13.00	-37.14	Peak

Vertica	ıl						
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3704.800	-71.59	15.14	-56.45	-13.00	-43.45	Peak
2	5557.200	-68.26	16.90	-51.36	-13.00	-38.36	Peak

WCDMA Band II RMC 12.2Kbps_Middle Channel

No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-70.84	13.87	-56.97	-13.00	-43.97	Peak
2	5640.000	-67.46	16.10	-51.36	-13.00	-38.36	Peak

Vertical			A			<i>(</i>	
No.	Frequency (MHz)	Reading (dBm)	Correction factor (dB)	Result (dBm)	Limit (dBm)	Margin (dB)	Remark
1	3760.000	-70.39	15.28	-55.11	-13.00	-42.11	Peak
2	5640.000	-67.49	16.97	-50.52	-13.00	-37.52	Peak