

**System Performance Check Data(Body)**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2016.06.09



Measurement duration: 13 minutes 30 seconds

**A. Experimental conditions.**

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	
Band	835MHz
Channels	
Signal	CW

**B. SAR Measurement Results****Band SAR**

Frequency (MHz)	835.000000
Relative permittivity (real part)	55.693058
Conductivity (S/m)	0.970859
Power drift (%)	-0.810000
Ambient Temperature:	22.9°C
Liquid Temperature:	22.1°C
ConvF:	5.93
Crest factor:	1:1

**SURFACE SAR****VOLUME SAR**






REPORT No. : SZ16050024S02

Maximum location: X=7.00, Y=-1.00

SAR 10g (W/Kg)	0.678062
SAR 1g (W/Kg)	0.992185

Z Axis Scan

Z (mm)	0	4	9	14	19	24	29
SAR(W/Kg)	1.5216	1.2714	0.7630	0.5421	0.4112	0.2518	0.1912



**System Performance Check Data(Body)**

Type: Phone measurement (Complete)

Area scan resolution: dx=8mm,dy=8mm

Zoom scan resolution: dx=8mm, dy=8mm, dz=5mm

Date of measurement: 2016.06.09



Measurement duration: 13 minutes 26 seconds

**A. Experimental conditions.**

Phantom File	surf_sam_plan.txt
Phantom	Flat Plane
Device Position	
Band	1900MHz
Channels	
Signal	CW

**B. SAR Measurement Results****Band SAR**

Frequency (MHz)	1900.000000
Relative permittivity (real part)	53.103586
Conductivity (S/m)	1.532437
Power drift (%)	-1.240000
Ambient Temperature:	22.9°C
Liquid Temperature:	22.1°C
ConvF:	5.53
Crest factor:	1:1

**SURFACE SAR****VOLUME SAR**





REPORT No. : SZ16050024S02

Maximum location: X=2.00, Y=2.00

SAR 10g (W/Kg)	1.990125
SAR 1g (W/Kg)	4.348257

### Z Axis Scan

