


#### Channel Bandwidth: 10 MHz\_MCH\_QPSK\_50RB#0















Channel Bandwidth: 10 MHz\_MCH\_16QAM\_25RB#12



Channel Bandwidth: 10 MHz\_MCH\_16QAM\_25RB#25




Channel Bandwidth: 10 MHz\_MCH\_16QAM\_50RB#0















Channel Bandwidth: 10 MHz\_MCH\_16QAM\_25RB#0




Channel Bandwidth: 10 MHz\_MCH\_16QAM\_25RB#12



Channel Bandwidth: 10 MHz\_MCH\_16QAM\_25RB#25










## **Appendix E: Conducted Spurious Emission**


## **Test Graphs**

**Channel Bandwidth: 5 MHz** 

























































































































### **Channel Bandwidth: 10 MHz**







































# **Appendix F: Frequency Stability**

## **Test Result**

**Channel Bandwidth: 5 MHz** 

| Channel Bandwidth: 5 MHz |         |                  |                     |                   |                 |                |         |  |
|--------------------------|---------|------------------|---------------------|-------------------|-----------------|----------------|---------|--|
| Voltage                  |         |                  |                     |                   |                 |                |         |  |
| Modulation               | Channel | Voltage<br>[Vdc] | Temperature<br>(°C) | Deviation<br>(Hz) | Deviation (ppm) | Limit<br>(ppm) | Verdict |  |
|                          |         | VL               | TN                  | -0.45             | -0.000577       | ± 2.5          | PASS    |  |
| ı                        | LCH     | VN               | TN                  | 4.13              | 0.005298        | ± 2.5          | PASS    |  |
|                          |         | VH               | TN                  | 4.46              | 0.005722        | ± 2.5          | PASS    |  |
|                          |         | VL               | TN                  | 0.17              | 0.000217        | ± 2.5          | PASS    |  |
| QPSK                     | MCH     | VN               | TN                  | 1.71              | 0.002187        | ± 2.5          | PASS    |  |
|                          |         | VH               | TN                  | 0.69              | 0.000882        | ± 2.5          | PASS    |  |
|                          |         | VL               | TN                  | -1.74             | -0.002218       | ± 2.5          | PASS    |  |
|                          | HCH     | VN               | TN                  | -1.72             | -0.002192       | ± 2.5          | PASS    |  |
|                          |         | VH               | TN                  | 4.29              | 0.005468        | ± 2.5          | PASS    |  |
|                          |         | VL               | TN                  | 0.95              | 0.001219        | ± 2.5          | PASS    |  |
|                          | LCH     | VN               | TN                  | 3.4               | 0.004362        | ± 2.5          | PASS    |  |
|                          |         | VH               | TN                  | 2.1               | 0.002694        | ± 2.5          | PASS    |  |
|                          | MCH     | VL               | TN                  | 3.19              | 0.004079        | ± 2.5          | PASS    |  |
| 16QAM                    |         | VN               | TN                  | 4.38              | 0.005601        | ± 2.5          | PASS    |  |
|                          |         | VH               | TN                  | 0.33              | 0.000422        | ± 2.5          | PASS    |  |
|                          | нсн     | VL               | TN                  | 4.59              | 0.005851        | ± 2.5          | PASS    |  |
|                          |         | VN               | TN                  | 0.09              | 0.000115        | ± 2.5          | PASS    |  |
|                          |         | VH               | TN                  | 1.42              | 0.001810        | ± 2.5          | PASS    |  |
|                          |         |                  | Tempe               | erature           |                 |                |         |  |
| Modulation               | Channel | Voltage<br>[Vdc] | Temperature<br>(℃)  | Deviation<br>(Hz) | Deviation (ppm) | Limit<br>(ppm) | Verdict |  |
|                          | LCH     | VN               | -30                 | 1.19              | 0.001527        | ± 2.5          | PASS    |  |
|                          |         | VN               | -20                 | 0.67              | 0.000860        | ± 2.5          | PASS    |  |
|                          |         | VN               | -10                 | -1.18             | -0.001514       | ± 2.5          | PASS    |  |
|                          |         | VN               | 0                   | 4.61              | 0.005914        | ± 2.5          | PASS    |  |
|                          |         | VN               | 10                  | 4.9               | 0.006286        | ± 2.5          | PASS    |  |
| QPSK                     |         | VN               | 20                  | -1.16             | -0.001488       | ± 2.5          | PASS    |  |
|                          |         | VN               | 30                  | 3.21              | 0.004118        | ± 2.5          | PASS    |  |
|                          |         | VN               | 40                  | 0.83              | 0.001065        | ± 2.5          | PASS    |  |
|                          |         | VN               | 50                  | 4.03              | 0.005170        | ± 2.5          | PASS    |  |
|                          | MOLL    | VN               | -30                 | 3.22              | 0.004118        | ± 2.5          | PASS    |  |
|                          | MCH     | VN               | -20                 | 1.83              | 0.002340        | ± 2.5          | PASS    |  |

Report No.: WTX19X03011771W-2 Page 71 of 73 LTE Band 13



Model: T522A

|       |     | VN | -10 | 2.22  | 0.002839  | ± 2.5 | PASS |
|-------|-----|----|-----|-------|-----------|-------|------|
|       |     | VN | 0   | 0.92  | 0.001176  | ± 2.5 | PASS |
|       |     | VN | 10  | 2.29  | 0.002928  | ± 2.5 | PASS |
|       |     | VN | 20  | 4.95  | 0.006330  | ± 2.5 | PASS |
|       |     | VN | 30  | 4.78  | 0.006113  | ± 2.5 | PASS |
|       |     | VN | 40  | 3.14  | 0.004015  | ± 2.5 | PASS |
|       |     | VN | 50  | 1.15  | 0.001471  | ± 2.5 | PASS |
|       |     | VN | -30 | -1.22 | -0.001555 | ± 2.5 | PASS |
|       |     | VN | -20 | 1.85  | 0.002358  | ± 2.5 | PASS |
|       |     | VN | -10 | -1.5  | -0.001912 | ± 2.5 | PASS |
|       |     | VN | 0   | 2.39  | 0.003047  | ± 2.5 | PASS |
|       | HCH | VN | 10  | 3.35  | 0.004270  | ± 2.5 | PASS |
|       |     | VN | 20  | 0.85  | 0.001083  | ± 2.5 | PASS |
|       |     | VN | 30  | 4.09  | 0.005214  | ± 2.5 | PASS |
|       |     | VN | 40  | 1.4   | 0.001785  | ± 2.5 | PASS |
|       |     | VN | 50  | 0.73  | 0.000931  | ± 2.5 | PASS |
|       |     | VN | -30 | 2.74  | 0.003515  | ± 2.5 | PASS |
|       |     | VN | -20 | -0.15 | -0.000192 | ± 2.5 | PASS |
|       | LCH | VN | -10 | -1.83 | -0.002348 | ± 2.5 | PASS |
|       |     | VN | 0   | 3.74  | 0.004798  | ± 2.5 | PASS |
|       |     | VN | 10  | 2.09  | 0.002681  | ± 2.5 | PASS |
|       |     | VN | 20  | 1     | 0.001283  | ± 2.5 | PASS |
|       |     | VN | 30  | 3.15  | 0.004041  | ± 2.5 | PASS |
|       |     | VN | 40  | -0.82 | -0.001052 | ± 2.5 | PASS |
|       |     | VN | 50  | 2.87  | 0.003682  | ± 2.5 | PASS |
|       | MCH | VN | -30 | 2.32  | 0.002967  | ± 2.5 | PASS |
|       |     | VN | -20 | 3.42  | 0.004373  | ± 2.5 | PASS |
|       |     | VN | -10 | -0.22 | -0.000281 | ± 2.5 | PASS |
| 16QAM |     | VN | 0   | 1.75  | 0.002238  | ± 2.5 | PASS |
|       |     | VN | 10  | -0.57 | -0.000729 | ± 2.5 | PASS |
|       |     | VN | 20  | -1.42 | -0.001816 | ± 2.5 | PASS |
|       |     | VN | 30  | 3.65  | 0.004668  | ± 2.5 | PASS |
|       |     | VN | 40  | -0.56 | -0.000716 | ± 2.5 | PASS |
|       |     | VN | 50  | 1.36  | 0.001739  | ± 2.5 | PASS |
|       | нсн | VN | -30 | 4.14  | 0.005277  | ± 2.5 | PASS |
|       |     | VN | -20 | 4.73  | 0.006029  | ± 2.5 | PASS |
|       |     | VN | -10 | 4.09  | 0.005214  | ± 2.5 | PASS |
|       |     | VN | 0   | -1.29 | -0.001644 | ± 2.5 | PASS |
|       |     | VN | 10  | 0.29  | 0.000370  | ± 2.5 | PASS |
|       |     | VN | 20  | 3.8   | 0.004844  | ± 2.5 | PASS |
|       |     | VN | 30  | 3.3   | 0.004207  | ± 2.5 | PASS |



TEST Model: T522A

|  | VN | 40 | 3.6  | 0.004589 | ± 2.5 | PASS |
|--|----|----|------|----------|-------|------|
|  | VN | 50 | 0.47 | 0.000599 | ± 2.5 | PASS |

## **Channel Bandwidth: 10 MHz**

| Channel Bandwidth: 10 MHz |         |                  |                     |                   |                    |                |         |  |
|---------------------------|---------|------------------|---------------------|-------------------|--------------------|----------------|---------|--|
| Voltage                   |         |                  |                     |                   |                    |                |         |  |
| Modulation                | Channel | Voltage<br>[Vdc] | Temperature<br>(°C) | Deviation<br>(Hz) | Deviation<br>(ppm) | Limit<br>(ppm) | Verdict |  |
|                           |         | VL               | TN                  | 1.91              | 0.002442           | ± 2.5          | PASS    |  |
| QPSK                      | MCH     | VN               | TN                  | 4.72              | 0.006036           | ± 2.5          | PASS    |  |
|                           |         | VH               | TN                  | 3.98              | 0.005090           | ± 2.5          | PASS    |  |
|                           |         | VL               | TN                  | -0.36             | -0.000460          | ± 2.5          | PASS    |  |
| 16QAM                     | MCH     | VN               | TN                  | -0.16             | -0.000205          | ± 2.5          | PASS    |  |
|                           |         | VH               | TN                  | 0.89              | 0.001138           | ± 2.5          | PASS    |  |
|                           |         |                  | Tempe               | erature           |                    |                |         |  |
| Modulation                | Channel | Voltage<br>[Vdc] | Temperature<br>(℃)  | Deviation<br>(Hz) | Deviation<br>(ppm) | Limit<br>(ppm) | Verdict |  |
|                           | MCH     | VN               | -30                 | -1.5              | -0.001918          | ± 2.5          | PASS    |  |
|                           |         | VN               | -20                 | 4.92              | 0.006292           | ± 2.5          | PASS    |  |
|                           |         | VN               | -10                 | -0.68             | -0.000870          | ± 2.5          | PASS    |  |
|                           |         | VN               | 0                   | 1.36              | 0.001739           | ± 2.5          | PASS    |  |
| 16QAM                     |         | VN               | 10                  | -1.72             | -0.002199          | ± 2.5          | PASS    |  |
|                           |         | VN               | 20                  | 4.82              | 0.006164           | ± 2.5          | PASS    |  |
|                           |         | VN               | 30                  | 4.47              | 0.005716           | ± 2.5          | PASS    |  |
|                           |         | VN               | 40                  | -0.98             | -0.001253          | ± 2.5          | PASS    |  |
|                           |         | VN               | 50                  | 0.86              | 0.001100           | ± 2.5          | PASS    |  |
|                           | МСН     | VN               | -30                 | 1.42              | 0.001816           | ± 2.5          | PASS    |  |
|                           |         | VN               | -20                 | 0.94              | 0.001202           | ± 2.5          | PASS    |  |
|                           |         | VN               | -10                 | 4.15              | 0.005307           | ± 2.5          | PASS    |  |
| QPSK                      |         | VN               | 0                   | 2.53              | 0.003235           | ± 2.5          | PASS    |  |
|                           |         | VN               | 10                  | 1.37              | 0.001752           | ± 2.5          | PASS    |  |
|                           |         | VN               | 20                  | -0.27             | -0.000345          | ± 2.5          | PASS    |  |
|                           |         | VN               | 30                  | 2.43              | 0.003107           | ± 2.5          | PASS    |  |
|                           |         | VN               | 40                  | 1.93              | 0.002468           | ± 2.5          | PASS    |  |
|                           |         | VN               | 50                  | 2.24              | 0.002864           | ± 2.5          | PASS    |  |