FCC Test Report

Application Purpose : Original grant

Applicant Name: : INFINIX MOBILITY LIMITED

FCC ID : 2ADYY-X601-LTE

Equipment Type : Mobile phone

Model Name : X601-LTE

Report Number: FCC16083896A-5

Standard(S) : FCC Part 22H&24E&27 Rules

Date Of Receipt : August 19, 2016

Date Of Issue : September 27, 2016

Test By :

(Daisy Qin)

Reviewed By :

(Sol Qin)
Authorized by :

(Michal Ling)

Prepared by : QTC Certification & Testing Co., Ltd.

2nd Floor,Bl Building,Fengyeyuan Industrial Plant,, Liuxian 2st. Road, Xin'an Street, Bao'an District,,Shenzhen,518000

Registration Number: 588523

REPORT REVISE RECORD

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	September 27, 2016	Valid	Original Report
V1.1	/	October 14, 2016	Valid	Original Report

TABLE OF CONTENTS

1	CER.	TIFICATION	4
2		INFORMATION	
2	EUI	INFORMATION	
3	TEST	T DESCRIPTION	7
	3.1	TEST FACILITY	7
	3.2	EUT System Configuration	7
	3.3	DESCRIPTION OF TEST CHANNELS AND TEST MODES	8
	3.4	EQUIPMENT MODIFICATIONS	10
4	SUN	MMARY OF TEST REQUIREMENTS AND RESULTS	11
5	MEA	ASUREMENT INSTRUMENTS	13
6	EFFE	ECTIVE (ISOTROPIC) RADIATED POWER	14
7	SPU	RIOUS EMISSION (CONDUCTED AND RADIATED)	35
	7.1	Measurement Result (Pre-measurement)	35
	7.2	TEST PLOT(S)	41
	7.2.1	CONDUCTED METHOD	41
	7.2.1	RADIATED METHOD	105
8	FRE	QUENCY STABILITY	113
	8.1	Measurement Result (Worst)	113

1 CERTIFICATION				
Applicant	INFINIX MOBILITY LIMITED			
Address	RMS 05-15, 13A/F SOUTH TOWER WORLD FINANCE CTR HARBOUR CITY 17 CANTON RD TST KLN HONG KONG			
Manufacturer	SHENZHEN TECNO TECHNOLOGY CO.,LTD.			
Address	1-4th Floor,3rd Building,Pacific Industrial Park,No.2088,Shenyan Road,Yantian District,Shenzhen,Guangdong,China			
Equipment Type	Mobile phone			
Brand Name	Infinix			
Test Model	X601-LTE			
Hardware version:	2.1V			
Software version:	X601-H537B1-M-160715V13			
Series Model	N/A			
Difference description	N/A			
Deviation	None			
Condition of Test Sample	Normal			

We hereby certify that:

All measurement facilities used to collect the measurement data are located at QTC Certification & Testing Co., Ltd.

Registration Number: 588523

The data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C 63.4:2014 and TIA/EIA 603. The sample tested as described in this report is in compliance with the FCC Rules Part 22H and 24E and 27.

The test results of this report relate only to the tested sample identified in this report.

2 EUT INFORMATION

Table 2.1.1 General Information

Equipment Type:	Mobile phone		
Hardware version:	V2.1		
Software version:	X601-H537B1-M-160715V13		
Frequency Bands: SGSM 850 SPCS 1900 (U.S. Bands) UTRA Bands: SUTRA Band 2 SUTRA Band 4 SUTRA Band 5 E-UTRA Bands: SE-UTRA Band 2 SE-UTRA Band 4 SE-UTRA Band 7			
Antenna Type:	Internal Antenna		
Antenna gain:	BAND 2(PCS 1900/ UTRA Band 2): -4.0dBi BAND 2(E-UTRA Band 2): -3.5dBi BAND 4(UTRA Band 4): -4.0dBi BAND 4(E-UTRA Band 4): -6.0dBi BAND 5(GSM850): -4.0dBi BAND 5(UTRA Band 5): -4.5dBi BAND 7(E-UTRA Band 7): -5.0dBi		
Battery information:	Li-ion Battery : BL-45BX Voltage: 3.85V Capacity: 4500mAh Limited Charge Voltage: 4.4V		
Adapter Information:	Adapter: CQ-24KX Input: AC 100~240V 50/60Hz 600mA Output: DC 5~12V 2A		
Card(S):	Card 1: E-UTRA Card Slot Card 2: GSM Card Slot		
Max power:	See Table 2.1.2		
Extreme Vol. Limits:	DC 3.45V to 4.4V (Normal: DC 3.85V)		
Extreme Temp. Tolerance	-10°C to +65°C		

Note 1: The High Voltage DC 4.4V and Low Voltage DC 3.45V were declared by manufacturer, The EUT couldn't be operating normally with higher or lower voltage.

Table 2.1.2 The Basic Technical Specification for Working BAND(S).

OPERATION BAND(S)	Power Class	Mod.	Max Average (dBm)	Max Peak Power (dBm)
GSM850	Class 4	GMSK	32.86	32.33
DCS1900	Class 1	GMSK	30.31	29.41
UTRA BAND 2	Class 3	QPSK	24.52	23.29
UTRA BAND 4	Class 3	QPSK	24.56	23.41
UTRA BAND 5	Class 3	QPSK	24.49	23.59
E-UTRA Band 2	Class 3	QPSK	22.97	24.93
E-UTRA Band 2	Class 3	16QAM	22.95	24.92
E-UTRA Band 4	Class 3	QPSK	22.96	24.91
E-UTRA Band 4	Class 3	16QAM	22.99	24.94
E-UTRA Band 7	Class 3	QPSK	22.93	24.92
E-UTRA Band 7	Class 3	16QAM	22.99	25.03

3 TEST DESCRIPTION

3.1 Test Facility

The test site used to collect the radiated data is located at:

QTC Certification & Testing Co., Ltd.

Registration Number: 588523

3.2EUT System Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

Fig. 3.2-1 Configuration of EUT System

EUT

Table 3.2-1 Equipment Used in EUT System

Item	Equipment	Model No.	ID or Specification	Note
1	Mobile phone	X601-LTE	2ADYY-X601-LTE	EUT

***Note: All the accessories have been used during the test. The following "EUT" in setup diagram means EUT system.

3.3 Description Of Test Channels And Test Modes

Test channels:

GSM 850				
Test Channel BW(MHz) UL Channel Frequency(MHz)				
Low Range	0.2	128	824.2	
Mid Range	0.2	190	836.6	
High Range	0.2	251	848.8	

PCS 1900				
Test Channel	BW(MHz)	UL Channel	Frequency(MHz)	
Low Range	0.2	512	1850.2	
Mid Range	0.2	661	1880	
High Range	0.2	810	1909.8	

URTA BAND 2				
Test Channel	BW(MHz)	UL Channel	Frequency(MHz)	
Low Range	5	9263	1852.6	
Mid Range	5	9400	1880	
High Range	5	9537	1907.4	

URTA BAND 4				
Test Channel	BW(MHz)	UL Channel	Frequency(MHz)	
Low Range	5	1313	1712.6	
Mid Range	5	1450	1740	
High Range	5	1512	1752.4	

URTA BAND 5				
Test Channel BW(MHz) UL Channel Frequency(MHz)				
Low Range	5	4133	826.6	
Mid Range	5	4175	835	
High Range	5	4232	846.4	

	LTE BAND 2				
Test Channel	BW(MHz)	UL Channel	Frequency(MHz)		
	1.4	18607	1850.7		
	3	18615	1851.5		
Low Panga	5	18625	1852.5		
Low Range	10	18650	1855		
	15	18675	1857.5		
	20	18700	1860		
Mid Range	1.4/3/5/10	40000	1880		
Wild Karige	15 /20	18900	1660		
	1.4	19193	1909.3		
	3	19185	1908.5		
Lligh Dongo	5	19175	1907.5		
High Range	10	19150	1905		
	15	19125	1902.5		
	20	19100	1900		

LTE BAND 4						
Test Channel	BW(MHz)	Frequency(MHz)				
	1.4	19957	1710.7			
	3	19965	1711.5			
Low Pango	5	19975	1712.5			
Low Range	10	20000	1715			
	15	20025	1717.5			
	20	20050	1720			
Mid Range	1.4/3/5/10/15/20	20175	1732.5			
	1.4	20393	1754.3			
	3	20385	1753.5			
High Bongo	5	20375	1752.5			
High Range	10	20350	1750			
	15	20325	1747.5			
	20	20300	1745			

LTE BAND 7					
Test Channel	BW(MHz)	UL Channel	Frequency(MHz)		
	5	20775	2502.5		
Low Pongo	10	20800	2505		
Low Range	15	20825	2507.5		
	20	20850	2510		
Mid Range	5/10/15/20	21100	2535		
	5	21425	2567.5		
High Range	10	21400	2565		
	15	21375	2562.5		
	20	21350	2560		

Note 1: both QPSK&16QAM modulation has been measured;

Note 2: The worst condition was recorded in the test report if no other modes test data.

3.4 Equipment Modifications

Not available for this EUT intended for grant.

4 SUMMARY OF TEST REQUIREMENTS AND RESULTS

BAND 2(PCS 1900/ E-UTRA Band 2/ UTRA Band 2):

Test Item	FCC Rule No.	Requirements	Judgement	
Effective (Isotropic)	§2.1046,	EIRP ≤ 2W(33dBm)	Pass	
Radiated Power	§24.232(c)	25.44 .11 .11 .11		
Bandwidth	§2.1049	OBW: No limit.	Pass	
	§24.238(a)	EBW: No limit.		
Band Edges	§2.1051,	-13dBm	Pass	
Dana Lages	§24.238(a)	ТООВІП	1 033	
Spurious Emission	§2.1051,		Pass	
at Antenna		-13dBm		
Terminals	§24.238(a)			
Field Strength of	§2.1053,	-13dBm	Pass	
Spurious Radiation	§24.238(a)	-1305111	Pass	
	§2.1055,	the fundamental emission stays		
Frequency Stability		within the authorized frequency	Pass	
	§24.235	block.		
Peak to average	§24.232(d)	<13dB	Dace	
ratio	324.232(u)	<130B	Pass	

BAND 4(UTRA Band 4/E-UTRA Band 4):

Test Item	FCC Rule No.	Requirements	Judgement
Effective (Isotropic) Radiated Power	§2.1046, §27.50(d)	EIRP ≤ 1W(30dBm)	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Pass
Band Edges	§2.1051, §27.53(h)	-13dBm	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(h)	-13dBm	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(h)	-13dBm	Pass
Frequency Stability	§2.1055, §27.54	the fundamental emissions stay within the authorized bands of operation.	Pass
Peak to average ratio	§27.50(d)	<13dB	Pass

BAND 7(E-UTRA Band 7):

Test Item	FCC Rule No.	Requirements	Judgement
Effective (Isotropic) Radiated Power	§2.1046, §27.50(h)	EIRP ≤ 2W(33dBm)	Pass
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Pass
Band Edges	§2.1051, §27.53(m)	KDB 971 168 D02 971168 D02 Misc OOBE License Digital Systems v01 &27.53(m) for detail the limit is upon different OBW	Pass
Spurious Emission at Antenna Terminals	§2.1051, §27.53(m)	-25dBm	Pass
Field Strength of Spurious Radiation	§2.1053, §27.53(m)	-25dBm	Pass
Frequency Stability	§2.1055, §27.54	the fundamental emissions stay within the authorized bands of operation.	Pass

BAND 5(GSM850/ UTRA Band 5):

Test Item	FCC Rule No.	Requirements	Judgement
Effective (Isotropic) Radiated Power	§2.1046, §2.913(a)	EIRP ≤ 2W(33dBm)	Pass
Occupied Bandwidth	§2.1049	OBW: No limit.	Pass
Emission Bandwidth	22.917(b)	EBW: No limit.	Pass
Band Edges Compliance	§2.1051, §22.917(a)(b)	KDB 971 168 D02 971168 D02 Misc OOBE License Digital Systems v01 &27.53(m) for detail the limit is upon different OBW	Pass
Spurious Emission at Antenna Terminals	§2.1051, §22.917	-25dBm	Pass
Field Strength of Spurious Radiation	§2.1053, §22.917	-25dBm	Pass
Frequency Stability	§2.1055, §22.355	the fundamental emissions stay within the authorized bands of operation.	Pass

5 MEASUREMENT INSTRUMENTS

NAME OF EQUIPMENT	MANUFACTURER	MODEL	SERIAL NUMBER	Calibration Date	Calibration Due.
EMI Test Receiver	R&S	ESCI	100005	08/19/2016	08/18/2017
LISN	AFJ	LS16	16010222119	08/19/2016	08/18/2017
LISN(EUT)	Mestec	AN3016	04/10040	08/19/2016	08/18/2017
Universal Radio Communication Tester	R&S	CMU 200	1100.0008.02	08/19/2016	08/18/2017
Coaxial cable	Megalon	LMR400	N/A	08/12/2016	08/11/2017
GPIB cable	Megalon	GPIB	N/A	08/12/2016	08/11/2017
Spectrum Analyzer	R&S	FSU	100114	08/19/2016	08/18/2017
Pre Amplifier	H.P.	HP8447E	2945A02715	10/13/2016	10/12/2017
Pre-Amplifier	CDSI	PAP-1G18-38		10/13/2016	10/12/2017
Loop Antenna	R&S	HFH2-Z2	100296	10/13/2016	10/12/2017
Bi-log Antenna	SUNOL Sciences	JB3	A021907	09/13/2016	09/12/2017
9*6*6 Anechoic				08/21/2016	08/20/2017
Horn Antenna	COMPLIANCE ENGINEERING	CE18000		09/13/2016	09/12/2017
Horn Antenna	SCHWARZBECK	BBHA9120D	9120D-631	08/23/2016	08/22/2017
Power meter	Anritsu	ML2487A	6K00003613	08/23/2016	08/22/2017
Power meter	Anritsu	MA2491A	32263	08/23/2016	08/22/2017
Cable	TIME MICROWAVE	LMR-400	N-TYPE04	04/24/2016	04/23/2017
System-Controller	ccs	N/A	N/A	N.C.R	N.C.R
Turn Table	ccs	N/A	N/A	N.C.R	N.C.R
Antenna Tower	ccs	N/A	N/A	N.C.R	N.C.R
RF cable	Murata	MXHQ87WA3000	-	08/21/2016	08/20/2017
Loop Antenna	EMCO	6502	00042960	08/22/2016	08/21/2017
Wideband Radio Communication Tester	R&S	CMW 500	103974	08/19/2016	08/18/2017
Horn Antenna	SCHWARZBECK	BBHA 9170	1123	08/19/2016	08/18/2017
H & T Chamber	Guangzhou gongwen	GDJS-500-40	0329	08/19/2016	08/18/2017

6 EFFECTIVE (ISOTROPIC) RADIATED POWER

Measurement Result

GSM850 BAND:

Mode	Frequency (MHz)	Peak Power	Avg.Burst Power	Tolerance	Duty cycle Factor(dB)	Frame Power(dBm)
	824.2	32.86	32.32	0.54	-9	23.32
GSM850	836.6	32.59	32.33	0.26	-9	23.33
	848.8	32.77	32.21	0.56	-9	23.21
	824.2	29.95	29.24	0.71	-9	20.24
GPRS850	836.6	29.33	29.10	0.23	-9	20.10
	848.8	29.77	29.47	0.30	-9	20.47

PCS1900 BAND:

Mode	Frequency (MHz)	Peak Power	Tolerance	Avg.Burst Power	Duty cycle Factor(dB)	Frame Power(dBm)
	1850.2	30.31	29.23	1.09	-9	20.23
GSM1900	1880	29.92	29.21	0.71	-9	20.21
	1909.8	29.63	29.41	0.22	-9	20.41
	1850.2	27.84	26.67	1.17	-9	17.67
GPRS1900	1880	27.63	26.27	1.36	-9	17.27
	1909.8	27.78	26.97	0.80	-9	17.97

UTRA BANDS:

BAND 2:

Mode	Frequency (MHz)	Peak Power (dBm)	Avg. Burst Power(dBm)	PAPR (dB)
	1852.6	24.52	23.03	1.49
RMC 12.2K	1880	24.13	22.72	1.41
	1907.4	23.35	22.77	0.58
ПСПВУ	1852.6	24.42	23.29	1.13
HSDPA SUBTEST 1	1880	23.81	22.51	1.30
	1907.4	23.07	22.59	0.48
HSUPA SUBTEST 1	1852.6	24.25	22.80	1.45
	1880	23.41	22.49	0.92
SUBTEST	1907.4	23.85	22.44	1.41

BAND 4:					
	Mode	Frequency (MHz)	Peak Power (dBm)	Avg. Burst Power(dBm)	PAPR (dB)
		1712.6	24.56	23.41	1.15
	RMC 12.2K	1740	24.25	23.25	1.00
		1752.4	24.02	22.95	1.07
	LICDDA	1712.6	24.01	22.77	1.24
	HSDPA SUBTEST 1	1740	23.76	22.69	1.07
	SUBIESTI	1752.4	23.69	23.10	0.59
	LICLIDA	1712.6	24.50	22.73	1.77
HSUPA	1740	24.47	23.25	1.22	
	SUBTEST 1	1752.4	23.44	22.65	0.79

BAND 5:

Mode	Frequency (MHz)	Peak Power (dBm)	Avg. Burst Power(dBm)	PAPR (dB)
	826.6	24.49	22.59	1.90
RMC 12.2K	835	23.93	23.07	0.86
	846.4	23.80	22.89	0.91
ПСДВУ	826.6	24.04	22.89	1.15
HSDPA SUBTEST 1	835	23.90	23.23	0.67
	846.4	23.92	22.99	0.93
HSUPA SUBTEST 1	826.6	24.28	23.02	1.26
	835	23.64	22.80	0.84
SUBTEST	846.4	24.23	22.62	1.61

E-UTRA BANDS: BAND 2:

	UL	Frequency	Modulation	RB	RB	Average	Peak
Bandwidth	Channel			Size	Offset	(dBm)	(dBm)
1.4	18607	1850.7	QPSK	1	LOW	21.8	23.9
1.4	18607	1850.7	QPSK	1	MID	21.26	23.6
1.4	18607	1850.7	QPSK	1	HIGH	21.09	23.54
1.4	18607	1850.7	QPSK	3	LOW	21.49	24.94
1.4	18607	1850.7	QPSK	3	MID	22.6	24.2
1.4	18607	1850.7	QPSK	3	HIGH	21.08	23.6
1.4	18607	1850.7	QPSK	6	LOW	22.76	24.95
1.4	18607	1850.7	Q16	1	LOW	22.9	23.36
1.4	18607	1850.7	Q16	1	MID	21.54	23.14
1.4	18607	1850.7	Q16	1	HIGH	21.49	23.59
1.4	18607	1850.7	Q16	3	LOW	22.73	23.45
1.4	18607	1850.7	Q16	3	MID	21.84	23.04
1.4	18607	1850.7	Q16	3	HIGH	22.15	23.62
1.4	18607	1850.7	Q16	6	LOW	21.16	24.53
1.4	18900	1880	QPSK	1	LOW	21.75	23.79
1.4	18900	1880	QPSK	1	MID	21.59	23.24
1.4	18900	1880	QPSK	1	HIGH	21.87	24.14
1.4	18900	1880	QPSK	3	LOW	22.72	23.17
1.4	18900	1880	QPSK	3	MID	22.56	24.05
1.4	18900	1880	QPSK	3	HIGH	21.96	23.78
1.4	18900	1880	QPSK	6	LOW	22.43	23.02
1.4	18900	1880	Q16	1	LOW	21.16	23.85
1.4	18900	1880	Q16	1	MID	22.63	24.94
1.4	18900	1880	Q16	1	HIGH	22.03	23.49
1.4	18900	1880	Q16	3	LOW	22.78	23.92
1.4	18900	1880	Q16	3	MID	21.56	23.81
1.4	18900	1880	Q16	3	HIGH	21.25	24.39
1.4	18900	1880	Q16	6	LOW	22.68	24.61
1.4	19193	1909.3	QPSK	1	LOW	21.42	24.38
1.4	19193	1909.3	QPSK	1	MID	22.71	24.94
1.4	19193	1909.3	QPSK	1	HIGH	21.59	23.91
1.4	19193	1909.3	QPSK	3	LOW	21.66	23.13
1.4	19193	1909.3	QPSK	3	MID	21.27	24.78
1.4	19193	1909.3	QPSK	3	HIGH	22.7	23.19
1.4	19193	1909.3	QPSK	6	LOW	21.23	23.83

5	UL	Frequency	Modulation	RB	RB	Average	Peak
Bandwidth	Channel			Size	Offset	(dBm)	(dBm)
1.4	19193	1909.3	Q16	1	LOW	22.95	23.4
1.4	19193	1909.3	Q16	1	MID	22.29	24.09
1.4	19193	1909.3	Q16	1	HIGH	22.62	24.96
1.4	19193	1909.3	Q16	3	LOW	22.25	23.25
1.4	19193	1909.3	Q16	3	MID	22.24	23.77
1.4	19193	1909.3	Q16	3	HIGH	21.13	24.48
1.4	19193	1909.3	Q16	6	LOW	22.68	24.65
3	18615	1851.5	QPSK	1	LOW	21.23	23.82
3	18615	1851.5	QPSK	1	MID	22.54	24.96
3	18615	1851.5	QPSK	1	HIGH	21.65	23.25
3	18615	1851.5	QPSK	8	LOW	21.59	24.4
3	18615	1851.5	QPSK	8	MID	22.66	23.62
3	18615	1851.5	QPSK	8	HIGH	22.59	24.9°
3	18615	1851.5	QPSK	15	LOW	22.03	23.42
3	18615	1851.5	Q16	1	LOW	22.79	24.84
3	18615	1851.5	Q16	1	MID	22.82	24.1
3	18615	1851.5	Q16	1	HIGH	22.5	25
3	18615	1851.5	Q16	8	LOW	22.72	24.39
3	18615	1851.5	Q16	8	MID	21.26	23.8
3	18615	1851.5	Q16	8	HIGH	22.47	24.5
3	18615	1851.5	Q16	15	LOW	22.49	23.3
3	18900	1880	QPSK	1	LOW	22.44	23.9
3	18900	1880	QPSK	1	MID	21.91	23.83
3	18900	1880	QPSK	1	HIGH	22.49	24.80
3	18900	1880	QPSK	8	LOW	21.61	23.2
3	18900	1880	QPSK	8	MID	21.87	24.7
3	18900	1880	QPSK	8	HIGH	21.58	24.59
3	18900	1880	QPSK	15	LOW	21.6	23.49
3	18900	1880	Q16	1	LOW	21.15	24.3
3	18900	1880	Q16	1	MID	21.83	24.83
3	18900	1880	Q16	1	HIGH	22.1	24.20
3	18900	1880	Q16	8	LOW	22.23	24.64
3	18900	1880	Q16	8	MID	22.66	24.66
3	18900	1880	Q16	8	HIGH	21.49	24.89
3	18900	1880	Q16	15	LOW	21.14	23.35
3	19185	1908.5	QPSK	1	LOW	22.95	23.4
3	19185	1908.5	QPSK	1	MID	22.29	24.09

	UL	Frequency	Modulation	RB	RB	Average	Peak
Bandwidth	Channel			Size	Offset	(dBm)	(dBm)
3	19185	1908.5	QPSK	1	HIGH	21.2	24.82
3	19185	1908.5	QPSK	8	LOW	21.23	24.74
3	19185	1908.5	QPSK	8	MID	22.3	23.2
3	19185	1908.5	QPSK	8	HIGH	21.39	24.56
3	19185	1908.5	QPSK	15	LOW	22.68	24.02
3	19185	1908.5	Q16	1	LOW	21.72	24.13
3	19185	1908.5	Q16	1	MID	22.05	24.91
3	19185	1908.5	Q16	1	HIGH	21.05	24.38
3	19185	1908.5	Q16	8	LOW	22.62	24.66
3	19185	1908.5	Q16	8	MID	22.3	23.07
3	19185	1908.5	Q16	8	HIGH	22.97	24.67
3	19185	1908.5	Q16	15	LOW	22.08	23.36
5	18625	1852.5	QPSK	1	LOW	21.03	24.17
5	18625	1852.5	QPSK	1	MID	21.41	24.26
5	18625	1852.5	QPSK	1	HIGH	22.85	24.35
5	18625	1852.5	QPSK	12	LOW	22.4	23.43
5	18625	1852.5	QPSK	12	MID	22.65	23.27
5	18625	1852.5	QPSK	12	HIGH	21.2	23.14
5	18625	1852.5	QPSK	25	LOW	22.05	24.47
5	18625	1852.5	Q16	1	LOW	22.92	24.58
5	18625	1852.5	Q16	1	MID	21.27	23.84
5	18625	1852.5	Q16	1	HIGH	21.31	24.16
5	18625	1852.5	Q16	12	LOW	21.18	24.86
5	18625	1852.5	Q16	12	MID	21.64	24.81
5	18625	1852.5	Q16	12	HIGH	21.14	24.03
5	18625	1852.5	Q16	25	LOW	21.09	24.77
5	18900	1880	QPSK	1	LOW	22.17	24.64
5	18900	1880	QPSK	1	MID	22.69	24.02
5	18900	1880	QPSK	1	HIGH	22.92	24.76
5	18900	1880	QPSK	12	LOW	21.18	23.7
5	18900	1880	QPSK	12	MID	21.49	23.3
5	18900	1880	QPSK	12	HIGH	21.53	24.26
5	18900	1880	QPSK	25	LOW	21.73	24.95
5	18900	1880	Q16	1	LOW	22.08	24.7
5	18900	1880	Q16	1	MID	22.79	24.09
5	18900	1880	Q16	1	HIGH	21.2	24.82
5	18900	1880	Q16	12	LOW	21.23	24.74

	UL	Frequency	Modulation	RB	RB	Average	Peak
Bandwidth	Channel			Size	Offset	(dBm)	(dBm)
5	18900	1880	Q16	12	MID	21.6	23.53
5	18900	1880	Q16	12	HIGH	21.31	24.63
5	18900	1880	Q16	25	LOW	21.25	24.65
5	19175	1907.5	QPSK	1	LOW	21.57	23.16
5	19175	1907.5	QPSK	1	MID	22.45	24.82
5	19175	1907.5	QPSK	1	HIGH	21.25	24.75
5	19175	1907.5	QPSK	12	LOW	21.76	24.97
5	19175	1907.5	QPSK	12	MID	22.33	24.29
5	19175	1907.5	QPSK	12	HIGH	22.72	24.89
5	19175	1907.5	QPSK	25	LOW	22.67	23.21
5	19175	1907.5	Q16	1	LOW	22.22	24.81
5	19175	1907.5	Q16	1	MID	21.78	23.29
5	19175	1907.5	Q16	1	HIGH	21.28	24.01
5	19175	1907.5	Q16	12	LOW	21.31	23.8
5	19175	1907.5	Q16	12	MID	22.74	23.11
5	19175	1907.5	Q16	12	HIGH	21.87	23.2
5	19175	1907.5	Q16	25	LOW	22.04	23.61
10	18650	1855	QPSK	1	LOW	21.83	24.29
10	18650	1855	QPSK	1	MID	22.35	23.1
10	18650	1855	QPSK	1	HIGH	21.55	23.1
10	18650	1855	QPSK	25	LOW	22.97	23.18
10	18650	1855	QPSK	25	MID	21.45	23.68
10	18650	1855	QPSK	25	HIGH	22.94	24.16
10	18650	1855	QPSK	50	LOW	21.16	23.1
10	18650	1855	Q16	1	LOW	22.62	23.05
10	18650	1855	Q16	1	MID	22.22	24.5
10	18650	1855	Q16	1	HIGH	21.27	23.62
10	18650	1855	Q16	25	LOW	21.35	23.19
10	18650	1855	Q16	25	MID	21.49	23.23
10	18650	1855	Q16	25	HIGH	22.82	24.59
10	18650	1855	Q16	50	LOW	21.33	24.92
10	18900	1880	QPSK	1	LOW	22.15	24.18
10	18900	1880	QPSK	1	MID	22.73	23.37
10	18900	1880	QPSK	1	HIGH	21.12	24.14
10	18900	1880	QPSK	25	LOW	22.43	23.92
10	18900	1880	QPSK	25	MID	21.6	23.53
10	18900	1880	QPSK	25	HIGH	21.31	24.63

5	UL	Frequency	Modulation	RB	RB	Average	Peak
Bandwidth	Channel			Size	Offset	(dBm)	(dBm)
10	18900	1880	QPSK	50	LOW	21.84	24.46
10	18900	1880	Q16	1	LOW	22.35	24.51
10	18900	1880	Q16	1	MID	21.47	24.33
10	18900	1880	Q16	1	HIGH	22.61	23.21
10	18900	1880	Q16	25	LOW	21.49	23.04
10	18900	1880	Q16	25	MID	21.84	24.23
10	18900	1880	Q16	25	HIGH	21.24	23.35
10	18900	1880	Q16	50	LOW	21.49	23.46
10	19150	1905	QPSK	1	LOW	21.87	24.52
10	19150	1905	QPSK	1	MID	22.71	24.04
10	19150	1905	QPSK	1	HIGH	21.8	23.39
10	19150	1905	QPSK	25	LOW	22.33	23.88
10	19150	1905	QPSK	25	MID	21.29	24.03
10	19150	1905	QPSK	25	HIGH	21.52	24.15
10	19150	1905	QPSK	50	LOW	22.09	24.94
10	19150	1905	Q16	1	LOW	22.68	23.49
10	19150	1905	Q16	1	MID	21.28	24.9
10	19150	1905	Q16	1	HIGH	22	24.06
10	19150	1905	Q16	25	LOW	21.41	24.06
10	19150	1905	Q16	25	MID	21.28	23.14
10	19150	1905	Q16	25	HIGH	21.39	23.97
10	19150	1905	Q16	50	LOW	22.66	23.28
15	18675	1857.5	QPSK	1	LOW	21.04	24.8
15	18675	1857.5	QPSK	1	MID	22.09	23.47
15	18675	1857.5	QPSK	1	HIGH	21.35	23.8
15	18675	1857.5	QPSK	36	LOW	21.52	24.86
15	18675	1857.5	QPSK	36	MID	22.83	24.3
15	18675	1857.5	QPSK	36	HIGH	21.99	24.56
15	18675	1857.5	QPSK	75	LOW	21.3	23.06
15	18675	1857.5	Q16	1	LOW	22.88	24.26
15	18675	1857.5	Q16	1	MID	21.73	23.1
15	18675	1857.5	Q16	1	HIGH	21.81	24.75
15	18675	1857.5	Q16	36	LOW	21.4	23.69
15	18675	1857.5	Q16	36	MID	22.24	23.74
15	18675	1857.5	Q16	36	HIGH	22.14	23.42
15	18675	1857.5	Q16	75	LOW	21.84	24.46
15	18900	1880	QPSK	1	LOW	22.35	24.51

	UL	Frequency	Modulation	RB	RB	Average	Peak
Bandwidth	Channel			Size	Offset	(dBm)	(dBm)
15	18900	1880	QPSK	1	MID	21.63	23.38
15	18900	1880	QPSK	1	HIGH	22.78	23.99
15	18900	1880	QPSK	36	LOW	22.97	24.74
15	18900	1880	QPSK	36	MID	22.69	23.38
15	18900	1880	QPSK	36	HIGH	22.35	23.24
15	18900	1880	QPSK	75	LOW	22.03	24.7
15	18900	1880	Q16	1	LOW	21.15	23.5
15	18900	1880	Q16	1	MID	21.3	23.96
15	18900	1880	Q16	1	HIGH	22.82	24.28
15	18900	1880	Q16	36	LOW	22.28	24.06
15	18900	1880	Q16	36	MID	21.73	23.66
15	18900	1880	Q16	36	HIGH	22.28	24.84
15	18900	1880	Q16	75	LOW	21.99	23.15
15	19125	1902.5	QPSK	1	LOW	21.72	24.98
15	19125	1902.5	QPSK	1	MID	22.29	24.07
15	19125	1902.5	QPSK	1	HIGH	21.88	24.53
15	19125	1902.5	QPSK	36	LOW	22.31	24.36
15	19125	1902.5	QPSK	36	MID	21.49	24.2
15	19125	1902.5	QPSK	36	HIGH	22.81	24.57
15	19125	1902.5	QPSK	75	LOW	22.32	23.18
15	19125	1902.5	Q16	1	LOW	21.96	24.65
15	19125	1902.5	Q16	1	MID	22.9	23.19
15	19125	1902.5	Q16	1	HIGH	21.67	24.32
15	19125	1902.5	Q16	36	LOW	22.78	23.7
15	19125	1902.5	Q16	36	MID	22.92	23.98
15	19125	1902.5	Q16	36	HIGH	21.91	25
15	19125	1902.5	Q16	75	LOW	22.36	24.92
20	18700	1860	QPSK	1	LOW	22.51	24.4
20	18700	1860	QPSK	1	MID	21.98	24.93
20	18700	1860	QPSK	1	HIGH	21	24.3
20	18700	1860	QPSK	50	LOW	21.86	24.88
20	18700	1860	QPSK	50	MID	22.8	23.92
20	18700	1860	QPSK	50	HIGH	22.97	23.27
20	18700	1860	QPSK	100	LOW	21.96	24.27
20	18700	1860	Q16	1	LOW	22.08	24.9
20	18700	1860	Q16	1	MID	21.63	23.38
20	18700	1860	Q16	1	HIGH	22.78	23.99

	UL	Frequency	Modulation	RB	RB	Average	Peak
Bandwidth	Channel			Size	Offset	(dBm)	(dBm)
20	18700	1860	Q16	50	LOW	21.54	23.42
20	18700	1860	Q16	50	MID	21.05	24.85
20	18700	1860	Q16	50	HIGH	22.59	24.01
20	18700	1860	Q16	100	LOW	22.11	23.47
20	18900	1880	QPSK	1	LOW	22.75	23.37
20	18900	1880	QPSK	1	MID	22.63	24.72
20	18900	1880	QPSK	1	HIGH	21.58	23.94
20	18900	1880	QPSK	50	LOW	22.8	24.61
20	18900	1880	QPSK	50	MID	21.72	23.56
20	18900	1880	QPSK	50	HIGH	22.07	23.32
20	18900	1880	QPSK	100	LOW	21.75	24.46
20	18900	1880	Q16	1	LOW	22.42	23.48
20	18900	1880	Q16	1	MID	22.45	23.77
20	18900	1880	Q16	1	HIGH	22.84	24.42
20	18900	1880	Q16	50	LOW	22.22	24.62
20	18900	1880	Q16	50	MID	21.75	23.06
20	18900	1880	Q16	50	HIGH	22.61	23.28
20	18900	1880	Q16	100	LOW	22.68	24.17
20	19100	1900	QPSK	1	LOW	22.76	23.75
20	19100	1900	QPSK	1	MID	22.61	24.16
20	19100	1900	QPSK	1	HIGH	21.2	24.26
20	19100	1900	QPSK	50	LOW	21.11	24.41
20	19100	1900	QPSK	50	MID	21.17	23.75
20	19100	1900	QPSK	50	HIGH	22.52	23.12
20	19100	1900	QPSK	100	LOW	22.04	24.55
20	19100	1900	Q16	1	LOW	22.56	23.74
20	19100	1900	Q16	1	MID	22.92	23.03
20	19100	1900	Q16	1	HIGH	22.17	24.69
20	19100	1900	Q16	50	LOW	22.07	24.83
20	19100	1900	Q16	50	MID	21.79	24.83
20	19100	1900	Q16	50	HIGH	21.1	23.92
20	19100	1900	Q16	100	LOW	21.27	24.67

BAND 4:

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
Banaman	Channel	Troquency	Moderation	Size	Offset	(dBm)	(dBm)
1.4	19957	1710.7	QPSK	1	LOW	22.23	24.91
1.4	19957	1710.7	QPSK	1	MID	22.8	24.53
1.4	19957	1710.7	QPSK	1	HIGH	22.03	23.39
1.4	19957	1710.7	QPSK	3	LOW	21.58	23.21
1.4	19957	1710.7	QPSK	3	MID	22.55	23.31
1.4	19957	1710.7	QPSK	3	HIGH	22.18	24.66
1.4	19957	1710.7	QPSK	6	LOW	22.78	23.7
1.4	19957	1710.7	Q16	1	LOW	22.38	23.86
1.4	19957	1710.7	Q16	1	MID	21.1	23.28
1.4	19957	1710.7	Q16	1	HIGH	22.34	24.47
1.4	19957	1710.7	Q16	3	LOW	21.68	24.9
1.4	19957	1710.7	Q16	3	MID	22.61	23.23
1.4	19957	1710.7	Q16	3	HIGH	22.02	23.31
1.4	19957	1710.7	Q16	6	LOW	22.11	23.24
1.4	20393	1754.3	QPSK	1	LOW	21.54	23.73
1.4	20393	1754.3	QPSK	1	MID	22.82	25
1.4	20393	1754.3	QPSK	1	HIGH	22.55	23.65
1.4	20393	1754.3	QPSK	3	LOW	22.43	24.81
1.4	20393	1754.3	QPSK	3	MID	22.91	24.89
1.4	20393	1754.3	QPSK	3	HIGH	22.11	24.82
1.4	20393	1754.3	QPSK	6	LOW	21.46	24.16
1.4	20393	1754.3	Q16	1	LOW	22.73	24.87
1.4	20393	1754.3	Q16	1	MID	21.06	24.46
1.4	20393	1754.3	Q16	1	HIGH	21.01	23.86
1.4	20393	1754.3	Q16	3	LOW	21.8	23.89
1.4	20393	1754.3	Q16	3	MID	22.28	24.04
1.4	20393	1754.3	Q16	3	HIGH	21.07	23.6
1.4	20393	1754.3	Q16	6	LOW	21.47	23.78
1.4	20175	1732.5	QPSK	1	LOW	21.95	23.08
1.4	20175	1732.5	QPSK	1	MID	22.01	23.78
1.4	20175	1732.5	QPSK	1	HIGH	22.27	23.8
1.4	20175	1732.5	QPSK	3	LOW	21.46	23.13
1.4	20175	1732.5	QPSK	3	MID	21.89	24.05
1.4	20175	1732.5	QPSK	3	HIGH	21.15	24.59
1.4	20175	1732.5	QPSK	6	LOW	22.06	23.84
1.4	20175	1732.5	Q16	1	LOW	22.23	24.91

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
	Channel			Size	Offset	(dBm)	(dBm)
1.4	20175	1732.5	Q16	1	MID	22.42	23.13
1.4	20175	1732.5	Q16	1	HIGH	22.93	23.69
1.4	20175	1732.5	Q16	3	LOW	21.89	24.92
1.4	20175	1732.5	Q16	3	MID	22.19	23.17
1.4	20175	1732.5	Q16	3	HIGH	22.89	24.66
1.4	20175	1732.5	Q16	6	LOW	22.63	24.94
3	19965	1711.5	QPSK	1	LOW	21.16	23.16
3	19965	1711.5	QPSK	1	MID	22.6	24.48
3	19965	1711.5	QPSK	1	HIGH	22.26	24.35
3	19965	1711.5	QPSK	8	LOW	22.03	23.55
3	19965	1711.5	QPSK	8	MID	22.18	24.23
3	19965	1711.5	QPSK	8	HIGH	22.54	24.39
3	19965	1711.5	QPSK	15	LOW	21.91	24.57
3	19965	1711.5	Q16	1	LOW	21.85	23.09
3	19965	1711.5	Q16	1	MID	21.23	24.41
3	19965	1711.5	Q16	1	HIGH	22.51	24.03
3	19965	1711.5	Q16	8	LOW	22.55	24.17
3	19965	1711.5	Q16	8	MID	21.45	24.87
3	19965	1711.5	Q16	8	HIGH	21.74	23.6
3	19965	1711.5	Q16	15	LOW	22.6	24.08
3	20385	1753.5	QPSK	1	LOW	22.17	23.73
3	20385	1753.5	QPSK	1	MID	22.83	23.6
3	20385	1753.5	QPSK	1	HIGH	22.99	24.54
3	20385	1753.5	QPSK	8	LOW	21.04	24.83
3	20385	1753.5	QPSK	8	MID	21.4	24.83
3	20385	1753.5	QPSK	8	HIGH	21.53	23.72
3	20385	1753.5	QPSK	15	LOW	21.09	24.61
3	20385	1753.5	Q16	1	LOW	22.68	23.17
3	20385	1753.5	Q16	1	MID	22.68	23.75
3	20385	1753.5	Q16	1	HIGH	22.13	24
3	20385	1753.5	Q16	8	LOW	21.51	24.45
3	20385	1753.5	Q16	8	MID	22.36	23.94
3	20385	1753.5	Q16	8	HIGH	22.32	24.48
3	20385	1753.5	Q16	15	LOW	21.2	24.4
3	20175	1732.5	QPSK	1	LOW	22.61	24.02
3	20175	1732.5	QPSK	1	MID	22.42	23.13
3	20175	1732.5	QPSK	1	HIGH	22.93	23.69

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
	Channel	. ,		Size	Offset	(dBm)	(dBm)
3	20175	1732.5	QPSK	8	LOW	22.48	24.87
3	20175	1732.5	QPSK	8	MID	21.66	23.59
3	20175	1732.5	QPSK	8	HIGH	21.94	23.74
3	20175	1732.5	QPSK	15	LOW	21.51	23.07
3	20175	1732.5	Q16	1	LOW	21.76	23.13
3	20175	1732.5	Q16	1	MID	21.24	24.36
3	20175	1732.5	Q16	1	HIGH	21.08	24.69
3	20175	1732.5	Q16	8	LOW	22.07	24.65
3	20175	1732.5	Q16	8	MID	21.45	23.75
3	20175	1732.5	Q16	8	HIGH	21.52	24.06
3	20175	1732.5	Q16	15	LOW	22.8	23.32
5	19975	1712.5	QPSK	1	LOW	21.84	23.06
5	19975	1712.5	QPSK	1	MID	22.31	24.45
5	19975	1712.5	QPSK	1	HIGH	22.36	23.11
5	19975	1712.5	QPSK	12	LOW	21.37	23.6
5	19975	1712.5	QPSK	12	MID	21.05	24.78
5	19975	1712.5	QPSK	12	HIGH	22.4	23.99
5	19975	1712.5	QPSK	25	LOW	21.34	24.68
5	19975	1712.5	Q16	1	LOW	22.92	24.76
5	19975	1712.5	Q16	1	MID	21.85	24.89
5	19975	1712.5	Q16	1	HIGH	22.16	23.66
5	19975	1712.5	Q16	12	LOW	22.31	24.6
5	19975	1712.5	Q16	12	MID	21.97	24.86
5	19975	1712.5	Q16	12	HIGH	22.23	23.12
5	19975	1712.5	Q16	25	LOW	21.38	24.71
5	20375	1752.5	QPSK	1	LOW	22.41	24.3
5	20375	1752.5	QPSK	1	MID	21.78	23.19
5	20375	1752.5	QPSK	1	HIGH	21.04	23.73
5	20375	1752.5	QPSK	12	LOW	21.79	24.5
5	20375	1752.5	QPSK	12	MID	22.92	23.22
5	20375	1752.5	QPSK	12	HIGH	21.92	23.38
5	20375	1752.5	QPSK	25	LOW	22.99	24.03
5	20375	1752.5	Q16	1	LOW	21.77	24.03
5	20375	1752.5	Q16	1	MID	21.16	24.46
5	20375	1752.5	Q16	1	HIGH	22.69	23.96
5	20375	1752.5	Q16	12	LOW	22.48	24.87
5	20375	1752.5	Q16	12	MID	21.66	23.59

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
	Channel			Size	Offset	(dBm)	(dBm)
5	20375	1752.5	Q16	12	HIGH	22.68	24.73
5	20375	1752.5	Q16	25	LOW	21.82	24.62
5	20175	1732.5	QPSK	1	LOW	21.3	23.85
5	20175	1732.5	QPSK	1	MID	21.04	24.14
5	20175	1732.5	QPSK	1	HIGH	21.26	25
5	20175	1732.5	QPSK	12	LOW	22.86	23.04
5	20175	1732.5	QPSK	12	MID	22.56	24.79
5	20175	1732.5	QPSK	12	HIGH	21.52	23.37
5	20175	1732.5	QPSK	25	LOW	21.86	23.6
5	20175	1732.5	Q16	1	LOW	21.73	23.99
5	20175	1732.5	Q16	1	MID	21.06	23.27
5	20175	1732.5	Q16	1	HIGH	22.17	23.72
5	20175	1732.5	Q16	12	LOW	22.03	23.63
5	20175	1732.5	Q16	12	MID	22.62	23.45
5	20175	1732.5	Q16	12	HIGH	21.87	24.06
5	20175	1732.5	Q16	25	LOW	22.28	23.64
10	20000	1715	QPSK	1	LOW	21.66	24.63
10	20000	1715	QPSK	1	MID	21.14	24.75
10	20000	1715	QPSK	1	HIGH	21.94	23.18
10	20000	1715	QPSK	25	LOW	21.52	23.34
10	20000	1715	QPSK	25	MID	21.08	23.23
10	20000	1715	QPSK	25	HIGH	22.34	24.51
10	20000	1715	QPSK	50	LOW	21.26	24.43
10	20000	1715	Q16	1	LOW	22.31	24.87
10	20000	1715	Q16	1	MID	22.43	23.88
10	20000	1715	Q16	1	HIGH	21.13	24.38
10	20000	1715	Q16	25	LOW	22.31	24.84
10	20000	1715	Q16	25	MID	22.36	23.75
10	20000	1715	Q16	25	HIGH	21.44	23.09
10	20000	1715	Q16	50	LOW	21.84	23.3
10	20350	1750	QPSK	1	LOW	21.63	24.72
10	20350	1750	QPSK	1	MID	21.11	23.37
10	20350	1750	QPSK	1	HIGH	22.68	24.66
10	20350	1750	QPSK	25	LOW	21.07	24.66
10	20350	1750	QPSK	25	MID	21.63	24.39
10	20350	1750	QPSK	25	HIGH	22.68	24.73
10	20350	1750	QPSK	50	LOW	21.82	24.62

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
	Channel	,		Size	Offset	(dBm)	(dBm)
10	20350	1750	Q16	1	LOW	22.52	24.82
10	20350	1750	Q16	1	MID	21.32	24.57
10	20350	1750	Q16	1	HIGH	21.24	24.44
10	20350	1750	Q16	25	LOW	22.54	24.07
10	20350	1750	Q16	25	MID	22.15	23.2
10	20350	1750	Q16	25	HIGH	22.35	24.38
10	20350	1750	Q16	50	LOW	21.16	24.08
10	20175	1732.5	QPSK	1	LOW	21.3	24.53
10	20175	1732.5	QPSK	1	MID	21.23	24.44
10	20175	1732.5	QPSK	1	HIGH	22.6	23.17
10	20175	1732.5	QPSK	25	LOW	22.99	24.08
10	20175	1732.5	QPSK	25	MID	22.61	24.09
10	20175	1732.5	QPSK	25	HIGH	22.56	23.09
10	20175	1732.5	QPSK	50	LOW	21.94	24.46
10	20175	1732.5	Q16	1	LOW	22.6	24.68
10	20175	1732.5	Q16	1	MID	21.57	23.84
10	20175	1732.5	Q16	1	HIGH	22.81	23.41
10	20175	1732.5	Q16	25	LOW	21.66	23.02
10	20175	1732.5	Q16	25	MID	22.75	23.3
10	20175	1732.5	Q16	25	HIGH	22.81	24.66
10	20175	1732.5	Q16	50	LOW	22.38	23.89
15	20025	1717.5	QPSK	1	LOW	22.66	24.91
15	20025	1717.5	QPSK	1	MID	21.64	25
15	20025	1717.5	QPSK	1	HIGH	22.98	23.42
15	20025	1717.5	QPSK	36	LOW	21.54	23
15	20025	1717.5	QPSK	36	MID	21.75	24.55
15	20025	1717.5	QPSK	36	HIGH	22.86	23.11
15	20025	1717.5	QPSK	75	LOW	21.2	24.04
15	20025	1717.5	Q16	1	LOW	21.1	24.55
15	20025	1717.5	Q16	1	MID	21.24	23.74
15	20025	1717.5	Q16	1	HIGH	21.42	24.48
15	20025	1717.5	Q16	36	LOW	21.35	24.57
15	20025	1717.5	Q16	36	MID	22.74	24.02
15	20025	1717.5	Q16	36	HIGH	21.16	23.6
15	20025	1717.5	Q16	75	LOW	22.76	23.83
15	20325	1747.5	QPSK	1	LOW	22.52	24.82
15	20325	1747.5	QPSK	1	MID	21.32	24.57

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
	Channel	,		Size	Offset	(dBm)	(dBm)
15	20325	1747.5	QPSK	1	HIGH	22.92	24.69
15	20325	1747.5	QPSK	36	LOW	21.43	24.53
15	20325	1747.5	QPSK	36	MID	22.61	23.52
15	20325	1747.5	QPSK	36	HIGH	22.85	23.18
15	20325	1747.5	QPSK	75	LOW	22.88	23.37
15	20325	1747.5	Q16	1	LOW	22.26	23.09
15	20325	1747.5	Q16	1	MID	22.36	23.82
15	20325	1747.5	Q16	1	HIGH	21.16	24.45
15	20325	1747.5	Q16	36	LOW	21.72	24.45
15	20325	1747.5	Q16	36	MID	21.85	23.74
15	20325	1747.5	Q16	36	HIGH	22.99	23.01
15	20325	1747.5	Q16	75	LOW	21.57	23.45
15	20175	1732.5	QPSK	1	LOW	22.28	24.13
15	20175	1732.5	QPSK	1	MID	22.05	23.78
15	20175	1732.5	QPSK	1	HIGH	22.77	23.77
15	20175	1732.5	QPSK	36	LOW	21.71	24.05
15	20175	1732.5	QPSK	36	MID	21.42	23.31
15	20175	1732.5	QPSK	36	HIGH	21.41	23.86
15	20175	1732.5	QPSK	75	LOW	21.94	23.23
15	20175	1732.5	Q16	1	LOW	22.26	24.67
15	20175	1732.5	Q16	1	MID	22.39	23.53
15	20175	1732.5	Q16	1	HIGH	21.48	23.67
15	20175	1732.5	Q16	36	LOW	22.81	23.64
15	20175	1732.5	Q16	36	MID	22.2	23.26
15	20175	1732.5	Q16	36	HIGH	21.91	23.7
15	20175	1732.5	Q16	75	LOW	22.79	24.27
20	20050	1720	QPSK	1	LOW	21.55	23.78
20	20050	1720	QPSK	1	MID	22.9	23.05
20	20050	1720	QPSK	1	HIGH	21.16	23.96
20	20050	1720	QPSK	50	LOW	21.93	24.63
20	20050	1720	QPSK	50	MID	21.92	24.66
20	20050	1720	QPSK	50	HIGH	22.07	23.34
20	20050	1720	QPSK	100	LOW	21.6	24.85
20	20050	1720	Q16	1	LOW	21.45	24.97
20	20050	1720	Q16	1	MID	22.54	23.54
20	20050	1720	Q16	1	HIGH	22.92	24.69
20	20050	1720	Q16	50	LOW	21.43	24.53

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
	Channel			Size	Offset	(dBm)	(dBm)
20	20050	1720	Q16	50	MID	22.78	24.81
20	20050	1720	Q16	50	HIGH	22.65	24.14
20	20050	1720	Q16	100	LOW	21.7	23.3
20	20300	1745	QPSK	1	LOW	22.74	23.8
20	20300	1745	QPSK	1	MID	21.35	23.62
20	20300	1745	QPSK	1	HIGH	21.41	24.65
20	20300	1745	QPSK	50	LOW	21.59	23.99
20	20300	1745	QPSK	50	MID	22.41	24.73
20	20300	1745	QPSK	50	HIGH	22.69	23.45
20	20300	1745	QPSK	100	LOW	21.27	24.64
20	20300	1745	Q16	1	LOW	21.55	24.91
20	20300	1745	Q16	1	MID	22.92	24.57
20	20300	1745	Q16	1	HIGH	22.75	23.65
20	20300	1745	Q16	50	LOW	22.32	24.85
20	20300	1745	Q16	50	MID	22.95	23.13
20	20300	1745	Q16	50	HIGH	22.13	24.13
20	20300	1745	Q16	100	LOW	22.5	24.46
20	20175	1732.5	QPSK	1	LOW	22.27	23.52
20	20175	1732.5	QPSK	1	MID	22.13	23.89
20	20175	1732.5	QPSK	1	HIGH	22.96	23.08
20	20175	1732.5	QPSK	50	LOW	22.68	24.05
20	20175	1732.5	QPSK	50	MID	21.58	24.1
20	20175	1732.5	QPSK	50	HIGH	21.57	24.29
20	20175	1732.5	QPSK	100	LOW	21.47	23.2
20	20175	1732.5	Q16	1	LOW	21.51	24.86
20	20175	1732.5	Q16	1	MID	21.81	23.47
20	20175	1732.5	Q16	1	HIGH	21.98	24.95
20	20175	1732.5	Q16	50	LOW	21.08	25
20	20175	1732.5	Q16	50	MID	21.34	23.28
20	20175	1732.5	Q16	50	HIGH	21.89	24.39
20	20175	1732.5	Q16	100	LOW	21.2	23.58

BAND 7:

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
Danawiatii	Channel	rrequericy	Woddiation	Size	Offset	(dBm)	(dBm)
5	20775	2502.5	QPSK	1	LOW	22.26	24.47
5	20775	2502.5	QPSK	1	MID	21.67	24.16
5	20775	2502.5	QPSK	1	HIGH	21.18	23.23
5	20775	2502.5	QPSK	12	LOW	21.82	24.91
5	20775	2502.5	QPSK	12	MID	22.2	23.64
5	20775	2502.5	QPSK	12	HIGH	21.1	23.23
5	20775	2502.5	QPSK	25	LOW	22.41	24
5	20775	2502.5	Q16	1	LOW	22.14	23.34
5	20775	2502.5	Q16	1	MID	21.55	23.53
5	20775	2502.5	Q16	1	HIGH	22.1	24.39
5	20775	2502.5	Q16	12	LOW	21.46	24.14
5	20775	2502.5	Q16	12	MID	22.68	24.73
5	20775	2502.5	Q16	12	HIGH	22.05	24.77
5	20775	2502.5	Q16	25	LOW	21.26	24.51
5	21425	2567.5	QPSK	1	LOW	22.57	23.77
5	21425	2567.5	QPSK	1	MID	21.13	24.23
5	21425	2567.5	QPSK	1	HIGH	21.68	24.62
5	21425	2567.5	QPSK	12	LOW	21.96	23.59
5	21425	2567.5	QPSK	12	MID	21.19	24.69
5	21425	2567.5	QPSK	12	HIGH	22.71	24.3
5	21425	2567.5	QPSK	25	LOW	21.32	23.03
5	21425	2567.5	Q16	1	LOW	22.99	23.34
5	21425	2567.5	Q16	1	MID	22.17	23.84
5	21425	2567.5	Q16	1	HIGH	21.23	23.97
5	21425	2567.5	Q16	12	LOW	21.78	23.35
5	21425	2567.5	Q16	12	MID	22.25	24.58
5	21425	2567.5	Q16	12	HIGH	21.73	24.21
5	21425	2567.5	Q16	25	LOW	21.55	23.91
5	21100	2535	QPSK	1	LOW	22.04	23.76
5	21100	2535	QPSK	1	MID	22.39	24.52
5	21100	2535	QPSK	1	HIGH	21.24	23.73
5	21100	2535	QPSK	12	LOW	22.75	24.9
5	21100	2535	QPSK	12	MID	21.7	24.41
5	21100	2535	QPSK	12	HIGH	22.79	24.41
5	21100	2535	QPSK	25	LOW	21.28	24.48
5	21100	2535	QPSK	1	LOW	22.26	24.47
5	21100	2535	QPSK	1	MID	21.67	24.16

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
	Channel			Size	Offset	(dBm)	(dBm)
5	21100	2535	QPSK	1	HIGH	22.81	24.21
5	21100	2535	QPSK	12	LOW	22.23	24.48
5	21100	2535	QPSK	12	MID	21.74	24.27
5	21100	2535	QPSK	12	HIGH	22.34	24.18
5	21100	2535	QPSK	25	LOW	22.67	24.36
10	20800	2505	QPSK	1	LOW	22.41	23.27
10	20800	2505	QPSK	1	MID	22.08	23.39
10	20800	2505	QPSK	1	HIGH	22.1	24.52
10	20800	2505	QPSK	25	LOW	21.84	23.07
10	20800	2505	QPSK	25	MID	22.73	23.62
10	20800	2505	QPSK	25	HIGH	21.6	23.98
10	20800	2505	QPSK	50	LOW	21.4	23.86
10	20800	2505	Q16	1	LOW	21.46	24.28
10	20800	2505	Q16	1	MID	21.69	23.38
10	20800	2505	Q16	1	HIGH	22.27	23.34
10	20800	2505	Q16	25	LOW	22.58	24.08
10	20800	2505	Q16	25	MID	21.92	24.79
10	20800	2505	Q16	25	HIGH	22.47	24.17
10	20800	2505	Q16	50	LOW	21.09	24.95
10	21400	2565	QPSK	1	LOW	22.1	23.42
10	21400	2565	QPSK	1	MID	22.82	23.37
10	21400	2565	QPSK	1	HIGH	22.62	23.37
10	21400	2565	QPSK	25	LOW	21.26	24.69
10	21400	2565	QPSK	25	MID	21.09	23.55
10	21400	2565	QPSK	25	HIGH	22.21	23.52
10	21400	2565	QPSK	50	LOW	21.6	24.14
10	21400	2565	QPSK	1	LOW	21.74	24.91
10	21400	2565	QPSK	1	MID	22.2	24.3
10	21400	2565	QPSK	1	HIGH	21.56	23.75
10	21400	2565	Q16	25	LOW	21.67	23.05
10	21400	2565	Q16	25	MID	22.28	24.17
10	21400	2565	Q16	25	HIGH	22.68	24.23
10	21400	2565	Q16	50	LOW	21.43	23.96
10	21100	2535	QPSK	1	LOW	22.43	24.21
10	21100	2535	QPSK	1	MID	21.77	23.84
10	21100	2535	QPSK	1	HIGH	22.81	24.21
10	21100	2535	QPSK	25	LOW	22.23	24.48
10	21100	2535	QPSK	25	MID	21.74	24.27

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
	Channel			Size	Offset	(dBm)	(dBm)
10	21100	2535	QPSK	25	HIGH	22.5	23.27
10	21100	2535	QPSK	50	LOW	21.48	24.5
10	21100	2535	QPSK	1	LOW	21.01	23.7
10	21100	2535	QPSK	1	MID	21.24	23.62
10	21100	2535	QPSK	1	HIGH	22.59	24.34
10	21100	2535	Q16	25	LOW	21.68	24.8
10	21100	2535	Q16	25	MID	22.23	23.65
10	21100	2535	Q16	25	HIGH	22.66	24.48
10	21100	2535	Q16	50	LOW	21.99	24.39
15	20825	2507.5	QPSK	1	LOW	22.04	24.17
15	20825	2507.5	QPSK	1	MID	22.02	24.7
15	20825	2507.5	QPSK	1	HIGH	22.04	23.9
15	20825	2507.5	QPSK	36	LOW	21.47	24.77
15	20825	2507.5	QPSK	36	MID	21.51	23.54
15	20825	2507.5	QPSK	36	HIGH	21.31	24.85
15	20825	2507.5	QPSK	75	LOW	21.82	24.88
15	20825	2507.5	Q16	1	LOW	22.6	23.31
15	20825	2507.5	Q16	1	MID	21.35	23.94
15	20825	2507.5	Q16	1	HIGH	21.22	24.7
15	20825	2507.5	Q16	36	LOW	21.97	24.41
15	20825	2507.5	Q16	36	MID	22.26	24.52
15	20825	2507.5	Q16	36	HIGH	22.38	23.52
15	20825	2507.5	Q16	75	LOW	21.61	23.1
15	21375	2562.5	QPSK	1	LOW	21.59	24.92
15	21375	2562.5	QPSK	1	MID	21.71	23.58
15	21375	2562.5	QPSK	1	HIGH	21.25	23.69
15	21375	2562.5	QPSK	36	LOW	22.65	23.06
15	21375	2562.5	QPSK	36	MID	22.4	24.91
15	21375	2562.5	QPSK	36	HIGH	21.06	24.19
15	21375	2562.5	QPSK	75	LOW	22.89	23.82
15	21375	2562.5	Q16	1	LOW	21.87	24.06
15	21375	2562.5	Q16	1	MID	21.76	24.06
15	21375	2562.5	Q16	1	HIGH	22.69	23.97
15	21375	2562.5	Q16	36	LOW	22.66	24.06
15	21375	2562.5	Q16	36	MID	22.25	24.4
15	21375	2562.5	Q16	36	HIGH	22.5	23.27
15	21375	2562.5	Q16	75	LOW	21.48	24.5
15	21100	2535	QPSK	1	LOW	21.01	23.7

Bandwidth	UL	Frequency	Modulation	RB	RB	Average	Peak
	Channel			Size	Offset	(dBm)	(dBm)
15	21100	2535	QPSK	1	MID	22.89	23.46
15	21100	2535	QPSK	1	HIGH	22.71	23.27
15	21100	2535	QPSK	36	LOW	22.74	23.47
15	21100	2535	QPSK	36	MID	21.57	24.65
15	21100	2535	QPSK	36	HIGH	22.93	23.62
15	21100	2535	QPSK	75	LOW	22.09	23.93
15	21100	2535	Q16	1	LOW	21.54	24.41
15	21100	2535	Q16	1	MID	22.46	24.58
15	21100	2535	Q16	1	HIGH	22.87	23.32
15	21100	2535	Q16	36	LOW	22.61	23.79
15	21100	2535	Q16	36	MID	22.54	23.54
15	21100	2535	Q16	36	HIGH	21.25	23.77
15	21100	2535	Q16	75	LOW	22.13	23.52
20	20850	2510	QPSK	1	LOW	21.35	24.24
20	20850	2510	QPSK	1	MID	21.55	23.11
20	20850	2510	QPSK	1	HIGH	22.03	23.9
20	20850	2510	QPSK	50	LOW	22.2	24.46
20	20850	2510	QPSK	50	MID	22.98	24.9
20	20850	2510	QPSK	50	HIGH	21.1	24.04
20	20850	2510	QPSK	100	LOW	22.32	23.98
20	20850	2510	Q16	1	LOW	22.33	23.01
20	20850	2510	Q16	1	MID	21.49	24.9
20	20850	2510	Q16	1	HIGH	21.99	24.52
20	20850	2510	Q16	50	LOW	21.92	24.61
20	20850	2510	Q16	50	MID	21.65	24.04
20	20850	2510	Q16	50	HIGH	21.07	24.34
20	20850	2510	Q16	100	LOW	21.23	23.5
20	21350	2560	QPSK	1	LOW	21.13	24.21
20	21350	2560	QPSK	1	MID	22.12	24.73
20	21350	2560	QPSK	1	HIGH	21.46	23.26
20	21350	2560	QPSK	50	LOW	21.22	24.89
20	21350	2560	QPSK	50	MID	22.75	24.35
20	21350	2560	QPSK	50	HIGH	22.55	23.38
20	21350	2560	QPSK	100	LOW	22.62	23.65
20	21350	2560	Q16	1	LOW	21.54	23.64
20	21350	2560	Q16	1	MID	22.89	23.46
20	21350	2560	Q16	1	HIGH	22.71	23.27
20	21350	2560	Q16	50	LOW	22.74	23.47

Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Average	Peak
	Oriannei			Size	Offset	(dBm)	(dBm)
20	21350	2560	Q16	50	MID	22.67	24.88
20	21350	2560	Q16	50	HIGH	22.66	23.89
20	21350	2560	Q16	100	LOW	22.13	23.95
20	21100	2535	QPSK	1	LOW	22.39	24.7
20	21100	2535	QPSK	1	MID	21.96	24.06
20	21100	2535	QPSK	1	HIGH	21.87	24.53
20	21100	2535	QPSK	50	LOW	21.68	24.2
20	21100	2535	QPSK	50	MID	21.18	24.84
20	21100	2535	QPSK	50	HIGH	21.59	24.48
20	21100	2535	QPSK	100	LOW	21.8	24.65
20	21100	2535	Q16	1	LOW	22.16	23.07
20	21100	2535	Q16	1	MID	21.16	23.34
20	21100	2535	Q16	1	HIGH	21.1	25.03
20	21100	2535	Q16	50	LOW	22.15	23.92
20	21100	2535	Q16	50	MID	21.58	23.94
20	21100	2535	Q16	50	HIGH	22.53	24.79
20	21100	2535	Q16	100	LOW	21.28	23.84

7	SPURIOUS EMISSION (Conducted and Radiated)
	7.1 Measurement Result (Pre-measurement)

GSM850:

Test Channel	BW(MHz)	UL Channel	Frequency(MHz)	Judgment
Low Range	0.2	128	824.2	Pass
Middle Range	0.2	190	836.6	Pass
High Range	0.2	251	848.8	Pass

PCS 1900:

Test Channel	BW(MHz)	UL Channel	Frequency(MHz)	Judgment
Low Range	0.2	512	1850.2	Pass
Middle Range	0.2	661	1880.0	Pass
High Range	0.2	810	1909.8	Pass

UTRA BANDS

BAND 2:

Test Channel	BW(MHz)	UL Channel	Frequency(MHz)	Judgment
Low Range	5	9263	1852.6	Pass
Middle Range	5	9400	1880.0	Pass
High Range	5	9537	1907.4	Pass

BAND 4:

Test Channel	BW(MHz)	UL Channel	Frequency(MHz)	Judgment
Low Range	5	1313	1712.6	Pass
Middle Range	5	1450	1740	Pass
High Range	5	1512	1752.4	Pass

BAND 5:

Test Channel	BW(MHz)	UL Channel	Frequency(MHz)	Judgment
Low Range	5	4133	826.6	Pass
Middle Range	5	4175	835	Pass
High Range	5	4232	846.4	Pass

E-UTRA BANDS BAND 2:

Bandwidth	UL Channel	Frequency	Modulation	RB Size	RB Offset	Judgement
1.4	18607	1850.7	QPSK	6	LOW	Pass
1.4	18607	1850.7	Q16	6	LOW	Pass
1.4	18900	1880	QPSK	6	LOW	Pass
1.4	18900	1880	Q16	6	LOW	Pass
1.4	19193	1909.3	QPSK	6	LOW	Pass
1.4	19193	1909.3	Q16	6	LOW	Pass
3	18615	1851.5	QPSK	15	LOW	Pass
3	18615	1851.5	Q16	15	LOW	Pass
3	18900	1880	QPSK	15	LOW	Pass
3	18900	1880	Q16	15	LOW	Pass
3	19185	1908.5	QPSK	15	LOW	Pass
3	19185	1908.5	Q16	15	LOW	Pass
5	18625	1852.5	QPSK	25	LOW	Pass
5	18625	1852.5	Q16	25	LOW	Pass
5	18900	1880	QPSK	25	LOW	Pass
5	18900	1880	Q16	25	LOW	Pass
5	19175	1907.5	QPSK	25	LOW	Pass
5	19175	1907.5	Q16	25	LOW	Pass
10	18650	1855	QPSK	50	LOW	Pass
10	18650	1855	Q16	50	LOW	Pass
10	18900	1880	QPSK	50	LOW	Pass
10	18900	1880	Q16	50	LOW	Pass
10	19150	1905	QPSK	50	LOW	Pass
10	19150	1905	Q16	50	LOW	Pass
15	18675	1857.5	QPSK	75	LOW	Pass
15	18675	1857.5	Q16	75	LOW	Pass
15	18900	1880	QPSK	75	LOW	Pass
15	18900	1880	Q16	75	LOW	Pass
15	19125	1902.5	QPSK	75	LOW	Pass
15	19125	1902.5	Q16	75	LOW	Pass
20	18700	1860	QPSK	100	LOW	Pass
20	18700	1860	Q16	100	LOW	Pass
20	18900	1880	QPSK	100	LOW	Pass
20	18900	1880	Q16	100	LOW	Pass
20	19100	1900	QPSK	100	LOW	Pass

	Bandwidth UL Channel Frequency	Modulation	RB	RB	ludaomont		
		OL Chamile	riequency	Modulation	Size	Offset	Judgement
I	20	19100	1900	Q16	100	LOW	Pass


BAND 4:


Do o di cii dib	III Channal		Madulatian	RB	RB	luda e e e e e e
Bandwidth	UL Channel	Frequency	Modulation	Size	Offset	Judgement
1.4	19957	1710.7	QPSK	6	LOW	Pass
1.4	19957	1710.7	Q16	6	LOW	Pass
1.4	20393	1754.3	QPSK	6	LOW	Pass
1.4	20393	1754.3	Q16	6	LOW	Pass
1.4	20175	1732.5	QPSK	6	LOW	Pass
1.4	20175	1732.5	Q16	6	LOW	Pass
3	19965	1711.5	QPSK	15	LOW	Pass
3	19965	1711.5	Q16	15	LOW	Pass
3	20385	1753.5	QPSK	15	LOW	Pass
3	20385	1753.5	Q16	15	LOW	Pass
3	20175	1732.5	QPSK	15	LOW	Pass
3	20175	1732.5	Q16	15	LOW	Pass
5	19975	1712.5	QPSK	25	LOW	Pass
5	19975	1712.5	Q16	25	LOW	Pass
5	20375	1752.5	QPSK	25	LOW	Pass
5	20375	1752.5	Q16	25	LOW	Pass
5	20175	1732.5	QPSK	25	LOW	Pass
5	20175	1732.5	Q16	25	LOW	Pass
10	20000	1715	QPSK	50	LOW	Pass
10	20000	1715	Q16	50	LOW	Pass
10	20350	1750	QPSK	50	LOW	Pass
10	20350	1750	Q16	50	LOW	Pass
10	20175	1732.5	QPSK	50	LOW	Pass
10	20175	1732.5	Q16	50	LOW	Pass
15	20025	1717.5	QPSK	75	LOW	Pass
15	20025	1717.5	Q16	75	LOW	Pass
15	20325	1747.5	QPSK	75	LOW	Pass
15	20325	1747.5	Q16	75	LOW	Pass
15	20175	1732.5	QPSK	75	LOW	Pass
15	20175	1732.5	Q16	75	LOW	Pass
20	20050	1720	QPSK	100	LOW	Pass
20	20050	1720	Q16	100	LOW	Pass
20	20300	1745	QPSK	100	LOW	Pass


BAND 7:

D 1 : 141		_	NA LLC	RB	RB	
Bandwidth	UL Channel	Frequency	Modulation	Size	Offset	Judgement
5	20775	2502.5	QPSK	25	LOW	Pass
5	20775	2502.5	Q16	25	LOW	Pass
5	21425	2567.5	QPSK	25	LOW	Pass
5	21425	2567.5	Q16	25	LOW	Pass
5	21100	2535	QPSK	25	LOW	Pass
5	21100	2535	QPSK	25	LOW	Pass
10	20800	2505	QPSK	50	LOW	Pass
10	20800	2505	Q16	50	LOW	Pass
10	21400	2565	QPSK	50	LOW	Pass
10	21400	2565	Q16	50	LOW	Pass
10	21100	2535	QPSK	50	LOW	Pass
10	21100	2535	Q16	50	LOW	Pass
15	20825	2507.5	QPSK	75	LOW	Pass
15	20825	2507.5	Q16	75	LOW	Pass
15	21375	2562.5	QPSK	75	LOW	Pass
15	21375	2562.5	Q16	75	LOW	Pass
15	21100	2535	QPSK	75	LOW	Pass
15	21100	2535	Q16	75	LOW	Pass
20	20850	2510	QPSK	100	LOW	Pass
20	20850	2510	Q16	100	LOW	Pass
20	21350	2560	QPSK	100	LOW	Pass
20	21350	2560	Q16	100	LOW	Pass
20	21100	2535	QPSK	100	LOW	Pass
20	21100	2535	Q16	100	LOW	Pass


7.2Test Plot(s)
7.2.1 Conducted method LC: low Channel MC: Middle Channel
HC: High Channel








CONDUCTED EMISSION IN PCS1900 BAND Conducted Emission Transmitting Mode CH 512 30MHz – 1GHz





Date: 9.SEP.2016 16:20:32

Conducted Emission Transmitting Mode CH 512 1GHz - 20GHz




Date: 9.SEP.2016 16:22:44






CONDUCTED EMISSION IN WCDMA Band II Conducted Emission Transmitting Mode CH 9263 30MHz – 1GHz





Date: 9.SEP.2016 16:35:00

Conducted Emission Transmitting Mode CH 9263 1GHz - 20GHz




Date: 9.SEP.2016 16:35:44






CONDUCTED EMISSION IN WCDMA Band IV Conducted Emission Transmitting Mode CH 1313 30MHz - 1GHz





Date: 9.SEP.2016 16:48:01


Conducted Emission Transmitting Mode CH 1313 1GHz - 20GHz





Date: 9.SEP.2016 16:47:28



























































































































































7.2.1 Radiated method

Note:

- 1, Below 30MHz no Spurious found.
- 2, UE is poistioned at 3 axis at the pre-scan stage, and only the measurement of the worst case(bandwidth:20MHz /Full RB /QPSK) is reported in this part.

List of final test modes:

GSM850:

Mode	UL Channel	Frequency	Judgement	
1	128	824.2	Pass	
2	190	836.6	Pass	
3	251	848.8	Pass	

PCS1900

Mode	UL Channel	Frequency	Judgement
1	512	1850.2	Pass
2	661	1880	Pass
3	810	1909.8	Pass

UTRA BANDS

BAND 2:

Mode	UL Channel	Frequency	Judgement
1	9263	1852.4	Pass
2	9400	1880	Pass
3	3 9537		Pass

BAND 4:.

Mode	UL Channel	Frequency	Judgement	
1	1313	1712.6	Pass	
2	1450	1740	Pass	
3	1512	1752.4	Pass	

BAND 5:

Mode	UL Channel	Frequency	Judgement	
1	4133	826.6	Pass	
2	4175	835	Pass	
3	4232	846.4	Pass	

E-UTRA BANDS

BAND 2:

Mode	Bandwidth	UL Channel	Frequency	Modulation	RB Size	RB Offset	Judgement
1	20	18700	1860	QPSK	100	LOW	Pass
2	20	18900	1880	QPSK	100	LOW	Pass
3	20	19100	1900	QPSK	100	LOW	Pass

BAND 4:

Mode	Bandwidth	UL Channel	Frequency	Modulation	RB Size	RB Offset	Judgement
1	20	20050	1720	Q16	100	LOW	Pass
2	20	20300	1745	Q16	100	LOW	Pass
3	20	20175	1732.5	Q16	100	LOW	Pass

BAND 7:

Mode	Bandwidth	UL Channel	Frequency	Modulation	RB Size	RB Offset	Judgement
1	20	20850	2510	QPSK	100	LOW	Pass
2	20	21350	2560	QPSK	100	LOW	Pass
3	20	21100	2535	QPSK	100	LOW	Pass

Test record:

GSM850:

Mode 1							
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity		
1648.4	-56.22	10.71	-45.51	-13	Horizontal		
1648.4	-51.53	10.71	-40.82	-13	Vertical		
2472.6	-68.16	11.95	-56.21	-13	Horizontal		
2472.6	-56.94	11.95	-44.99	-13	Vertical		

Mode 2						
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity	
1673.2	-53.77	10.83	-42.94	-13	Horizontal	
1673.2	-58.89	10.77	-48.11	-13	Vertical	
2509.8	-62.92	12.21	-50.72	-13	Horizontal	
2509.8	-59.42	12.09	-47.33	-13	Vertical	

Mode 3						
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity	
1697.6	-61.48	10.98	-50.50	-13	Horizontal	
1697.6	-64.75	10.95	-53.80	-13	Vertical	
2546.4	-53.04	12.43	-40.61	-13	Horizontal	
2546.4	-66.60	12.37	-54.23	-13	Vertical	

PCS1900:

	Mode 1						
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity		
3700.4	-50.49	9.28	-41.21	-13	Horizontal		
3700.4	-54.60	9.28	-45.32	-13	Vertical		
5550.6	-59.35	11.31	-48.03	-13	Horizontal		
5550.6	-52.19	11.31	-40.87	-13	Vertical		

Mode 2					
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity
3760	-64.64	9.44	-55.20	-13	Horizontal
3760	-50.85	9.52	-41.33	-13	Vertical
5640	-54.26	11.51	-42.74	-13	Horizontal
5640	-63.03	11.48	-51.55	-13	Vertical

Mode 3					
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity
3819.6	-64.63	9.71	-54.92	-13	Horizontal
3819.6	-64.99	9.68	-55.32	-13	Vertical
5729.4	-62.12	11.75	-50.36	-13	Horizontal
5729.4	-57.28	11.55	-45.73	-13	Vertical

UTRA BANDS

BAND 2:

Mode 1					
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity
3704.8	-63.34	9.63	-53.71	-13	Horizontal
3704.8	-51.56	9.63	-41.93	-13	Vertical
5557.2	-56.28	12.71	-43.57	-13	Horizontal
5557.2	-63.91	12.71	-51.20	-13	Vertical

Mode 2					
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity
3760	-59.50	9.73	-49.76	-13	Horizontal
3760	-63.66	9.64	-54.02	-13	Vertical
5640	-56.83	12.76	-44.07	-13	Horizontal
5640	-65.30	12.73	-52.57	-13	Vertical

Mode 3								
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity			
3815.2	-56.62	9.77	-46.85	-13	Horizontal			
3815.2	-60.59	9.90	-50.69	-13	Vertical			
5722.8	-65.71	12.84	-52.86	-13	Horizontal			
5722.8	-67.34	12.73	-54.61	-13	Vertical			

BAND 4:

	Mode 1								
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity				
3424.8	-64.18	9.63	-54.55	-13	Horizontal				
3424.8	-57.03	9.63	-47.40	-13	Vertical				
5137.2	-67.75	12.71	-55.04	-13	Horizontal				
5137.2	-52.95	12.71	-40.24	-13	Vertical				

Mode 2								
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity			
3465.2	-57.92	9.72	-48.20	-13	Horizontal			
3465.2	-58.71	9.88	-48.83	-13	Vertical			
5197.8	-58.83	12.95	-45.88	-13	Horizontal			
5197.8	-63.88	12.96	-50.92	-13	Vertical			

Mode 3								
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity			
3505.2	-51.00	9.88	-41.11	-13	Horizontal			
3505.2	-53.33	10.17	-43.17	-13	Vertical			
5257.8	-59.18	13.22	-45.96	-13	Horizontal			
5257.8	-53.22	13.18	-40.04	-13	Vertical			

BAND 5:

Mode 1								
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity			
1652.8	-55.68	10.71	-44.97	-13	Horizontal			
1652.8	-60.83	10.71	-50.12	-13	Vertical			
2479.2	-62.43	11.95	-50.48	-13	Horizontal			
2479.2	-66.60	11.95	-54.65	-13	Vertical			

Mode 2								
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity			
1673.2	-65.24	10.99	-54.25	-13	Horizontal			
1673.2	-52.63	10.78	-41.85	-13	Vertical			
2509.8	-67.80	12.05	-55.74	-13	Horizontal			
2509.8	-60.38	12.02	-48.36	-13	Vertical			

Mode 3									
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity				
1693.2	-60.06	11.13	-48.93	-13	Horizontal				
1693.2	-61.17	10.92	-50.25	-13	Vertical				
2539.8	-52.34	12.30	-40.04	-13	Horizontal				
2539.8	-63.72	12.11	-51.60	-13	Vertical				

E-UTRA BANDS

BAND 2:

·· · -·									
Mode 1									
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity				
3720	-62.35	10.21	-52.14	-13	Horizontal				
3720	-64.73	10.21	-54.52	-13	Vertical				
5580	-62.97	13.26	-49.71	-13	Horizontal				
5580	-64.09	13.26	-50.83	-13	Vertical				

Mode 2								
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity			
3760	-64.19	10.23	-53.96	-13	Horizontal			
3760	-62.72	10.23	-52.49	-13	Vertical			
5640	-65.39	13.47	-51.92	-13	Horizontal			
5640	-68.18	13.47	-54.71	-13	Vertical			

Mode 3								
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity			
3800	-61.26	10.27	-50.99	-13	Horizontal			
3800	-55.69	10.27	-45.42	-13	Vertical			
5700	-61.22	13.5	-47.72	-13	Horizontal			
5700	-65.64	13.5	-52.14	-13	Vertical			

BAND 4:

Mode 1								
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity			
3440	-66.33	10.01	-56.32	-13	Horizontal			
3440	-56.21	10.01	-46.20	-13	Vertical			
5160	-61.11	14.6	-46.51	-13	Horizontal			
5160	-57.03	14.6	-42.43	-13	Vertical			

Mode 2								
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity			
3490	-55.03	10.01	-45.02	-13	Horizontal			
3490	-57.22	10.01	-47.21	-13	Vertical			
5235	-65.08	14.8	-50.28	-13	Horizontal			
5235	-61.07	14.8	-46.27	-13	Vertical			

Mode 3					
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity
3465	-60.20	10.01	-50.19	-13	Horizontal
3465	-60.89	10.01	-50.88	-13	Vertical
5197.5	-67.26	14.8	-52.46	-13	Horizontal
5197.5	-70.81	14.8	-56.01	-13	Vertical

BAND 7:

Mode 1					
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity
5020	-60.64	13.57	-47.07	-25	Horizontal
5020	-62.01	13.57	-48.44	-25	Vertical
7530	-58.36	18.25	-40.11	-25	Horizontal
7530	-64.35	18.25	-46.10	-25	Vertical

Mode 2					
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity
5120	-67.46	13.57	-53.89	-25	Horizontal
5120	-59.71	13.57	-46.14	-25	Vertical
7680	-71.26	18.25	-53.01	-25	Horizontal
7680	-60.01	18.25	-41.76	-25	Vertical

Mode 3					
Frequency(MHz)	Power(dBm)	A _{Rpl} (dBm)	P _{Mea} (dBm)	Limit (dBm)	Polarity
5070	-58.87	13.57	-45.30	-25	Horizontal
5070	-63.45	13.57	-49.88	-25	Vertical
7605	-62.81	18.25	-44.56	-25	Horizontal
7605	-71.57	18.25	-53.32	-25	Vertical

8 FREQUENCY STABILITY

8.1 Measurement Result (Worst)

Frequency Error against Voltage for GSM 850 band (Mid channel)

Voltage(V)	Frequency error(Hz)	Frequency error (ppm)
3.45	47	0.057
3.85	45	0.054
4.4	39	0.046

Frequency Error against Temperature for GSM 850 band (Mid channel)

Troduction against temperature contract (and contract)			
Temperature(°C)	Frequency error(Hz)	Frequency error(ppm)	
-10	38	0.045	
0	39	0.047	
10	41	0.049	
20	38	0.045	
30	36	0.043	
40	44	0.053	
50	43	0.051	

Frequency Error against Voltage for PCS 1900 band (Mid channel)

Voltage(V)	Frequency error(Hz)	Frequency error(ppm)
3.45	35	0.019
3.85	38	0.020
4.4	35	0.018

Frequency Error against Temperature for PCS 1900 band (Mid channel)

Temperature(°C)	Frequency error(Hz)	Frequency error(ppm)
-10	33	0.018
0	36	0.019
10	35	0.019
20	34	0.018
30	36	0.019
40	38	0.020
50	39	0.021

Frequency Error against Voltage for GPRS 850 band (Mid channel)

Voltage(V)	Frequency error(Hz)	Frequency error (ppm)
3.45	30	0.036
3.85	39	0.047
4.4	37	0.044

Frequency Error against Temperature for GPRS 850 band (Mid channel)

Temperature(°C)	Frequency error(Hz)	Frequency error(ppm)
-10	35	0.042
0	38	0.045
10	36	0.043
20	37	0.044
30	39	0.047
40	34	0.041
50	36	0.043

Frequency Error against Voltage for GPRS 1900 band (Mid channel)

Voltage(V)	Frequency error(Hz)	Frequency error(ppm)
3.45	29	0.016
3.85	34	0.018
4.4	34	0.018

Frequency Error against Temperature for GPRS 1900 band (Mid channel)

Temperature(°C)	Frequency error(Hz)	Frequency error(ppm)
-10	32	0.017
0	33	0.018
10	31	0.016
20	34	0.018
30	35	0.019
40	32	0.017
50	33	0.018

Frequency Error against Voltage for EGPRS 850 band (Mid channel)

Voltage(V)	Frequency error(Hz)	Frequency error (ppm)
3.45 37		0.044
3.85 38		0.046
4.4	38	0.045

Frequency Error against Temperature for EGPRS 850 band (Mid channel)

Temperature(°C)	Frequency error(Hz)	Frequency error(ppm)		
-10	39	0.047		
0	35	0.042		
10	33	0.039		
20	35	0.042		
30	36	0.043		
40	37	0.044		
50	38	0.045		

Frequency Error against Voltage for EGPRS 1900 band (Mid channel)

Voltage(V)	Frequency error(Hz)	Frequency error(ppm)
3.45	32	0.017
3.85	31	0.017
4.4	29	0.016

Frequency Error against Temperature for EGPRS 1900 band (Mid channel)

Temperature(°C)	Frequency error(Hz)	Frequency error(ppm)
-10	35	0.019
0	33	0.018
10	31	0.016
20	32	0.017
30	35	0.019
40	32	0.017
50	34	0.018

UTRA BANDS

Frequency Error against Voltage for WCDMA BAND 2 (Mid channel)

Voltage(V)	Frequency error(Hz)	Frequency error (ppm)
3.45	35	0.019
3.85	31	0.016
4.4	40	0.021

Frequency Error against Temperature for WCDMA BAND 2 (Mid channel)

Temperature(°C)	Frequency error(Hz)	Frequency error(ppm)
-10	39	0.021
0	41	0.022
10	40	0.021
20	20 38 0.020	
30	39	0.021
40	40	0.021
50	41	0.022

Frequency Error against Voltage for WCDMA BAND 4 (Mid channel)

Voltage(V) Frequency error(Hz)		Frequency error(Hz)	Frequency error (ppm)
	3.45	35	0.019
	3.85	31	0.016
	4.4	40	0.021

Frequency Error against Temperature for WCDMA BAND 4 (Mid channel)

the quantity and a significant conference of the contract of t						
Temperature(°C)	Frequency error(Hz)	Frequency error(ppm)				
-10	39	0.021				
0	41	0.022				
10	40	0.021				
20	38	0.020				
30	39	0.021				
40	40	0.021				
50	41	0.022				

Frequency Error against Voltage for WCDMA BAND 5 (Mid channel)

Voltage(V) Frequency error(Hz)		Frequency error(ppm)	
3.45 35		0.042	
3.85	31	0.037	
4.4	40	0.048	

Frequency Error against Temperature for WCDMA BAND 5 (Mid channel)

Temperature(°C)	Frequency error(Hz)	Frequency error(ppm)
-10	39	0.047
0	42	0.050
10	41	0.049
20	43	0.051
30	40	0.048
40	39	0.047
50	41	0.049

E-UTRA BAND 2:

							Frequency
Bandwidth	UL	Frequency	Modulation	RB	RB	Frequency Error	Error
	Channel			Size	Offset	(Hz)	(ppm)
1.4	18607	1850.7	QPSK	1	LOW	-10.11	-0.0055
1.4	18607	1850.7	QPSK	1	MID	5.78	0.0031
1.4	18607	1850.7	QPSK	1	HIGH	5.29	0.0029
1.4	18607	1850.7	QPSK	3	LOW	2.9	0.0016
1.4	18607	1850.7	QPSK	3	MID	2.6	0.0014
1.4	18607	1850.7	QPSK	3	HIGH	4.18	0.0023
1.4	18607	1850.7	QPSK	6	LOW	-4.05	-0.0022
1.4	18607	1850.7	Q16	1	LOW	-4.59	-0.0025
1.4	18607	1850.7	Q16	1	MID	2.59	0.0014
1.4	18607	1850.7	Q16	1	HIGH	-4.85	-0.0026
1.4	18607	1850.7	Q16	3	LOW	-4.09	-0.0022
1.4	18607	1850.7	Q16	3	MID	-3.1	-0.0017
1.4	18607	1850.7	Q16	3	HIGH	3.36	0.0018
1.4	18607	1850.7	Q16	6	LOW	4.08	0.0022
1.4	18900	1880	QPSK	1	LOW	5.36	0.0029
1.4	18900	1880	QPSK	1	MID	-8.5	-0.0045
1.4	18900	1880	QPSK	1	HIGH	-9.83	-0.0052
1.4	18900	1880	QPSK	3	LOW	-3.05	-0.0016
1.4	18900	1880	QPSK	3	MID	5.31	0.0028
1.4	18900	1880	QPSK	3	HIGH	7.8	0.0041
1.4	18900	1880	QPSK	6	LOW	7.25	0.0039
1.4	18900	1880	Q16	1	LOW	2.83	0.0015
1.4	18900	1880	Q16	1	MID	3.12	0.0017
1.4	18900	1880	Q16	1	HIGH	-4.98	-0.0026
1.4	18900	1880	Q16	3	LOW	3.39	0.0018
1.4	18900	1880	Q16	3	MID	-3.33	-0.0018
1.4	18900	1880	Q16	3	HIGH	4.06	0.0022
1.4	18900	1880	Q16	6	LOW	4.46	0.0024
1.4	19193	1909.3	QPSK	1	LOW	7.42	0.0039
1.4	19193	1909.3	QPSK	1	MID	7.4	0.0039
1.4	19193	1909.3	QPSK	1	HIGH	5.69	0.003
1.4	19193	1909.3	QPSK	3	LOW	4.81	0.0025
1.4	19193	1909.3	QPSK	3	MID	-4.86	-0.0025
1.4	19193	1909.3	QPSK	3	HIGH	-5.59	-0.0029

							Frequency
Bandwidth	UL	Frequency	Modulation	RB	RB	Frequency Error	Error
	Channel			Size	Offset	(Hz)	(ppm)
1.4	19193	1909.3	QPSK	6	LOW	4.55	0.0024
1.4	19193	1909.3	Q16	1	LOW	-4.55	-0.0024
1.4	19193	1909.3	Q16	1	MID	-5.79	-0.003
1.4	19193	1909.3	Q16	1	HIGH	-5.85	-0.0031
1.4	19193	1909.3	Q16	3	LOW	-5.99	-0.0031
1.4	19193	1909.3	Q16	3	MID	4.22	0.0022
1.4	19193	1909.3	Q16	3	HIGH	-4.62	-0.0024
1.4	19193	1909.3	Q16	6	LOW	3.86	0.002
3	18615	1851.5	QPSK	1	LOW	13.75	0.0074
3	18615	1851.5	QPSK	1	MID	11.47	0.0062
3	18615	1851.5	QPSK	1	HIGH	10.49	0.0057
3	18615	1851.5	QPSK	8	LOW	5.18	0.0028
3	18615	1851.5	QPSK	8	MID	5.36	0.0029
3	18615	1851.5	QPSK	8	HIGH	5.78	0.0031
3	18615	1851.5	QPSK	15	LOW	-2.62	-0.0014
3	18615	1851.5	Q16	1	LOW	-5.01	-0.0027
3	18615	1851.5	Q16	1	MID	-5.46	-0.0029
3	18615	1851.5	Q16	1	HIGH	-6.19	-0.0033
3	18615	1851.5	Q16	8	LOW	-4.96	-0.0027
3	18615	1851.5	Q16	8	MID	-6.09	-0.0033
3	18615	1851.5	Q16	8	HIGH	-6.38	-0.0034
3	18615	1851.5	Q16	15	LOW	-2.73	-0.0015
3	18900	1880	QPSK	1	LOW	6.87	0.0037
3	18900	1880	QPSK	1	MID	-4.05	-0.0022
3	18900	1880	QPSK	1	HIGH	-7.12	-0.0038
3	18900	1880	QPSK	8	LOW	5.84	0.0031
3	18900	1880	QPSK	8	MID	7.4	0.0039
3	18900	1880	QPSK	8	HIGH	3.82	0.002
3	18900	1880	QPSK	15	LOW	5.94	0.0032
3	18900	1880	Q16	1	LOW	-6.45	-0.0034
3	18900	1880	Q16	1	MID	-3.5	-0.0019
3	18900	1880	Q16	1	HIGH	-3.68	-0.002
3	18900	1880	Q16	8	LOW	-4.25	-0.0023
3	18900	1880	Q16	8	MID	-6.68	-0.0036
3	18900	1880	Q16	8	HIGH	-6.35	-0.0034
3	18900	1880	Q16	15	LOW	3.45	0.0018

							Frequency
Bandwidth	UL Channel	Frequency	Modulation	RB	RB	Frequency Error	Error
	Chame			Size	Offset	(Hz)	(ppm)
3	19185	1908.5	QPSK	1	LOW	-7.17	-0.0038
3	19185	1908.5	QPSK	1	MID	-6.11	-0.0032
3	19185	1908.5	QPSK	1	HIGH	4.02	0.0021
3	19185	1908.5	QPSK	8	LOW	-3.65	-0.0019
3	19185	1908.5	QPSK	8	MID	-5.68	-0.003
3	19185	1908.5	QPSK	8	HIGH	-6.15	-0.0032
3	19185	1908.5	QPSK	15	LOW	-5.95	-0.0031
3	19185	1908.5	Q16	1	LOW	-4.25	-0.0022
3	19185	1908.5	Q16	1	MID	-7.6	-0.004
3	19185	1908.5	Q16	1	HIGH	-6.07	-0.0032
3	19185	1908.5	Q16	8	LOW	-8.44	-0.0044
3	19185	1908.5	Q16	8	MID	-6.18	-0.0032
3	19185	1908.5	Q16	8	HIGH	-8.17	-0.0043
3	19185	1908.5	Q16	15	LOW	-7.1	-0.0037
5	18625	1852.5	QPSK	1	LOW	11.3	0.0061
5	18625	1852.5	QPSK	1	MID	7.28	0.0039
5	18625	1852.5	QPSK	1	HIGH	4.45	0.0024
5	18625	1852.5	QPSK	12	LOW	5.48	0.003
5	18625	1852.5	QPSK	12	MID	4.21	0.0023
5	18625	1852.5	QPSK	12	HIGH	3.42	0.0018
5	18625	1852.5	QPSK	25	LOW	3.99	0.0022
5	18625	1852.5	Q16	1	LOW	-4.53	-0.0024
5	18625	1852.5	Q16	1	MID	-4.11	-0.0022
5	18625	1852.5	Q16	1	HIGH	4.45	0.0024
5	18625	1852.5	Q16	12	LOW	3.65	0.002
5	18625	1852.5	Q16	12	MID	3.63	0.002
5	18625	1852.5	Q16	12	HIGH	-4.23	-0.0023
5	18625	1852.5	Q16	25	LOW	-4.02	-0.0022
5	18900	1880	QPSK	1	LOW	-4.71	-0.0025
5	18900	1880	QPSK	1	MID	-5.61	-0.003
5	18900	1880	QPSK	1	HIGH	-2.23	-0.0012
5	18900	1880	QPSK	12	LOW	2.52	0.0013
5	18900	1880	QPSK	12	MID	4.55	0.0024
5	18900	1880	QPSK	12	HIGH	4.63	0.0025
5	18900	1880	QPSK	25	LOW	3.38	0.0018
5	18900	1880	Q16	1	LOW	4.72	0.0025

							Frequency
Bandwidth	UL	Frequency	Modulation	RB	RB	Frequency Error	Error
	Channel			Size	Offset	(Hz)	(ppm)
5	18900	1880	Q16	1	MID	-4.28	-0.0023
5	18900	1880	Q16	1	HIGH	-7.75	-0.0041
5	18900	1880	Q16	12	LOW	4.68	0.0025
5	18900	1880	Q16	12	MID	-7.18	-0.0038
5	18900	1880	Q16	12	HIGH	5.65	0.003
5	18900	1880	Q16	25	LOW	-5.85	-0.0031
5	19175	1907.5	QPSK	1	LOW	-5.32	-0.0028
5	19175	1907.5	QPSK	1	MID	6.94	0.0036
5	19175	1907.5	QPSK	1	HIGH	4.35	0.0023
5	19175	1907.5	QPSK	12	LOW	4.86	0.0025
5	19175	1907.5	QPSK	12	MID	7.75	0.0041
5	19175	1907.5	QPSK	12	HIGH	-3.68	-0.0019
5	19175	1907.5	QPSK	25	LOW	5.15	0.0027
5	19175	1907.5	Q16	1	LOW	-3.12	-0.0016
5	19175	1907.5	Q16	1	MID	3.55	0.0019
5	19175	1907.5	Q16	1	HIGH	4.75	0.0025
5	19175	1907.5	Q16	12	LOW	6.18	0.0032
5	19175	1907.5	Q16	12	MID	-4.23	-0.0022
5	19175	1907.5	Q16	12	HIGH	7.05	0.0037
5	19175	1907.5	Q16	25	LOW	6.04	0.0032
10	18650	1855	QPSK	1	LOW	4.31	0.0023
10	18650	1855	QPSK	1	MID	2.36	0.0013
10	18650	1855	QPSK	1	HIGH	-5.02	-0.0027
10	18650	1855	QPSK	25	LOW	-4.59	-0.0025
10	18650	1855	QPSK	25	MID	-7.65	-0.0041
10	18650	1855	QPSK	25	HIGH	3.36	0.0018
10	18650	1855	QPSK	50	LOW	-4.79	-0.0026
10	18650	1855	Q16	1	LOW	-8.58	-0.0046
10	18650	1855	Q16	1	MID	-10.5	-0.0057
10	18650	1855	Q16	1	HIGH	-8.78	-0.0047
10	18650	1855	Q16	25	LOW	-5.45	-0.0029
10	18650	1855	Q16	25	MID	-5.92	-0.0032
10	18650	1855	Q16	25	HIGH	-5.58	-0.003
10	18650	1855	Q16	50	LOW	-7.31	-0.0039
10	18900	1880	QPSK	1	LOW	-5.75	-0.0031
10	18900	1880	QPSK	1	MID	-2.92	-0.0016

							Frequency
Bandwidth	UL	Frequency	Modulation	RB	RB	Frequency Error	Error
	Channel			Size	Offset	(Hz)	(ppm)
10	18900	1880	QPSK	1	HIGH	7.15	0.0038
10	18900	1880	QPSK	25	LOW	2.56	0.0014
10	18900	1880	QPSK	25	MID	-3.18	-0.0017
10	18900	1880	QPSK	25	HIGH	-5.64	-0.003
10	18900	1880	QPSK	50	LOW	-3.86	-0.0021
10	18900	1880	Q16	1	LOW	-5.87	-0.0031
10	18900	1880	Q16	1	MID	-4.02	-0.0021
10	18900	1880	Q16	1	HIGH	-3.03	-0.0016
10	18900	1880	Q16	25	LOW	-6.77	-0.0036
10	18900	1880	Q16	25	MID	-6.74	-0.0036
10	18900	1880	Q16	25	HIGH	-6.12	-0.0033
10	18900	1880	Q16	50	LOW	-4.56	-0.0024
10	19150	1905	QPSK	1	LOW	-6.05	-0.0032
10	19150	1905	QPSK	1	MID	-3.28	-0.0017
10	19150	1905	QPSK	1	HIGH	-4.18	-0.0022
10	19150	1905	QPSK	25	LOW	-5.55	-0.0029
10	19150	1905	QPSK	25	MID	-3.6	-0.0019
10	19150	1905	QPSK	25	HIGH	-7.7	-0.004
10	19150	1905	QPSK	50	LOW	-4.92	-0.0026
10	19150	1905	Q16	1	LOW	-5.95	-0.0031
10	19150	1905	Q16	1	MID	-6.24	-0.0033
10	19150	1905	Q16	1	HIGH	-7.55	-0.004
10	19150	1905	Q16	25	LOW	-4.41	-0.0023
10	19150	1905	Q16	25	MID	-4.02	-0.0021
10	19150	1905	Q16	25	HIGH	-5.16	-0.0027
10	19150	1905	Q16	50	LOW	-4.42	-0.0023
15	18675	1857.5	QPSK	1	LOW	8.05	0.0043
15	18675	1857.5	QPSK	1	MID	6.75	0.0036
15	18675	1857.5	QPSK	1	HIGH	5.81	0.0031
15	18675	1857.5	QPSK	36	LOW	3.59	0.0019
15	18675	1857.5	QPSK	36	MID	-2.92	-0.0016
15	18675	1857.5	QPSK	36	HIGH	5.71	0.0031
15	18675	1857.5	QPSK	75	LOW	-4.51	-0.0024
15	18675	1857.5	Q16	1	LOW	5.87	0.0032
15	18675	1857.5	Q16	1	MID	-4.76	-0.0026
15	18675	1857.5	Q16	1	HIGH	5.09	0.0027

							Frequency
Bandwidth	UL	Frequency	Modulation	RB	RB	Frequency Error	Error
	Channel			Size	Offset	(Hz)	(ppm)
15	18675	1857.5	Q16	36	LOW	3.33	0.0018
15	18675	1857.5	Q16	36	MID	4.59	0.0025
15	18675	1857.5	Q16	36	HIGH	4.51	0.0024
15	18675	1857.5	Q16	75	LOW	4.91	0.0026
15	18900	1880	QPSK	1	LOW	-3.96	-0.0021
15	18900	1880	QPSK	1	MID	3	0.0016
15	18900	1880	QPSK	1	HIGH	-3.42	-0.0018
15	18900	1880	QPSK	36	LOW	-4.11	-0.0022
15	18900	1880	QPSK	36	MID	-5.29	-0.0028
15	18900	1880	QPSK	36	HIGH	-3.85	-0.002
15	18900	1880	QPSK	75	LOW	-3.4	-0.0018
15	18900	1880	Q16	1	LOW	-7.07	-0.0038
15	18900	1880	Q16	1	MID	-5.65	-0.003
15	18900	1880	Q16	1	HIGH	-5.26	-0.0028
15	18900	1880	Q16	36	LOW	-5.04	-0.0027
15	18900	1880	Q16	36	MID	-5.09	-0.0027
15	18900	1880	Q16	36	HIGH	-5.55	-0.003
15	18900	1880	Q16	75	LOW	-5.08	-0.0027
15	19125	1902.5	QPSK	1	LOW	7.55	0.004
15	19125	1902.5	QPSK	1	MID	13.95	0.0073
15	19125	1902.5	QPSK	1	HIGH	12.06	0.0063
15	19125	1902.5	QPSK	36	LOW	14.71	0.0077
15	19125	1902.5	QPSK	36	MID	4.82	0.0025
15	19125	1902.5	QPSK	36	HIGH	3.49	0.0018
15	19125	1902.5	QPSK	75	LOW	4.96	0.0026
15	19125	1902.5	Q16	1	LOW	4.81	0.0025
15	19125	1902.5	Q16	1	MID	3.73	0.002
15	19125	1902.5	Q16	1	HIGH	4.89	0.0026
15	19125	1902.5	Q16	36	LOW	4.51	0.0024
15	19125	1902.5	Q16	36	MID	5.42	0.0028
15	19125	1902.5	Q16	36	HIGH	-5.31	-0.0028
15	19125	1902.5	Q16	75	LOW	4.28	0.0022
20	18700	1860	QPSK	1	LOW	7.98	0.0043
20	18700	1860	QPSK	1	MID	5.91	0.0032
20	18700	1860	QPSK	1	HIGH	7.72	0.0042
20	18700	1860	QPSK	50	LOW	4.78	0.0026

	UL						Frequency
Bandwidth	Channel	Frequency	Modulation	RB	RB	Frequency Error	Error
	Charmer			Size	Offset	(Hz)	(ppm)
20	18700	1860	QPSK	50	MID	3.78	0.002
20	18700	1860	QPSK	50	HIGH	4.05	0.0022
20	18700	1860	QPSK	100	LOW	-5.19	-0.0028
20	18700	1860	Q16	1	LOW	3.71	0.002
20	18700	1860	Q16	1	MID	-4.15	-0.0022
20	18700	1860	Q16	1	HIGH	6.92	0.0037
20	18700	1860	Q16	50	LOW	4.23	0.0023
20	18700	1860	Q16	50	MID	-2.46	-0.0013
20	18700	1860	Q16	50	HIGH	-5.26	-0.0028
20	18700	1860	Q16	100	LOW	-3.98	-0.0021
20	18900	1880	QPSK	1	LOW	-5.35	-0.0028
20	18900	1880	QPSK	1	MID	-3.96	-0.0021
20	18900	1880	QPSK	1	HIGH	3.72	0.002
20	18900	1880	QPSK	50	LOW	3.82	0.002
20	18900	1880	QPSK	50	MID	6.92	0.0037
20	18900	1880	QPSK	50	HIGH	-5.34	-0.0028
20	18900	1880	QPSK	100	LOW	-4.85	-0.0026
20	18900	1880	Q16	1	LOW	-4.68	-0.0025
20	18900	1880	Q16	1	MID	5.42	0.0029
20	18900	1880	Q16	1	HIGH	6.05	0.0032
20	18900	1880	Q16	50	LOW	-3.36	-0.0018
20	18900	1880	Q16	50	MID	-4.18	-0.0022
20	18900	1880	Q16	50	HIGH	-3.75	-0.002
20	18900	1880	Q16	100	LOW	4.28	0.0023
20	19100	1900	QPSK	1	LOW	7.47	0.0039
20	19100	1900	QPSK	1	MID	5.05	0.0027
20	19100	1900	QPSK	1	HIGH	3.68	0.0019
20	19100	1900	QPSK	50	LOW	10.73	0.0056
20	19100	1900	QPSK	50	MID	2.95	0.0016
20	19100	1900	QPSK	50	HIGH	4.05	0.0021
20	19100	1900	QPSK	100	LOW	-5.29	-0.0028
20	19100	1900	Q16	1	LOW	-8.48	-0.0045
20	19100	1900	Q16	1	MID	-7.2	-0.0038
20	19100	1900	Q16	1	HIGH	-8.47	-0.0045
20	19100	1900	Q16	50	LOW	-4.84	-0.0025
20	19100	1900	Q16	50	MID	-4.09	-0.0022

D UL						Frequency
Bandwidth Channel	Frequency	Modulation		RB	Frequency Error	Error
			Size	Offset	(Hz)	(ppm)
20 19100	1900	Q16	50	HIGH	-5.28	-0.0028
20 19100	1900	Q16	100	LOW	-6.71	-0.0035

BAND 4:

4: 						Frequency	Frequency
Bandwidth	UL	Frequency	Modulation	RB	RB	Error	Error
	Channel	, ,		Size	Offset	(Hz)	(ppm)
1.4	19957	1710.7	QPSK	1	LOW	-9.91	-0.0058
1.4	19957	1710.7	QPSK	1	MID	5.35	0.0031
1.4	19957	1710.7	QPSK	1	HIGH	2.63	0.0015
1.4	19957	1710.7	QPSK	3	LOW	3.2	0.0019
1.4	19957	1710.7	QPSK	3	MID	-3.06	-0.0018
1.4	19957	1710.7	QPSK	3	HIGH	5.61	0.0033
1.4	19957	1710.7	QPSK	6	LOW	6.44	0.0038
1.4	19957	1710.7	Q16	1	LOW	6.04	0.0035
1.4	19957	1710.7	Q16	1	MID	4.63	0.0027
1.4	19957	1710.7	Q16	1	HIGH	8.41	0.0049
1.4	19957	1710.7	Q16	3	LOW	-5.72	-0.0033
1.4	19957	1710.7	Q16	3	MID	6.74	0.0039
1.4	19957	1710.7	Q16	3	HIGH	4.49	0.0026
1.4	19957	1710.7	Q16	6	LOW	7.47	0.0044
1.4	20393	1754.3	QPSK	1	LOW	3.69	0.0021
1.4	20393	1754.3	QPSK	1	MID	4.15	0.0024
1.4	20393	1754.3	QPSK	1	HIGH	-3.68	-0.0021
1.4	20393	1754.3	QPSK	3	LOW	-2.93	-0.0017
1.4	20393	1754.3	QPSK	3	MID	-4.46	-0.0025
1.4	20393	1754.3	QPSK	3	HIGH	-3.99	-0.0023
1.4	20393	1754.3	QPSK	6	LOW	3.91	0.0022
1.4	20393	1754.3	Q16	1	LOW	-4.55	-0.0026
1.4	20393	1754.3	Q16	1	MID	-6.24	-0.0036
1.4	20393	1754.3	Q16	1	HIGH	-5.02	-0.0029
1.4	20393	1754.3	Q16	3	LOW	-5.06	-0.0029
1.4	20393	1754.3	Q16	3	MID	-2.62	-0.0015
1.4	20393	1754.3	Q16	3	HIGH	3.26	0.0019
1.4	20393	1754.3	Q16	6	LOW	5.06	0.0029
1.4	20175	1732.5	QPSK	1	LOW	3.78	0.0022
1.4	20175	1732.5	QPSK	1	MID	-6.09	-0.0035
1.4	20175	1732.5	QPSK	1	HIGH	3.6	0.0021
1.4	20175	1732.5	QPSK	3	LOW	5.79	0.0033
1.4	20175	1732.5	QPSK	3	MID	8.5	0.0049
1.4	20175	1732.5	QPSK	3	HIGH	5.52	0.0032

	UL					Frequency	Frequency
Bandwidth	Channel	Frequency	Modulation	RB	RB	Error	Error
	Onamici			Size	Offset	(Hz)	(ppm)
1.4	20175	1732.5	QPSK	6	LOW	2.85	0.0016
1.4	20175	1732.5	Q16	1	LOW	-4.38	-0.0025
1.4	20175	1732.5	Q16	1	MID	-3.2	-0.0018
1.4	20175	1732.5	Q16	1	HIGH	-3.71	-0.0021
1.4	20175	1732.5	Q16	3	LOW	-3.23	-0.0019
1.4	20175	1732.5	Q16	3	MID	-2.19	-0.0013
1.4	20175	1732.5	Q16	3	HIGH	4.22	0.0024
1.4	20175	1732.5	Q16	6	LOW	-2.68	-0.0015
3	19965	1711.5	QPSK	1	LOW	-11.4	-0.0067
3	19965	1711.5	QPSK	1	MID	6.55	0.0038
3	19965	1711.5	QPSK	1	HIGH	4.88	0.0029
3	19965	1711.5	QPSK	8	LOW	-5.94	-0.0035
3	19965	1711.5	QPSK	8	MID	-5.42	-0.0032
3	19965	1711.5	QPSK	8	HIGH	2.13	0.0012
3	19965	1711.5	QPSK	15	LOW	4.75	0.0028
3	19965	1711.5	Q16	1	LOW	-2.26	-0.0013
3	19965	1711.5	Q16	1	MID	2.93	0.0017
3	19965	1711.5	Q16	1	HIGH	-5.11	-0.003
3	19965	1711.5	Q16	8	LOW	-5.71	-0.0033
3	19965	1711.5	Q16	8	MID	-4.85	-0.0028
3	19965	1711.5	Q16	8	HIGH	-4.45	-0.0026
3	19965	1711.5	Q16	15	LOW	-3.83	-0.0022
3	20385	1753.5	QPSK	1	LOW	4.63	0.0026
3	20385	1753.5	QPSK	1	MID	-3.03	-0.0017
3	20385	1753.5	QPSK	1	HIGH	-3.38	-0.0019
3	20385	1753.5	QPSK	8	LOW	4.18	0.0024
3	20385	1753.5	QPSK	8	MID	-3.16	-0.0018
3	20385	1753.5	QPSK	8	HIGH	-4.01	-0.0023
3	20385	1753.5	QPSK	15	LOW	3.45	0.002
3	20385	1753.5	Q16	1	LOW	-6.12	-0.0035
3	20385	1753.5	Q16	1	MID	-5.51	-0.0031
3	20385	1753.5	Q16	1	HIGH	-8.17	-0.0047
3	20385	1753.5	Q16	8	LOW	-7.35	-0.0042
3	20385	1753.5	Q16	8	MID	-5.06	-0.0029
3	20385	1753.5	Q16	8	HIGH	-5.35	-0.0031
3	20385	1753.5	Q16	15	LOW	-5.12	-0.0029

	UL					Frequency	Frequency
Bandwidth	Channel	Frequency	Modulation	RB	RB	Error	Error
	Onamie			Size	Offset	(Hz)	(ppm)
3	20175	1732.5	QPSK	1	LOW	-4.69	-0.0027
3	20175	1732.5	QPSK	1	MID	-7.07	-0.0041
3	20175	1732.5	QPSK	1	HIGH	-4.39	-0.0025
3	20175	1732.5	QPSK	8	LOW	4.73	0.0027
3	20175	1732.5	QPSK	8	MID	5.98	0.0035
3	20175	1732.5	QPSK	8	HIGH	7.7	0.0044
3	20175	1732.5	QPSK	15	LOW	6.9	0.004
3	20175	1732.5	Q16	1	LOW	-4.56	-0.0026
3	20175	1732.5	Q16	1	MID	-5.05	-0.0029
3	20175	1732.5	Q16	1	HIGH	3.59	0.0021
3	20175	1732.5	Q16	8	LOW	-3.6	-0.0021
3	20175	1732.5	Q16	8	MID	-6.09	-0.0035
3	20175	1732.5	Q16	8	HIGH	-4.91	-0.0028
3	20175	1732.5	Q16	15	LOW	-5.92	-0.0034
5	19975	1712.5	QPSK	1	LOW	-5.52	-0.0032
5	19975	1712.5	QPSK	1	MID	8.04	0.0047
5	19975	1712.5	QPSK	1	HIGH	5.91	0.0035
5	19975	1712.5	QPSK	12	LOW	8.54	0.005
5	19975	1712.5	QPSK	12	MID	5.85	0.0034
5	19975	1712.5	QPSK	12	HIGH	4.63	0.0027
5	19975	1712.5	QPSK	25	LOW	5.42	0.0032
5	19975	1712.5	Q16	1	LOW	6.52	0.0038
5	19975	1712.5	Q16	1	MID	5.66	0.0033
5	19975	1712.5	Q16	1	HIGH	6.42	0.0037
5	19975	1712.5	Q16	12	LOW	8.28	0.0048
5	19975	1712.5	Q16	12	MID	7.61	0.0044
5	19975	1712.5	Q16	12	HIGH	4.48	0.0026
5	19975	1712.5	Q16	25	LOW	4.53	0.0026
5	20375	1752.5	QPSK	1	LOW	-3.99	-0.0023
5	20375	1752.5	QPSK	1	MID	-3.02	-0.0017
5	20375	1752.5	QPSK	1	HIGH	4.15	0.0024
5	20375	1752.5	QPSK	12	LOW	4.58	0.0026
5	20375	1752.5	QPSK	12	MID	3.39	0.0019
5	20375	1752.5	QPSK	12	HIGH	-6.58	-0.0038
5	20375	1752.5	QPSK	25	LOW	3.16	0.0018
5	20375	1752.5	Q16	1	LOW	2.57	0.0015

	UL					Frequency	Frequency
Bandwidth	Channel	Frequency	Modulation	RB	RB	Error	Error
	Charine			Size	Offset	(Hz)	(ppm)
5	20375	1752.5	Q16	1	MID	-5.39	-0.0031
5	20375	1752.5	Q16	1	HIGH	5.66	0.0032
5	20375	1752.5	Q16	12	LOW	2.73	0.0016
5	20375	1752.5	Q16	12	MID	-5.25	-0.003
5	20375	1752.5	Q16	12	HIGH	-4.42	-0.0025
5	20375	1752.5	Q16	25	LOW	-3.72	-0.0021
5	20175	1732.5	QPSK	1	LOW	-4.75	-0.0027
5	20175	1732.5	QPSK	1	MID	-5.36	-0.0031
5	20175	1732.5	QPSK	1	HIGH	3.3	0.0019
5	20175	1732.5	QPSK	12	LOW	-3.96	-0.0023
5	20175	1732.5	QPSK	12	MID	4.66	0.0027
5	20175	1732.5	QPSK	12	HIGH	5.42	0.0031
5	20175	1732.5	QPSK	25	LOW	5.08	0.0029
5	20175	1732.5	Q16	1	LOW	-3.2	-0.0018
5	20175	1732.5	Q16	1	MID	3.76	0.0022
5	20175	1732.5	Q16	1	HIGH	-4.22	-0.0024
5	20175	1732.5	Q16	12	LOW	3.81	0.0022
5	20175	1732.5	Q16	12	MID	4.15	0.0024
5	20175	1732.5	Q16	12	HIGH	-2.89	-0.0017
5	20175	1732.5	Q16	25	LOW	-3.59	-0.0021
10	20000	1715	QPSK	1	LOW	-8.24	-0.0048
10	20000	1715	QPSK	1	MID	-4.66	-0.0027
10	20000	1715	QPSK	1	HIGH	-6.88	-0.004
10	20000	1715	QPSK	25	LOW	-5.05	-0.0029
10	20000	1715	QPSK	25	MID	-4.06	-0.0024
10	20000	1715	QPSK	25	HIGH	-3.38	-0.002
10	20000	1715	QPSK	50	LOW	-4.91	-0.0029
10	20000	1715	Q16	1	LOW	-3.49	-0.002
10	20000	1715	Q16	1	MID	-3.6	-0.0021
10	20000	1715	Q16	1	HIGH	-4.91	-0.0029
10	20000	1715	Q16	25	LOW	-6.54	-0.0038
10	20000	1715	Q16	25	MID	-6.09	-0.0036
10	20000	1715	Q16	25	HIGH	-8.8	-0.0051
10	20000	1715	Q16	50	LOW	-2.65	-0.0015
10	20350	1750	QPSK	1	LOW	-3.93	-0.0022
10	20350	1750	QPSK	1	MID	-2.69	-0.0015

	UL					Frequency	Frequency
Bandwidth	Channel	Frequency	Modulation	RB	RB	Error	Error
	Ondrinoi			Size	Offset	(Hz)	(ppm)
10	20350	1750	QPSK	1	HIGH	3.58	0.002
10	20350	1750	QPSK	25	LOW	-3.19	-0.0018
10	20350	1750	QPSK	25	MID	-2.82	-0.0016
10	20350	1750	QPSK	25	HIGH	5.89	0.0034
10	20350	1750	QPSK	50	LOW	-5.75	-0.0033
10	20350	1750	Q16	1	LOW	-5.94	-0.0034
10	20350	1750	Q16	1	MID	-5.02	-0.0029
10	20350	1750	Q16	1	HIGH	-4.28	-0.0024
10	20350	1750	Q16	25	LOW	2.15	0.0012
10	20350	1750	Q16	25	MID	-3.38	-0.0019
10	20350	1750	Q16	25	HIGH	-3.68	-0.0021
10	20350	1750	Q16	50	LOW	-4.88	-0.0028
10	20175	1732.5	QPSK	1	LOW	-7.02	-0.0041
10	20175	1732.5	QPSK	1	MID	-4.28	-0.0025
10	20175	1732.5	QPSK	1	HIGH	-3.55	-0.002
10	20175	1732.5	QPSK	25	LOW	-3.91	-0.0023
10	20175	1732.5	QPSK	25	MID	-6.39	-0.0037
10	20175	1732.5	QPSK	25	HIGH	-5.79	-0.0033
10	20175	1732.5	QPSK	50	LOW	-5.06	-0.0029
10	20175	1732.5	Q16	1	LOW	-6.25	-0.0036
10	20175	1732.5	Q16	1	MID	-5.34	-0.0031
10	20175	1732.5	Q16	1	HIGH	-5.22	-0.003
10	20175	1732.5	Q16	25	LOW	-3.12	-0.0018
10	20175	1732.5	Q16	25	MID	-5.89	-0.0034
10	20175	1732.5	Q16	25	HIGH	-6.02	-0.0035
10	20175	1732.5	Q16	50	LOW	-4.36	-0.0025
15	20025	1717.5	QPSK	1	LOW	-7.44	-0.0043
15	20025	1717.5	QPSK	1	MID	-5.34	-0.0031
15	20025	1717.5	QPSK	1	HIGH	4.49	0.0026
15	20025	1717.5	QPSK	36	LOW	4.11	0.0024
15	20025	1717.5	QPSK	36	MID	-5.36	-0.0031
15	20025	1717.5	QPSK	36	HIGH	-3.66	-0.0021
15	20025	1717.5	QPSK	75	LOW	-2.26	-0.0013
15	20025	1717.5	Q16	1	LOW	3.53	0.0021
15	20025	1717.5	Q16	1	MID	3.86	0.0022
15	20025	1717.5	Q16	1	HIGH	-5.58	-0.0032

	UL					Frequency	Frequency
Bandwidth	Channel	Frequency	Modulation	RB	RB	Error	Error
	Charine			Size	Offset	(Hz)	(ppm)
15	20025	1717.5	Q16	36	LOW	5.38	0.0031
15	20025	1717.5	Q16	36	MID	-4.25	-0.0025
15	20025	1717.5	Q16	36	HIGH	-4.36	-0.0025
15	20025	1717.5	Q16	75	LOW	-3.36	-0.002
15	20325	1747.5	QPSK	1	LOW	-7.2	-0.0041
15	20325	1747.5	QPSK	1	MID	-3.92	-0.0022
15	20325	1747.5	QPSK	1	HIGH	-5.39	-0.0031
15	20325	1747.5	QPSK	36	LOW	-3.85	-0.0022
15	20325	1747.5	QPSK	36	MID	-2.42	-0.0014
15	20325	1747.5	QPSK	36	HIGH	-5.28	-0.003
15	20325	1747.5	QPSK	75	LOW	-4.94	-0.0028
15	20325	1747.5	Q16	1	LOW	-6.27	-0.0036
15	20325	1747.5	Q16	1	MID	-7.11	-0.0041
15	20325	1747.5	Q16	1	HIGH	-4.23	-0.0024
15	20325	1747.5	Q16	36	LOW	-4.51	-0.0026
15	20325	1747.5	Q16	36	MID	-4.52	-0.0026
15	20325	1747.5	Q16	36	HIGH	-5.31	-0.003
15	20325	1747.5	Q16	75	LOW	-2.92	-0.0017
15	20175	1732.5	QPSK	1	LOW	4.39	0.0025
15	20175	1732.5	QPSK	1	MID	6.34	0.0037
15	20175	1732.5	QPSK	1	HIGH	5.94	0.0034
15	20175	1732.5	QPSK	36	LOW	7.11	0.0041
15	20175	1732.5	QPSK	36	MID	6.15	0.0035
15	20175	1732.5	QPSK	36	HIGH	5.22	0.003
15	20175	1732.5	QPSK	75	LOW	4.91	0.0028
15	20175	1732.5	Q16	1	LOW	5.48	0.0032
15	20175	1732.5	Q16	1	MID	4.82	0.0028
15	20175	1732.5	Q16	1	HIGH	-4.38	-0.0025
15	20175	1732.5	Q16	36	LOW	4.02	0.0023
15	20175	1732.5	Q16	36	MID	5.25	0.003
15	20175	1732.5	Q16	36	HIGH	3.81	0.0022
15	20175	1732.5	Q16	75	LOW	4.02	0.0023
20	20050	1720	QPSK	1	LOW	-8.55	-0.005
20	20050	1720	QPSK	1	MID	7.01	0.0041
20	20050	1720	QPSK	1	HIGH	4.52	0.0026
20	20050	1720	QPSK	50	LOW	4.99	0.0029

	UL					Frequency	Frequency
Bandwidth	Channel	Frequency	Modulation	RB	RB	Error	Error
	Citatille			Size	Offset	(Hz)	(ppm)
20	20050	1720	QPSK	50	MID	-3.81	-0.0022
20	20050	1720	QPSK	50	HIGH	-4.02	-0.0023
20	20050	1720	QPSK	100	LOW	3.71	0.0022
20	20050	1720	Q16	1	LOW	-5.11	-0.003
20	20050	1720	Q16	1	MID	-6.55	-0.0038
20	20050	1720	Q16	1	HIGH	-9.08	-0.0053
20	20050	1720	Q16	50	LOW	3.25	0.0019
20	20050	1720	Q16	50	MID	-2.36	-0.0014
20	20050	1720	Q16	50	HIGH	-5.31	-0.0031
20	20050	1720	Q16	100	LOW	2.37	0.0014
20	20300	1745	QPSK	1	LOW	-5.05	-0.0029
20	20300	1745	QPSK	1	MID	-4.33	-0.0025
20	20300	1745	QPSK	1	HIGH	-3.36	-0.0019
20	20300	1745	QPSK	50	LOW	4.49	0.0026
20	20300	1745	QPSK	50	MID	3.81	0.0022
20	20300	1745	QPSK	50	HIGH	-3.66	-0.0021
20	20300	1745	QPSK	100	LOW	-4.38	-0.0025
20	20300	1745	Q16	1	LOW	-6.71	-0.0038
20	20300	1745	Q16	1	MID	5.69	0.0033
20	20300	1745	Q16	1	HIGH	-5.02	-0.0029
20	20300	1745	Q16	50	LOW	-3.83	-0.0022
20	20300	1745	Q16	50	MID	-3.45	-0.002
20	20300	1745	Q16	50	HIGH	-4.94	-0.0028
20	20300	1745	Q16	100	LOW	-4.65	-0.0027
20	20175	1732.5	QPSK	1	LOW	8.65	0.005
20	20175	1732.5	QPSK	1	MID	-7.52	-0.0043
20	20175	1732.5	QPSK	1	HIGH	3.6	0.0021
20	20175	1732.5	QPSK	50	LOW	3.5	0.002
20	20175	1732.5	QPSK	50	MID	3.96	0.0023
20	20175	1732.5	QPSK	50	HIGH	-5.79	-0.0033
20	20175	1732.5	QPSK	100	LOW	-2.8	-0.0016
20	20175	1732.5	Q16	1	LOW	6.68	0.0039
20	20175	1732.5	Q16	1	MID	3.88	0.0022
20	20175	1732.5	Q16	1	HIGH	-4.02	-0.0023
20	20175	1732.5	Q16	50	LOW	-2.62	-0.0015
20	20175	1732.5	Q16	50	MID	2.88	0.0017

BAND 7:

						Frequency	Frequency
Bandwidth	UL Channel	Frequency	Modulation	RB	RB	error	Error
				Size	Offset	(Hz)	(ppm)
5	20775	2502.5	QPSK	1	LOW	-11.19	-0.0045
5	20775	2502.5	QPSK	1	MID	6.54	0.0026
5	20775	2502.5	QPSK	1	HIGH	6.47	0.0026
5	20775	2502.5	QPSK	12	LOW	4.32	0.0017
5	20775	2502.5	QPSK	12	MID	-2.53	-0.001
5	20775	2502.5	QPSK	12	HIGH	3.56	0.0014
5	20775	2502.5	QPSK	25	LOW	5.12	0.002
5	20775	2502.5	Q16	1	LOW	5.79	0.0023
5	20775	2502.5	Q16	1	MID	-4.78	-0.0019
5	20775	2502.5	Q16	1	HIGH	-6.61	-0.0026
5	20775	2502.5	Q16	12	LOW	4.23	0.0017
5	20775	2502.5	Q16	12	MID	-4.79	-0.0019
5	20775	2502.5	Q16	12	HIGH	-3.93	-0.0016
5	20775	2502.5	Q16	25	LOW	3.52	0.0014
5	21425	2567.5	QPSK	1	LOW	6.94	0.0027
5	21425	2567.5	QPSK	1	MID	4.85	0.0019
5	21425	2567.5	QPSK	1	HIGH	8.63	0.0034
5	21425	2567.5	QPSK	12	LOW	5.32	0.0021
5	21425	2567.5	QPSK	12	MID	8.73	0.0034
5	21425	2567.5	QPSK	12	HIGH	6.82	0.0027
5	21425	2567.5	QPSK	25	LOW	6.69	0.0026
5	21425	2567.5	Q16	1	LOW	7.58	0.003
5	21425	2567.5	Q16	1	MID	4.79	0.0019
5	21425	2567.5	Q16	1	HIGH	3.59	0.0014
5	21425	2567.5	Q16	12	LOW	8.21	0.0032
5	21425	2567.5	Q16	12	MID	6.42	0.0025
5	21425	2567.5	Q16	12	HIGH	8.31	0.0032
5	21425	2567.5	Q16	25	LOW	6.17	0.0024
5	21100	2535	QPSK	1	LOW	4.41	0.0017
5	21100	2535	QPSK	1	MID	7.24	0.0029
5	21100	2535	QPSK	1	HIGH	5.72	0.0023
5	21100	2535	QPSK	12	LOW	5.91	0.0023
5	21100	2535	QPSK	12	MID	-3.29	-0.0013
5	21100	2535	QPSK	12	HIGH	3.81	0.0015
5	21100	2535	QPSK	25	LOW	6.11	0.0024

	UL					Frequency	Frequency
Bandwidth	Channel	Frequency	Modulation	RB	RB	error	Error
	Onamici			Size	Offset	(Hz)	(ppm)
5	21100	2535	QPSK	1	LOW	4.22	0.0017
5	21100	2535	QPSK	1	MID	5.85	0.0023
5	21100	2535	QPSK	1	HIGH	4.28	0.0017
5	21100	2535	QPSK	12	LOW	7.8	0.0031
5	21100	2535	QPSK	12	MID	6.41	0.0025
5	21100	2535	QPSK	12	HIGH	4.32	0.0017
5	21100	2535	QPSK	25	LOW	7.02	0.0028
10	20800	2505	QPSK	1	LOW	-9.74	-0.0039
10	20800	2505	QPSK	1	MID	4.13	0.0016
10	20800	2505	QPSK	1	HIGH	4.79	0.0019
10	20800	2505	QPSK	25	LOW	4.85	0.0019
10	20800	2505	QPSK	25	MID	-5.05	-0.002
10	20800	2505	QPSK	25	HIGH	-4.33	-0.0017
10	20800	2505	QPSK	50	LOW	7.27	0.0029
10	20800	2505	Q16	1	LOW	6.22	0.0025
10	20800	2505	Q16	1	MID	-4.08	-0.0016
10	20800	2505	Q16	1	HIGH	-4.89	-0.002
10	20800	2505	Q16	25	LOW	6.37	0.0025
10	20800	2505	Q16	25	MID	3.45	0.0014
10	20800	2505	Q16	25	HIGH	4.21	0.0017
10	20800	2505	Q16	50	LOW	-4.51	-0.0018
10	21400	2565	QPSK	1	LOW	-5.52	-0.0022
10	21400	2565	QPSK	1	MID	6.09	0.0024
10	21400	2565	QPSK	1	HIGH	-5.06	-0.002
10	21400	2565	QPSK	25	LOW	8	0.0031
10	21400	2565	QPSK	25	MID	3.98	0.0016
10	21400	2565	QPSK	25	HIGH	-5.01	-0.002
10	21400	2565	QPSK	50	LOW	3.3	0.0013
10	21400	2565	QPSK	1	LOW	5.09	0.002
10	21400	2565	QPSK	1	MID	-5.75	-0.0022
10	21400	2565	QPSK	1	HIGH	-3.89	-0.0015
10	21400	2565	Q16	25	LOW	6.69	0.0026
10	21400	2565	Q16	25	MID	6.05	0.0024
10	21400	2565	Q16	25	HIGH	-4.52	-0.0018
10	21400	2565	Q16	50	LOW	-4.53	-0.0018
10	21100	2535	QPSK	1	LOW	5.69	0.0022

	UL					Frequency	Frequency
Bandwidth	Channel	Frequency	Modulation	RB	RB	error	Error
	Charmer			Size	Offset	(Hz)	(ppm)
10	21100	2535	QPSK	1	MID	5.04	0.002
10	21100	2535	QPSK	1	HIGH	6.25	0.0025
10	21100	2535	QPSK	25	LOW	8.58	0.0034
10	21100	2535	QPSK	25	MID	6.55	0.0026
10	21100	2535	QPSK	25	HIGH	6.22	0.0025
10	21100	2535	QPSK	50	LOW	6.9	0.0027
10	21100	2535	QPSK	1	LOW	6.38	0.0025
10	21100	2535	QPSK	1	MID	6.71	0.0026
10	21100	2535	QPSK	1	HIGH	5.75	0.0023
10	21100	2535	Q16	25	LOW	7.8	0.0031
10	21100	2535	Q16	25	MID	8.34	0.0033
10	21100	2535	Q16	25	HIGH	5.97	0.0024
10	21100	2535	Q16	50	LOW	8.9	0.0035
15	20825	2507.5	QPSK	1	LOW	-10.2	-0.0041
15	20825	2507.5	QPSK	1	MID	3.79	0.0015
15	20825	2507.5	QPSK	1	HIGH	3.05	0.0012
15	20825	2507.5	QPSK	36	LOW	3.81	0.0015
15	20825	2507.5	QPSK	36	MID	-4.23	-0.0017
15	20825	2507.5	QPSK	36	HIGH	4.51	0.0018
15	20825	2507.5	QPSK	75	LOW	-6.61	-0.0026
15	20825	2507.5	Q16	1	LOW	-4.13	-0.0016
15	20825	2507.5	Q16	1	MID	5.74	0.0023
15	20825	2507.5	Q16	1	HIGH	-5.48	-0.0022
15	20825	2507.5	Q16	36	LOW	5.36	0.0021
15	20825	2507.5	Q16	36	MID	-3.75	-0.0015
15	20825	2507.5	Q16	36	HIGH	-6.28	-0.0025
15	20825	2507.5	Q16	75	LOW	-5.62	-0.0022
15	21375	2562.5	QPSK	1	LOW	-7.21	-0.0028
15	21375	2562.5	QPSK	1	MID	5.35	0.0021
15	21375	2562.5	QPSK	1	HIGH	3.81	0.0015
15	21375	2562.5	QPSK	36	LOW	6.11	0.0024
15	21375	2562.5	QPSK	36	MID	8.34	0.0033
15	21375	2562.5	QPSK	36	HIGH	7	0.0027
15	21375	2562.5	QPSK	75	LOW	6.61	0.0026
15	21375	2562.5	Q16	1	LOW	-4.26	-0.0017
15	21375	2562.5	Q16	1	MID	-7.04	-0.0027

	D 1 : 14	UL	_		DD	DD	Frequency	Frequency
	Bandwidth	Channel	Frequency	Modulation	RB	RB	error	Error
_	4.5	04075	0500.5	040	Size	Offset	(Hz)	(ppm)
-	15	21375	2562.5	Q16	1	HIGH	5.21	0.002
-	15	21375	2562.5	Q16	36	LOW	5.98	0.0023
-	15	21375	2562.5	Q16	36	MID	-3.68	-0.0014
-	15	21375	2562.5	Q16	36	HIGH	5.59	0.0022
-	15	21375	2562.5	Q16	75	LOW	4.63	0.0018
=	15	21100	2535	QPSK	1	LOW	7.82	0.0031
-	15	21100	2535	QPSK	1	MID	6.48	0.0026
ļ	15	21100	2535	QPSK	1	HIGH	5.18	0.002
	15	21100	2535	QPSK	36	LOW	9.03	0.0036
	15	21100	2535	QPSK	36	MID	12.06	0.0048
	15	21100	2535	QPSK	36	HIGH	6.22	0.0025
	15	21100	2535	QPSK	75	LOW	6.32	0.0025
	15	21100	2535	Q16	1	LOW	8.38	0.0033
	15	21100	2535	Q16	1	MID	8.14	0.0032
	15	21100	2535	Q16	1	HIGH	11.22	0.0044
	15	21100	2535	Q16	36	LOW	5.76	0.0023
	15	21100	2535	Q16	36	MID	9.73	0.0038
	15	21100	2535	Q16	36	HIGH	7.84	0.0031
	15	21100	2535	Q16	75	LOW	6.92	0.0027
	20	20850	2510	QPSK	1	LOW	-6.51	-0.0026
	20	20850	2510	QPSK	1	MID	9.7	0.0039
	20	20850	2510	QPSK	1	HIGH	7.44	0.003
	20	20850	2510	QPSK	50	LOW	4.02	0.0016
	20	20850	2510	QPSK	50	MID	6.49	0.0026
	20	20850	2510	QPSK	50	HIGH	5.55	0.0022
	20	20850	2510	QPSK	100	LOW	6.09	0.0024
	20	20850	2510	Q16	1	LOW	4.91	0.002
	20	20850	2510	Q16	1	MID	5.42	0.0022
=	20	20850	2510	Q16	1	HIGH	7.24	0.0029
	20	20850	2510	Q16	50	LOW	5.87	0.0023
ŀ	20	20850	2510	Q16	50	MID	4.68	0.0019
ļ	20	20850	2510	Q16	50	HIGH	6.65	0.0026
ŀ	20	20850	2510	Q16	100	LOW	8.81	0.0035
-	20	21350	2560	QPSK	1	LOW	-13.15	-0.0051
ŀ	20	21350	2560	QPSK	1	MID	-5.85	-0.0023
-	20	21350	2560	QPSK	1	HIGH	-4.71	-0.0018

	UL					Frequency	Frequency
Bandwidth	Channel	Frequency	Modulation	RB	RB	error	Error
	Channel			Size	Offset	(Hz)	(ppm)
20	21350	2560	QPSK	50	LOW	5.48	0.0021
20	21350	2560	QPSK	50	MID	-4.95	-0.0019
20	21350	2560	QPSK	50	HIGH	-9.06	-0.0035
20	21350	2560	QPSK	100	LOW	-6.42	-0.0025
20	21350	2560	Q16	1	LOW	-10.79	-0.0042
20	21350	2560	Q16	1	MID	-8.73	-0.0034
20	21350	2560	Q16	1	HIGH	-8.98	-0.0035
20	21350	2560	Q16	50	LOW	-4.41	-0.0017
20	21350	2560	Q16	50	MID	-5.15	-0.002
20	21350	2560	Q16	50	HIGH	-5.38	-0.0021
20	21350	2560	Q16	100	LOW	-5.69	-0.0022
20	21100	2535	QPSK	1	LOW	-4.26	-0.0017
20	21100	2535	QPSK	1	MID	6.77	0.0027
20	21100	2535	QPSK	1	HIGH	7.21	0.0028
20	21100	2535	QPSK	50	LOW	8.17	0.0032
20	21100	2535	QPSK	50	MID	7.8	0.0031
20	21100	2535	QPSK	50	HIGH	6.72	0.0027
20	21100	2535	QPSK	100	LOW	6.69	0.0026
20	21100	2535	Q16	1	LOW	7.27	0.0029
20	21100	2535	Q16	1	MID	4.62	0.0018
20	21100	2535	Q16	1	HIGH	5.14	0.002
20	21100	2535	Q16	50	LOW	4.65	0.0018
20	21100	2535	Q16	50	MID	6.54	0.0026
20	21100	2535	Q16	50	HIGH	-6.04	-0.0024
20	21100	2535	Q16	100	LOW	5.15	0.002