Wireless charging mouse manual

1. Key function description



Optical sensor



Basic parameters


1: Shape specification

	m				
1	Model	Wireless charging mouse			
2	1ength	99MM			
3	width	63MM	picture		
4	height	36.5MM			
5	weight	65±3g			
2 F1 + · 1					



٥	WC1611C	00 - 05		
2:	Electrical parameters			
1,	${\tt Model}$	Wireless ch	arging mouse	
2,	Interface	USB Dogle		
3,	RF	BYKC58M		
4、	sensor	V108		
5、	Frame frequency	3000fps		
6、	Moving speed	28ips		
7、	DPI	800-1200-1600 (±10%)		
8、	Rate of return	125Hz		
9、	keys	4D		
10,	switch	Left and right sv	witch One million	
3. Mouse pad				

11、	Encoder	H=11mm 1OW	
12、	LED	F5 red LED	
13、	operating system	Win7 Win10 2000 OSX Vista XP	
14、	Temperature / humidity	' -15 [~] 55	
15、	Working current	≤10mA	
16、	Receiving distance	8-10M	
17、	Battery	M402030 3.7V 180mA	
	picture	02.02.05 H	



3, Connect

4. Warning

- 1. Insert the receiver into the USB port of the host computer and switch the bottom of the mouse to the ON port.
- 2. The distance between mouse and receiver is within 6M, which is the best receiving distance.
- 3. The mouse can move smoothly on the mouse pad, and the switches are normal.
- 4. To recharge, extend the connection line with USB, insert one end into the USB port of the computer host, and the other end into the mouse or mouse pad MINI USB port. If you insert the mouse pad port, please place the mouse in the charging box.

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connect the equipment into an outlet on a circuit different from that to which the receiver is connect the equipment into an outlet on a circuit different from that to which the receiver is connect the equipment into an outlet on a circuit different from that to which the receiver is connect the equipment into an outlet on a circuit different from that to which the receiver is connect the equipment into an outlet on a circuit different from that to which the receiver is connect the equipment into an outlet on a circuit different from that to which the receiver is connect the equipment into an outlet on a circuit different from that to which the receiver is connected to the equipment of the equipmen
- -- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.