DMC NO

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference.

and (2) this device must accept any interference received, including interference that may cause undesired operation. FCC ID: 2AJE7SMC-DN5

60

注 記

1.版下データNO.CO5147-Aを使用する。地:アーバンホワイト1指示以外のスミ部:DIC 545(ダークグレー)


- 2.印刷された文字は鮮明であること。
- 3. 裏面の糊印刷は704接着剤を使用のこと。 材質はC110C(ポリカーボネート)t=0.18とする。
- 4.指示無き寸法公差は、JIS B0405-mのこと。


Label material: Polycarbonate Film
The FCC ID label is permanently affixed on the device with an acrylic type adhesive.

					FINISH	
					PAINT	
					MASS	E.V.0.0.0
70	1-	初版	2016-10-17 K . Kun	11 -	PACKING B	EX600-WSV* 1 EX600-WEN* 1
	QTY	DESCRIPTION	DATE PREPAR		MATERIAL C110C	MODEL QTY
	TOLERANCES PANGE (mm)	GRADE	C.Shiroo 2016-10-17	scale 2 : 1	MATERIAL $t = 0.18$	THIRD ANGLE
(0.5≦D <u>≦</u> 3 3 <d<u>≦6</d<u>	0.05 0.1 0.B DATE	K.Kunii 2016-10-17	DWG NAME	FCC IDラベ	" II,
	6 <d≦30 30<d≦120 120<d≦400< th=""><th>0/1 0.2 0/5 CHECKED DATE</th><th></th><th>DWG NO</th><th></th><th>REVISION</th></d≦400<></d≦120 </d≦30 	0/1 0.2 0/5 CHECKED DATE		DWG NO		REVISION
	400 <d<u>≤1000</d<u>	 		P5'	744-103	$ \Delta $
DW	G REC			DWG IN RA48	112700 SMC	Cornoration


FINISH:表面與理/PAINT:塗装/MASS:資量/PACKING:含装医分/MATERIAL:材質/MATERIAL SIZE:材料寸法


DWG NOWITCLESS MASTET UNIT(EX600-WEN3/4-X40)













FCC ID:2AJE7SMC-DIV5





3D Model

*Label material: C110C, (Polycarbonate)

The FCC ID label is permanently affixed on the device with an acrylic type adhesive.


(Refer to FCC label drawing (P5744-103) for details.)


PAINT MASS PACKING DRAWN C.Shiroo SCALE DATE 2016-10-14 THIRD DESIGNED K. KUNII DWG NAME


DATE 2016-10-14 FCC ID Label Location
REVISION 0,54043 0.05 0.1 0. 3<D≦6 0.05 0.1 0. 5 CO 430 0.1 0.2 0.5 30<0≦120 0.15 0.3 0.8 DATE 120 (0<u>5</u>400 0.2 0.5 1.2 400 (0<u>5</u>1000 0.3 0.8 2 1000 (0<u>5</u>2000 0.5 1.2 3 Wireless Waster unit(EX600-VEN3/4-X40 OVG REC SMC Corporation


FINISH:表面基理 / PAINT:建装 / MASS:質量 PACKING:包装区分 / MATERIAL:材質 MATERIAL SIZE:材料寸法

DVG NO WITEless Slave unit(Ex600-VSV3/4-X41)











FCC ID:2AJE7SMC-DIV5





3D Model

*Label material: C110C, (Polycarbonate)

The FCC ID label is permanently affixed on the device with an acrylic type adhesive.

(Refer to FCC label drawing (P5744-103) for details.)

	_			_	_		_	-		-							
K	-									_			FINISH				
ł													PAINT	\vdash			
Ŋ													MASS		***************************************		
A	\neg															-	
4									1				PACLING			ļ	
												NO	MATERIAL			MODE	L QTY
1	OLE	RANCES			_	DRAWN	CS	h	iron	S	CALE			L		THIRD	1
					• INATERIA			l			⊕)[
٠,	*****		4	±	. 1					ŧ	•		SIZE			I MIGEC	1
0	.5⊈	0≰3	0.05 0	. 1 0	. 2	DESIGNED	K.k	ίU	ınii	D	WG NAM	E					
_	3 <	0₹6	0.05 0	, 1 0	. 3	DATE	2016	- 1	10-14	lc	.00	ID	1	a h	ا ام	0001	lon
	6<	0530	0,10	. 2 0	. 5	CHECKEN				יון		טו	L	uν	כו ב	ocat	. 1 011
	30 <	0≦120	0.15 0	.30	. в					O'	WG NO						REVISION
1	204	0≦400	0.20	.5 1	. 2	DATE		_		١.							Α
41	00<	D≤1000	0.3 0	.8	2	APPROVED				Ч	reless	Slav	e iin	it(F)	YPY_NAY	1/A_YA1)	I / \
0	00<	065000	0.5 1	. 2	3	DATE				"	101000	JIUI	v un	10114	1000 101	71 T V41)	$ \Delta $
٧G	. PF	r.								ΩV	G 10				SMC	Comor	ation
	1 4 0	0.5 <u>6</u> 3< 6< 30< 120< 400<	TOLERANCES RANGE (mm) 0.5£0£3 3<0£6 6<0£30 30<0£120 120<0£120 400<0£1000	TOLERANCES JIS B GRANGE (mm) G	TOLERANCES JIS 8 0405 RANGE (mm)	TOLERANCES J.S. DOUS	OLERANCES JIS B O405 ORAVN OSE O	OLERANCES JIS B 0405 DRAWN C.S	OLERANCES 15 8 0 005 DRAWN C . Sh	OLERANCES JIS B 0405 DRAWN C. ShirOO	OLERANCES JIS 8 0405 DRAWN C.Shiroo S	OLERANCES JIS 8 0405	OLEGANCICS JIS 0 0005 DRAWN C.Shiroo SCALE	PAINT PAIN	PAIN PAIN	PAINT PAINT MASS MASS	PAINT

FINISH:表面基理 / PAINT:後報 / MASS:質量 PACKING:包装区分 / MATERIAL:材質 MATERIAL SIZE:材料寸途

DYG NAME