Cover Letter-Modular Approval

FCC ID: 2AJTNDL01 Date: 2019-09-17

Gentlemen:

There's an <u>2.4G WIFI modular</u> that would like to have your authorization as a modular approval. The specific product as below, <u>2.4G WIFI modular</u> with its designed features and specified description, meets special requirements for <u>Full modular approval</u> on FCC KDB996369 by cross-reference list below.

Company	Powervision Robot Inc
Model Name	2.4G WIFI modular
Model Number	DL01
FCC ID	2AJTNDL01

Red	uirement of FCC KDB996369	Comply (Y/N)
1.	The modular transmitter must have its	Υ
ow	n RF shielding.	The EUT provides the RF shielding. See EUT photo.
2.	The modular transmitter must have buffered modulation/data	Υ
	inputs (if such inputs are provided) to ensure that the module	The EUT has its buffered modulation. Please see the
	will comply with Part 15 requirements under conditions of	Schematic Diagram.
	excessive data rates or over-modulation.	
3.	The modular transmitter must have its	Υ
owi	n power supply regulation.	The EUT has its own power supply regulation, please see the
		Schematic Diagram.
4.	The modular transmitter must comply with the antenna and	Υ
	transmission system requirements of Sections 15.203,	The EUT meets the FCC antenna requirements; unique
	15.204(b) and 15.204(c). The antenna must either be	antenna connector and photo of antenna are shown in the
	permanently attached or employ a "unique" antenna coupler	test report.
	(at all connections between the module and the antenna,	
	including the cable). The "professional installation" provision	
	of Section 15.203 is not applicable to modules but can apply	
	to limited modular approvals under paragraph (b) of this	
	section.	
5.	The modular transmitter must be tested in a stand-al	Υ
	one configuration, i.e., the	The EUT was tested with a test board, Please see test report
module must not be inside another device during testing		and setup photo
6.	The modular transmitter must be labeled with its own FCC ID	Υ
	number, and, if the FCC ID is not visible when the module is	Please see exhibition label sample for the FCC ID of this
	installed inside another device, then the outside of the device	module. And also in the exhibition Users manual, there are
	into which the module is installed must also display a label	instructions give to the OEM on how to label the end
	referring to the enclosed module. This exterior label can use	product.
	wording such as the following: "Contains Transmitter Module	

FCC ID: 2AJTNDL01 " or "Contains FCC ID: 2AJTNDL01" Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.

7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.

١,

The EUT is compliant with all applicable FCC rules. Details instructions for maintaining compliance are give in the User Manual.

8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4).

The EUT complies with RF exposure requirement.

Sincerely,

Sign by

Vincent 2hou

Print name: VINCENT ZHOU

Title: PRODUCT CERTIFICATION MANAGER

On behalf of Powervision Robot Inc.

Telephone: +86-10-82263126