


Appendix A3: Test results


1. Occupied N dB Bandwidth


1.1 Test Data

U-NII-2c Occupied N dB Bandwidth				
Mode	Test Frequency (MHz)	Ant	Occupied Bandwidth (MHz)	Result
802.11a	5500	Ant0	19.68	Pass
802.11a	5500	Ant1	20.00	Pass
802.11a	5600	Ant0	19.56	Pass
802.11a	5600	Ant1	19.55	Pass
802.11a	5700	Ant0	19.65	Pass
802.11a	5700	Ant1	19.79	Pass
802.11n (HT20)	5500	Ant0	20.10	Pass
802.11n (HT20)	5600	Ant0	20.21	Pass
802.11n (HT20)	5700	Ant0	20.00	Pass
802.11n (HT40)	5510	Ant0	40.17	Pass
802.11n (HT40)	5590	Ant0	40.13	Pass
802.11n (HT40)	5670	Ant0	40.32	Pass
802.11ac (VHT80)	5530	Ant0	80.80	Pass
802.11ac (VHT80)	5530	Ant1	80.28	Pass
802.11ac (VHT80)	5610	Ant0	81.16	Pass
802.11ac (VHT80)	5610	Ant1	79.80	Pass

1.2 Test Plots









2. 99% Occupied Bandwidth


2.1 Test Data

U-NII-2c 99% Occupied Bandwidth				
Mode	Test Frequency (MHz)	Ant	99% Occupied Bandwidth (MHz)	Result
802.11a	5500	Ant0	16.482	Pass
802.11a	5500	Ant1	16.490	Pass
802.11a	5600	Ant0	16.491	Pass
802.11a	5600	Ant1	16.464	Pass
802.11a	5700	Ant0	16.491	Pass
802.11a	5700	Ant1	16.533	Pass
802.11n (HT20)	5500	Ant0	17.579	Pass
802.11n (HT20)	5600	Ant0	17.577	Pass
802.11n (HT20)	5700	Ant0	17.589	Pass
802.11n (HT40)	5510	Ant0	36.137	Pass
802.11n (HT40)	5590	Ant0	36.194	Pass
802.11n (HT40)	5670	Ant0	36.144	Pass
802.11ac (VHT80)	5530	Ant0	75.762	Pass
802.11ac (VHT80)	5530	Ant1	75.596	Pass
802.11ac (VHT80)	5610	Ant0	75.783	Pass
802.11ac (VHT80)	5610	Ant1	75.760	Pass

2.2 Test Plots









3. Duty Cycle


3.1 Test Data

U-NII-2c Duty Cycle				
Mode	Test Frequency (MHz)	Ant	Duty Cycle (%)	Duty Cycle Factor (dB)
802.11a	5500	Ant0	97.20	0.12
802.11a	5500	Ant1	97.20	0.12
802.11a	5600	Ant0	97.20	0.12
802.11a	5600	Ant1	97.90	0.09
802.11a	5700	Ant0	97.89	0.09
802.11a	5700	Ant1	97.20	0.12
802.11n (HT20)	5500	Ant0	97.01	0.13
802.11n (HT20)	5600	Ant0	97.01	0.13
802.11n (HT20)	5700	Ant0	97.01	0.13
802.11n (HT40)	5510	Ant0	95.59	0.20
802.11n (HT40)	5590	Ant0	94.20	0.26
802.11n (HT40)	5670	Ant0	95.59	0.20
802.11ac (VHT80)	5530	Ant0	83.93	0.76
802.11ac (VHT80)	5530	Ant1	84.18	0.75
802.11ac (VHT80)	5610	Ant0	84.30	0.74
802.11ac (VHT80)	5610	Ant1	84.14	0.75

3.2 Test Plots







4. AVGSA Output Power

4.1 Test Data

Mode	Test Frequency (MHz)	Ant	U-NII-2a AVGSA Output Power						
			Duty Cycle Factor (dB)	Max Power (dBm)	Total Power (dBm)	FCC Limit (dBm)	IC Limit (dBm)	EIRP (dBm)	Result
802.11a	5500	Ant0	0.12	14.50	14.50	24	23	17.94	Pass
802.11a	5500	Ant1	0.12	14.36	14.36	24	23	17.73	Pass
802.11a	5600	Ant0	0.12	14.87	14.87	24	23	18.31	Pass
802.11a	5600	Ant1	0.09	14.00	14.00	24	23	17.37	Pass
802.11a	5700	Ant0	0.09	14.84	14.84	24	23	18.28	Pass
802.11a	5700	Ant1	0.12	14.38	14.38	24	23	17.75	Pass
802.11n (HT20)	5500	Ant0	0.13	13.91	16.92	24	23	20.33	Pass
802.11n (HT20)	5500	Ant1	0.13	13.91					
802.11n (HT20)	5600	Ant0	0.13	14.22	17.23	24	23	20.64	Pass
802.11n (HT20)	5600	Ant1	0.13	14.22					
802.11n (HT20)	5700	Ant0	0.13	14.23	17.24	24	23	20.65	Pass
802.11n (HT20)	5700	Ant1	0.13	14.23					
802.11n (HT40)	5510	Ant0	0.20	13.16	16.17	24	24	19.58	Pass
802.11n (HT40)	5510	Ant1	0.20	13.16					
802.11n (HT40)	5590	Ant0	0.26	13.51	16.52	24	24	19.93	Pass
802.11n (HT40)	5590	Ant1	0.26	13.51					
802.11n (HT40)	5670	Ant0	0.20	12.90	15.91	24	24	19.32	Pass
802.11n (HT40)	5670	Ant1	0.20	12.90					
802.11ac (VHT80)	5530	Ant0	0.76	10.99	13.96	24	24	17.37	Pass
802.11ac (VHT80)	5530	Ant1	0.75	10.90					
802.11ac (VHT80)	5610	Ant0	0.74	11.56	14.27	24	24	17.68	Pass
802.11ac (VHT80)	5610	Ant1	0.75	10.93					

4.2 Test Plots

