





## 5. Power spectral density

## 5.1 Test Data

5.1 Test Data								
U-NII-3 AVGSA Power Spectral Density								
Mode	Test Frequency (MHz)	Ant	Duty Cycle Factor (dB)	PSD (dBm/500 kHz)	Total PSD (dBm/500 kHz)	Limit (dBm/500 kHz)	Result	
802.11a	5745	Ant0	0.10	2.076	2.076	30	Pass	
802.11a	5745	Ant1	0.10	1.655				
802.11a	5785	Ant0	0.10	2.339	2.339	30	Pass	
802.11a	5785	Ant1	0.10	1.963				
802.11a	5825	Ant0	0.11	1.959	1.959	30	Pass	
802.11a	5825	Ant1	0.11	1.603				
802.11n(HT20)	5745	Ant0	0.12	-0.019	2.708	30	Pass	
802.11n(HT20)	5745	Ant1	0.11	-0.606				
802.11n(HT20)	5785	Ant0	0.11	0.267	2.953	30	Pass	
802.11n(HT20)	5785	Ant1	0.11	-0.408				
802.11n(HT20)	5825	Ant0	0.11	-0.451	2.402	30	Pass	
802.11n(HT20)	5825	Ant1	0.12	-0.772				
802.11n(HT40)	5755	Ant0	0.22	-3.095	-0.224	30	Pass	
802.11n(HT40)	5755	Ant1	0.24	-3.379				
802.11n(HT40)	5795	Ant0	0.22	-3.141	-0.195	30	Pass	
802.11n(HT40)	5795	Ant1	0.22	-3.270		50		
802.11ac(VHT80)	5775	Ant0	0.75	-8.619	-5.792 3	30	Pass	
802.11ac(VHT80)	5775	Ant1	0.75	-8.994		30		

## 5.2 Test Plots

U-NII-3,802.11a,5745MHz,Ant0	U-NII-3,802.11a,5745MHz,Ant1











