Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(1)(iv) 6.2.1 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 44-48 (5230 MHz center frequency)



Date: 5.DEC 2016 16:16:24

Power Spectral density: -1,26 dBm @ 5235,247 MHz

LIMIT

SUBCLAUSE 15.407(a)(1)(iv) - 6.2.1 (1)

For mobile and portable client devices in the 5.15-5.25 GHz band

the maximum power spectral density shall not exceed 11 dBm (RSS-247: 10dBm) in any 1 megahertz band

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(1)(iv) 6.2.1 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 36-48 (5210 MHz center frequency)



Date: 5.DEC 2016 16:50:34

Power Spectral density: -6,88 dBm @ 5216,397 MHz

LIMIT SUBCLAUSE 15.407(a)(1)(iv) – 6.2.1 (1)

For mobile and portable client devices in the 5.15-5.25 the maximum power spectral density shall not exceed 11 dBm (RSS-247: 10dBm) in any 1 megahertz band

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.2 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 52 (5260 MHz center frequency)



Date: 5.DEC 2016 15:54:46

Power Spectral density: 3,53 dBm @ 5257,401 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.2 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands
the maximum power spectral density shall not exceed
11 dBm in any 1 megahertz band

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.2 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 64 (5320 MHz center frequency)



Date: 5.DEC 2016 15:57:12

Power Spectral density: 2,59 dBm @ 5317,551 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.2 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands
the maximum power spectral density shall not exceed
11 dBm in any 1 megahertz band

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.2 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 52-56 (5270 MHz center frequency)



Date: 5.DEC 2016 16:28:55

Power Spectral density: -0,72 dBm @ 5264,853 MHz

LIMIT

SUBCLAUSE 15.407(a)(2) - 6.2.2(1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.2 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 60-64 (5310 MHz center frequency)



Date: 5.DEC 2016 16:37:06

Power Spectral density: -2,43 dBm @ 5304,353 MHz

LIMIT SUBCLAUSE 15.407(a)(2) - 6.2.2 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.2 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 52-64 (5290 MHz center frequency)



Date: 5.DEC.2016 16:52:21

Power Spectral density: -7,07 dBm @ 5253,368 MHz

LIMIT SUBCLAUSE 15.407(a)(2) - 6.2.2 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.3 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 100 (5500 MHz center frequency)



Date: 5 DEC 2016 16:00:41

Power Spectral density: 3,29 dBm @ 5502,199 MHz

LIMIT SUBCLAUSE 15.407(a)(2) - 6.2.3 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.3 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 140 (5700 MHz center frequency)



Date: 5.DEC 2016 16:03:11

Power Spectral density: 3,40 dBm @ 5697,751 MHz

LIMIT SUBCLAUSE 15.407(a)(2) - 6.2.3(1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.3 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 100-104 (5510 MHz center frequency)



Date: 5.DEC 2016 16:39:41

Power Spectral density: -1,98 dBm @ 5514,898 MHz

LIMIT

SUBCLAUSE 15.407(a)(2) - 6.2.3 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands	the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band
--	--

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.3 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 132-136 (5670 MHz center frequency)



Date: 5.DEC.2016 16:41:20

Power Spectral density: -1,48 dBm @ 5664,653 MHz

LIMIT SUBCLAUSE 15.407(a)(2) - 6.2.3 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands
the maximum power spectral density shall not exceed
11 dBm in any 1 megahertz band

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.3 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 100-112 (5530 MHz center frequency)



Date: 5.DEC .2016 16:54:47

Power Spectral density: -7,12 dBm @ 5566,132 MHz

LIMIT SUBCLAUSE 15.407(a)(2) – 6.2.3 (1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(2) 6.2.3 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 132-144 (5690 MHz center frequency)



Date: 5 DEC 2016 16:57:31

Power Spectral density: -6,37 dBm @ 5653,518 MHz

LIMIT SUBCLAUSE 15.407(a)(2) - 6.2.3(1)

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(3) 6.2.4 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 149 (5745 MHz center frequency)



Date: 5.DEC 2016 16:09:11

Power Spectral density: 0,77 dBm @ 5747,349 MHz

LIMIT

SUBCLAUSE 15.407(a)(3) - 6.2.4 (1)

For the band 5.725-5.85 GHz	the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band
-----------------------------	--

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(3) 6.2.4 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 165 (5825 MHz center frequency)



Date: 5.DEC .2016 16:10:08

Power Spectral density: -0,67 dBm @ 5827,549 MHz

LIMIT SUBCLAUSE 15.407(a)(3) - 6.2.4 (1)

For the band 5.725-5.85 GHz	the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band
	,

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(3) 6.2.4 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 149-153 (5755 MHz center frequency)



Date: 5 DEC 2016 16:45:33

Power Spectral density: -3,87 dBm @ 5749,853 MHz

LIMIT SUBCLAUSE 15.407(a)(3) - 6.2.4 (1)

For the band 5.725-5.85 GHz	the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band
	30 ubili ili any 300-km2 band

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(3) 6.2.4 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 157-161 (5795 MHz center frequency)



Date: 5 DEC 2016 16:46:34

Power Spectral density: -4,17 dBm @ 5799,398 MHz

LIMIT SUBCLAUSE 15.407(a)(3) - 6.2.4 (1)

30 dBm in any 500-kHz band		For the band 5.725-5.85 GHz	the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band
----------------------------	--	-----------------------------	--

Relative humidity:

21%




Maximum Power spectral density (conducted)

§ 15.407(a)(3) 6.2.4 (1)

Conducted Measurement - Antenna 2

Rated output power: 38,9 mW Channel 149-161 (5775 MHz center frequency)



Date: 5.DEC 2016 17:01:08

Power Spectral density: -8,99 dBm @ 5812,331 MHz

LIMIT SUBCLAUSE 15.407(a)(3) - 6.2.4 (1)

For the band 5.725-5.85 GHz	the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band
	OO abiii iii ariy ooo ki iz baria

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.1 (2)

Conducted measurement - Antenna 1

Setup: CH 36: 5180 MHz



Date: 5.DEC 2016 10:20:13

LIMIT

SUBCLAUSE 15.407(b)(1) - 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.1 (2)

Conducted measurement - Antenna 1

Setup: CH 48: 5240 MHz



Date: 5.DEC 2016 10:22:43

LIMIT

SUBCLAUSE 15.407(b)(1) - 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.1 (2)

Conducted measurement - Antenna 1

Setup: CH 36-40: 5190 MHz



Date: 5.DEC.2016 10:41:04

LIMIT

SUBCLAUSE 15.407(b)(1) - 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
--	--

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.1 (2)

Conducted measurement - Antenna 1

Setup: CH 44-48: 5230 MHz



Date: 5 DEC 2016 10:42:41

LIMIT

SUBCLAUSE 15.407(b)(1) - 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band	All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
--	--

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.1 (2)

Conducted measurement - Antenna 1

Setup: CH 36-48: 5210 MHz



Date: 5 DEC 2016 10:51:50

LIMIT

SUBCLAUSE 15.407(b)(1) - 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band
All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.2 (2)

Conducted measurement - Antenna 1

Setup: CH 52: 5260 MHz



Date: 5 DEC 2016 10:25:46

LIMIT

SUBCLAUSE 15.407(b)(2) - 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.2 (2)

Conducted measurement - Antenna 1

Setup: CH 64: 5320 MHz



Date: 5.DEC.2016 10:28:03

LIMIT

SUBCLAUSE 15.407(b)(2) - 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.2 (2)

Conducted measurement - Antenna 1

Setup: CH 52-56: 5270 MHz



Date: 5.DEC 2016 10:44:20

LIMIT

SUBCLAUSE 15.407(b)(2) - 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.2 (2)

Conducted measurement - Antenna 1

Setup: CH 60-64: 5310 MHz



Date: 5.DEC.2016 10:45:32

LIMIT

SUBCLAUSE 15.407(b)(2) - 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of ~27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.2 (2)

Conducted measurement - Antenna 1

Setup: CH 52-64: 5290 MHz



Date: 5.DEC.2016 10:52:48

LIMIT

SUBCLAUSE 15.407(b)(2) - 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 1

Setup: CH 100: 5500 MHz



Date: 5.DEC 2016 10:29:52

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 1

Setup: CH 140: 5700 MHz



Date: 5.DEC .2016 10:32:47

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 1

Setup: CH 100-104: 5510 MHz



Date: 5.DEC 2016 10:46:45

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band

All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 1

Setup: CH 132-136: 5670 MHz



Date: 5.DEC 2016 10:47:38

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3(2)

For transmitters operating in the 5.47-5.725 GHz band All emissions outside of the 5.47-5.725 GHz band not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 1

Setup: CH 100-112: 5530 MHz



Date: 5.DEC.2016 10:53:54

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 1

Setup: CH 132-144: 5690 MHz



Date: 5.DEC 2016 10:55:58

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band

All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.4 (2)

Conducted measurement - Antenna 1

Setup: CH 149: 5745 MHz



Date: 5.DEC 2016 10:33:53

LIMIT

SUBCLAUSE 15.407(b)(4) - 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band

All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of −17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.4 (2)

Conducted measurement - Antenna 1

Setup: CH 165: 5825 MHz



Date: 5.DEC .2016 12:14:41

LIMIT

SUBCLAUSE 15.407(b)(4) - 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band

All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.4 (2)

Conducted measurement - Antenna 1

Setup: CH 149-153: 5755 MHz



Date: 5.DEC 2016 10:48:59

LIMIT

SUBCLAUSE 15.407(b)(4) - 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band

All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of −17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.4 (2)

Conducted measurement - Antenna 1

Setup: CH 157-161: 5795 MHz



Date: 5.DEC 2016 10:50:25

LIMIT

SUBCLAUSE 15.407(b)(4) - 6.2.4(2)

For transmitters operating in the 5.725-5.85 GHz band

All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of −17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.4 (2)

Conducted measurement - Antenna 1

Setup: CH 149-161: 5775 MHz



Date: 5.DEC .2016 10:59:06

LIMIT

SUBCLAUSE 15.407(b)(4) - 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band

All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.1 (2)

Conducted measurement - Antenna 2

Setup: CH 36: 5180 MHz



Date: 5.DEC.2016 11:14:50

LIMIT

SUBCLAUSE 15.407(b)(1) - 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.1 (2)

Conducted measurement - Antenna 2

Setup: CH 48: 5240 MHz



Date: 5.DEC 2016 11:17:09

LIMIT

SUBCLAUSE 15.407(b)(1) - 6.2.1(2)

For transmitters operating in the 5.15-5.25 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.1 (2)

Conducted measurement - Antenna 2

Setup: CH 36-40: 5190 MHz



Date: 5.DEC .2016 11:31:32

LIMIT

SUBCLAUSE 15.407(b)(1) - 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.1 (2)

Conducted measurement - Antenna 2

Setup: CH 44-48: 5230 MHz



Date: 5.DEC 2016 11:34:22

LIMIT

SUBCLAUSE 15.407(b)(1) - 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band

All emissions outside of the 5.15-5.35 GHz band not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.1 (2)

Conducted measurement - Antenna 2

Setup: CH 36-48: 5210 MHz



Date: 5 DEC 2016 11:51:41

LIMIT

SUBCLAUSE 15.407(b)(1) - 6.2.1 (2)

For transmitters operating in the 5.15-5.25 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.2 (2)

Conducted measurement - Antenna 2

Setup: CH 52: 5260 MHz



Date: 5.DEC.2016 11:18:37

LIMIT

SUBCLAUSE 15.407(b)(2) - 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band	All emissions outside of the 5.15-5.35 GHz band shall
	not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.2 (2)

Conducted measurement - Antenna 2

Setup: CH 64: 5320 MHz



Date: 5.DEC 2016 11:26:38

LIMIT

SUBCLAUSE 15.407(b)(2) - 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.2 (2)

Conducted measurement - Antenna 2

Setup: CH 52-56: 5270 MHz



Date: 5.DEC.2016 11:36:12

LIMIT

SUBCLAUSE 15.407(b)(2) - 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.2 (2)

Conducted measurement - Antenna 2

Setup: CH 60-64: 5310 MHz



Date: 5.DEC 2016 11:43:20

LIMIT

SUBCLAUSE 15.407(b)(2) - 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.2 (2)

Conducted measurement - Antenna 2

Setup: CH 52-64: 5290 MHz



Date: 5.DEC 2016 11:57:00

LIMIT

SUBCLAUSE 15.407(b)(2) - 6.2.2 (2)

For transmitters operating in the 5.25-5.35 GHz band

All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 2

Setup: CH 100: 5500 MHz



Date: 5 DEC 2016 11:23:26

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band All emissions outside of the 5.47-5.725 GHz band not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 2

Setup: CH 140: 5700 MHz



Date: 5 DEC 2016 11:24:37

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band
All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 2

Setup: CH 100-104: 5510 MHz



Date: 5.DEC 2016 11:45:00

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement – Antenna 2

Setup: CH 132-136: 5670 MHz



Date: 5.DEC 2016 11:46:27

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band	All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 2

Setup: CH 100-112: 5530 MHz



Date: 5.DEC.2016 11:59:30

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band

All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.3 (2)

Conducted measurement - Antenna 2

Setup: CH 132-144: 5690 MHz



Date: 5.DEC.2016 12:08:40

LIMIT

SUBCLAUSE 15.407(b)(3) - 6.2.3 (2)

For transmitters operating in the 5.47-5.725 GHz band All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.4 (2)

Conducted measurement - Antenna 2

Setup: CH 149: 5745 MHz



Date: 5 DEC 2016 11:28:29

LIMIT

SUBCLAUSE 15.407(b)(4) - 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band

All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of −17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.4 (2)

Conducted measurement - Antenna 2

Setup: CH 165: 5825 MHz



Date: 5.DEC 2016 11:30:00

LIMIT

SUBCLAUSE 15.407(b)(4) - 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band

All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.4 (2)

Conducted measurement - Antenna 2

Setup: CH 149-153: 5755 MHz



Date: 5 DEC 2016 11:47:30

LIMIT

SUBCLAUSE 15.407(b)(4) - 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.4 (2)

Conducted measurement - Antenna 2

Setup: CH 157-161: 5795 MHz



Date: 5 DEC 2016 11:49:52

LIMIT

SUBCLAUSE 15.407(b)(4) - 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band

All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of −17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of −27 dBm/MHz.

Relative humidity:

21%




Undesirable Emission Limits

§ 15.407(b) 6.2.4 (2)

Conducted measurement - Antenna 2

Setup: CH 149-161: 5775 MHz



Date: 5.DEC.2016 12:13:13

LIMIT

SUBCLAUSE 15.407(b)(4) - 6.2.4 (2)

For transmitters operating in the 5.725-5.85 GHz band

All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of −17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of −27 dBm/MHz.