

DESIGNED IN

Made in China

California Prop 65 Warning: This product contains chemicals known to the state of California to cause cancer, or birth defects or otherreproductive harm. Actual product weights may vary +/- 5%

©2015 Planet Traveler is a registered trademark of Hontus LTD IN USA

www.PlanetTravelerUsa.com

PTOOI



DESIGNED IN USA

SPACE CASE 1

GETTING STARTED

A QUICK LOOK AT THE SPACE CASE 1



- A CONTROL PANEL
- (B) TAMPER-PROOF ZIPPER
- ROBOTIC TSA LOCK
- D INTERLOCKING ZIPPER PULLER
- 1 FRONT POCKET

- (LIGHTWEIGHT TROLLEY
- @ MAIN OPENING
- (GEL-GRIP HANDLE
- 1 SIDE STUD WEIGHT SENSOR
- O GLIDETECH DUAL WHEELS

CONTROL PANEL A CLOSER LOOK AT THE CONTROL PANEL



M USB COVER

- (B) MICRO USB INPUT
- B USB 24 A OUTPUT
- (B USB 1.2 A OUTPUT

O SPEAKER

- @ MICROPHONE
- D FINGER PRINT SCANNER
- (1) INDICATION LIGHTS

FRONT POCKET

A CLOSER LOOK AT THE FRONT POCKET



- A DIVIDER CLASP
- @ RFID PROTECTION POCKET
- B REMOVABLE DIVIDER
- ACCESSORIES POCKET

FRONT POCKET

A CLOSER LOOK AT THE FRONT POCKET



- A SMART BATTERY POCKET
- **O** USB CHARGING PORT
- B LAPTOP PADDED SLEEVE
- 1 TABLET SLEEVE

MAIN OPENING A CLOSER LOOK AT THE MAIN OPENING



- (A) INTERIOR POCKET
- **©** EXTRA LARGE MESH POCKET
- B ADJUSTABLE MESH STRAP
- MESH STRAP CLASP

ACCESSORIES ACCESSORIES THAT ARE INCLUDED



SMART BATTERY

USE THE SMART BATTERY TO SUPPLY POWER THE SPACE CASE I IN ORDER TI USE ALL OF ITS REVOLUTIONARY FEATURES



MICRO USB CABLE

USE THE MICRO USB CABLE TO CHARGE THE SPACE CASE I THROUGH THE NAMEPLATE OR DIRECTLY TO THE SMART BATTERY



3 PACKING CUBES

USE THE PACKING CUBES TO ORGANIZE AND SAFELY PACK YOUR ITEMS IN THE SPACE CASE I



SIGNATURE COVER

USE THE SIGNATURE COVER TO PROTECT THE FINISH OF THE SPACE CASE I

POWERING UP CONNECT THE SMART BATTERY TO THE CASE



UNZIP THE SMART BATTERY POCKET. INSIDE YOU WILL SEE A BLACK BOX (USB HOLDER), OPEN THE USB HOLDER AND THERE WILL BE 3 USB CABLES AND I MICRO USB CABLE. INSIDE. CONNECT THE YELLOW USB CABLE TO THE USB PORT WITH THE YELLOW RING AROUND THE IT. CONNECT THE REMAINING 2 USB CABLES AND MICRO USB CABLE INTO THE PORTS. AFTER CONNECTING THE USB CABLES INTO THE PORTS, CLOSE THE USB HOLDER AROUND THE BASE OF THE POWER BANK AND PLACE IN SMART BATTERY POCKET THE ZIP POCKET CLOSED. ONCE THE USB CABLES ARE CONNECTED THE BREATHING LIGHTS IN THE NAMEPLATE WILL FLASH.

DOWNLOADING APP GETTING STARTED WITH THE APP





TO EXPERIENCE ALL OF THE REVOLUTIONARY FEATURES THAT THE SPACE CASE I HAS TO OFFER YOU WILL NEED TO DOWNLOAD OUR INNOVATIVE APP. THE SPACE CASE I APP IS AVAILABLE ON THE APPLE APP STORE FOR IOS DEVISES AND ALSO AVAILABLE ON GOOGLE PLAY FOR ANDROID DEVICES. TO DOWNLOAD THE SPACE CASE I APP SEARCH "SPACE CASE I" IN THE APPLE APP STORE OR IN GOOGLE PLAY THEN TAP THE INSTALL BUTTON.

REGISTER CONNECTING THE SPACE CASE I TO APPR



- A NEW USERS TAP THE "REGISTER CASE" ICON.
- B IF YOU ALREADY HAVE A PROFILE SET UP ENTER YOUR NAME AND PASSWORD THEN TAP THE "LOG IN" ICON.
- IF YOU ALREADY HAVE A PROFILE BUT FORGOT YOUR PASSWORD TAP "FORGOT PASSWORD" ICON.

REGISTER CASE CONNECTING NEW USER



- TAP CAMERA ICON TO TAKE A PHOTO OF YOUR RECEIPT OR PROOF OF PURCHASE.
- ONCE YOU CLICK THE CAMERA ICON THE CAMERA ON YOUR DEVICE WILL OPEN. TAKE AN IMAGE OF YOUR RECEIPT OR PROOF OF PURCHASE AND TAP "USE PHOTO" TO CONTINUE WITH REGISTRATION

REGISTER CASE CONNECTING NEW USER



- TAP THE OR CODE ICON TO REGISTER YOUR PRODUCT BY SCANNING THE OR CODE OR ENTERING THE STYLE NUMBER LOCATED ON THE TAG INSIDE OF THE LUGGAGE.
- TO REGISTER THROUGH OR CODE TAP "SCAN OR CODE" BUTTON TO REGISTER BY MANUALLY ENTERING THE STYLE NUMBER TAP "ENTER STYLE NUMBER" BUTTON.

REGISTER CASE CONNECTING NEW USER



- FILL OUT ALL OF THE ENTRY FIELD THEN TAP REGISTER TO COMPLETE REGISTRATION AND TO CONNECT THE APP TO YOUR SPACE CASE 1
- BINDING YOUR SUITE CASE BE SURE YOUR SPACE CASE I IS POWERED ON THE TAP BLUETOOTH ICON TO PAIR THE APP TO YOUR SPACE CASE I

GETTING STARTED A QUICK LOOK AT THE APP

HOME SCREEN NAVIGATION



- GLOBAL TRACKER
- BIO LOCK
- SELF SCALE
- MART BATTERY
- M SMART AUDIOPHONE
- MANTI THEFT

SLIDE MENU



- A CASE CHECK
- ASE PROFILE
- AIR MODE
- REMOTE UNLOCK
- ANNUAL SUBSCRIPTION
- 20 10 YEAR CLOUD PROTECTION

GETTING STARTED A QUICK LOOK AT THE APP



A HOME

- D REMOTE UNLOCK
- 1 FEATURE NAME DISPLAY
- (B) CASE SELECTOR

6 SLIDE MENU

(CONNECTED CASE

GLOBAL TRACKER USING THE GLOBAL TRACKER








- A TAP THE GLOBAL TRACKER ICON TO SEE LAUNCH THE GLOBAL TRACKER MAP.
- (B) THE GLOBAL TRACKER MAP WILL SHOW YOUR LOCATION (BLUE DOT) AND THE LOCATION OF YOUR SPACE CASE I (RED PIN), IN THE BAR ABOVE THE MENU IS THE LOCATION, DATE AND RIME. TOWARD THE BOTTOM OF THE MAP ARE TWO ICONS "SHARE" AND "TRAVEL LOG"

GLOBAL TRACKER USING THE GLOBAL TRACKER









- - SHARE SHARE YOUR LOCATION VIA TEXT, OR EMAIL YOU CAN ALSO SAVE LINK TO YOUR LOCATION

TRAVEL LOG - THIS IS A LOG OF WHERE YOUR SPACE CASE 1 HAS BEEN. INFORMATION IN THE LOG IS COORDINATES. DATE AND TIME

BIO LOCK PROGRAMING YOUR FINGERPRINT





- A TAP THE BIO LOCK ICON TO SET UP YOUR FINGERPRINT IN THE BIOMETRIC FINGERPRINT READER.
- TAP THE FINGERPRINT ICON THEN HOLD YOUR FINGER ON THE SPACE CASE I BIOMETRIC SCANNER LOCATED ON THE FRONT CENTER OF THE HANDLE.

BIO LOCK PROGRAMING YOUR FINGERPRINT









- SCAN UNSUCCESSFUL TAP THE FINGERPRINT ICON AND REPEAT PREVIOUS STEP
- B SCAN SUCCESSFUL YOU CAN NOW USE YOUR FINGERPRINT TO UNLOCK YOUR SPACE CASE I

SELF SCALE USING THE SELF SCALE



- A TAP THE SELF SCALE ICON TO VIEW THE WEIGHT OF YOU SPACE CASE 1
- B REST THE CASE ON THE SIDE STUDS THEN TAP MIDDLE CIRCLE TO WEIGH

SELF SCALE USING THE SELF SCALE



- A RESET WEIGHT TO ZERO
- B DISPLAY WEIGHT IN LBS OR KGS
- **G** SET AIRLINE RESTRICTION WEIGHT LIMIT

SELF SCALE SETTING WEIGHT LIMIT



- A TAP THE TOP ENTRY FIELD ENTER TO NAME THE WEIGHT RESTRICTION. THEN TAP ENTRY FIELD BELOW TO ENTER THE WEIGHT LIMIT.
- B ONCE WEIGHT LIMIT IS CREATED YOU WILL SEE IT LISTED ON THE MAIN SCREEN.

SELF SCALE USING THE SELF SCALE









ONCE YOU REST THE CASE ON THE SIDE STUDS THEN TAP MIDDLE CIRCLE TO WEIGH THE APP WILL LET YOU KNOW IF YOU ARE OVER OR UNSER THE LIMIT THAT WAS SET.

- A YOU ARE UNDER LIMIT IS INDICATED BY GREEN RING.
- (B) YOU ARE OVER LIMIT IS INDICATED BY RED RING.

SMART BATTERY

POWER METER FOR THE SMART BATTERY



- A TAP THE SMART BATTERY ICON TO VIEW THE REMAINING POWER LEFT IN THE SMART BATTERY
- B POWER METER READ OUT FOR SMART BATTERY

CASE CHECK FULL DIAGNOSTICS REPORT

A



- (A) TAP THE SMART AUDIOPHONE ICON TO PAIR AND ALSO TURN SPEAKER ON AN D OFF.
- B TAP TO PAIR BLUETOOTH SPEAKER.
- TAP TO GO TO YOUR DEVICE'S DEFAULT MUSIC APP
- TAP TO TURN SPEAKER ON OR OFF.

ANTI THEFT

USING THE ANTI THEFT PROXIMITY SENSOR



- (A) TAP THE ANTI THEFT ICON TO SET PROXIMITY ALARM AND TO DETECT YOUR CASE
- (3) ALARM DISTANCE TAP TO SET THE DISTANCE FOR ALARM
- PANIC BUTTON TAP TO SOUND ALARM ON CASE
- D TAP TO TURN PROXIMITY SENSOR ON OR OFF
- DETECT CASE TAP TO DETECT DISTANCE OF YOUR CASE.

ANTITHEFT

USING THE ANTI THEFT PROXIMITY SENSOR













CASE CHECK FULL DIAGNOSTICS REPORT



- A TAP THE CASE CHECK ICON TO VIEW A FULL DIAGNOSTICS REPORT OF YOUR SPACE CASE 1
- B DIAGNOSTICS REPORT FOR THE SPACE CASE I NOTIFYING YOU THAT ALL FEATURES ARE FUNCTIONING PROPERLY

AIRPLANE MODE USING AIRPLANE MODE



- (A) TAP THE AIRPLANE MODE ICON TO DISABLE ALL FEATURES WHEN IN FLIGHT
- (3) TAP THE AIRPLANE MODE ICON TO ENABLE ALL FEATURES WHEN NOT IN FLIGHT

CASE PROFILE USING CASE PROFILE



- ▲ TAP THE CASE PROFILE ICON IN THE SLIDE MENU TO ACCESS YOUR CASE SETTINGS
- 1 LOG OUT TAP TO LOG OUT OF THE SELECTED CASE
- FORGET DEVICE TAP TO REMOVE CONNECTION TO SELECTED CASE
- ANNUAL SUBSCRIPTION TAP TO RENEW YOUR GLOBAL TRACKER SERVICE

10 YEAR CLOUD PROTECTION

HOW TO SUBMIT A CLAIM THROUGH APP



- TAP THE 10 YEAR CLOUD PROTECTION ICON IN THE SLIDE MENU IN THE EVENT YOU NEED TO MAKE A CLAIM
- ONCE YOU CAVE TAPED THE ICON IN THE SLIDE MENU YOU WILL HAVE THE OPTION TO REGISTER ADDITIONAL PIECES OR MAKE A CLAIM BY TAPING THE 10 YEAR CLOUD PROTECTION ICON

10 YEAR CLOUD PROTECTION

HOW TO SUBMIT A CLAIM THROUGH APP



- A SELECT THE CASE YOU ARE MAKING A CLAIM FOR BY TAPPING ON THE CASE NAME
- (B) TAP CAMERA ICON TO TAKE AN IMAGE OF YOUR CLAIM TO BE SUBMITTED TO OUR CLAIM CENTER FOR EVALUATION

10 YEAR CLOUD PROTECTION HOW TO SUBMIT A CLAIM THROUGH APP



- TAP ENTRY FIELD TO PROVIDE ANY ADDITIONAL INFORMATION THAT MAY HELP US WITH THE PROBLEM YOU ARE EXPERIENCING.
- PROVIDE AN ADDRESS OF WHERE YOU WILL BE LOCATED FOR THE NEXT 7 DAYS. IF TRAVELING PROVIDE A SECONDARY ADDRESS TO ALLOW FOR PROPER SHIPPING TIME ON REPAIRS

RESETTING YOUR SPACE CASE 1



A TO RESET YOUR SPACE CASE 1 HOLD YOUR FINGER ON THE BIOMETRIC SCANNER LOCATED ON THE FRONT CENTER OF THE HANDLE. FOR MORE THAN 10 SECONDS.

ALKALINE BATTERY ACLOSER LOOK AT THE FRONT POCKET



- UNZIP THE LINING ON THE SIDE OF THE CASE (MARKED IN RED) ONCE YOU UNZIP LINING YOU WILL SEE A BLACK BOX UNDER THE TOP HANDLE.
- (B) ON THE BOTTOM OF THE BLACK BOX THERE IS COVER FOR THE 3 AAA BATTERIES. SLIDE COVER TOWARD YOU TO OPEN AND INSTALL THE 3 AAA BATTERIES.

TSA ROBOTIC LOCK RESETTING COMBINATION ON LOCK


THE OPENING COMBINATION IS PRESET AT L-U-C-K FROM FACTORY.

STEP 1 TURN THE DIALS TO THE OPENING COMBINATION

PRESS DOWN THE RESET BUTTON WITH A PEN (OR OTHER TOOL) ALL THE WAY UNTIL YOU HEAR A "CLICK" SOUND.

STEP 3 TURN THE DIALS TO RESET YOUR OWN COMBINATION.

PUSH THE BUTTON UP OR DOWN TO POP UP THE RESET




HOW TO USE THE LOCK

STEP 1 TURN THE DIALS TO YOUR COMBINATION

STEP 2 PUSH UP THE BUTTON TO OPEN THE LEFT ZIPPERS

STEP 3 PUSH DOWN TO OPEN THE RIGHT ZIPPERS



INCLUSE. THE TRANSPORTATION SECURITY ADMINISTRATION (1SA) SCREENER AND ARRENCE CHECK. IN STAFF AT ARRONDING ARE TRAINED TO DECOGNIZE THE TRAVEL SENTBY * LOCG OTHEY UNDERSTAND THAT BAGGAGE WITH LOCKS DISPLAYING THIS MARK ARE PERMITTED TO REMAIN LOCKED TAS ACCIENTED HAVE ACCESS TO SPECIAL COOKS THAT ALLOW THEN TO OPEN THOSE LOCKS IN THE EVENT THAT THE BAGGAGE MUST BE OPENED FOR RESPECTION. WITH TRAVEL SENTEY* APPROVED LOCKS THE TSA CAN SCREEN CHECKED BAGGAGE FASTED, WITHOUT THAY THE BAGGAGE HOUSE.

WARNING! PLEASE READ BEFORE USE



- PLEASE DON'T CHARGE ANY DEVICE, LIKE PHONE OR PAD WHILE CHARGING POWER BANK.
- PLEASE INSTALL A NEW ALKALINE AAA BATTERY INTO E-BOX WHENEVER YOU HAVE A NEW TRAVEL.
- PLEASE REPLACE NEW ALKALINE BATTERY IF THE CAPACITY IS LOWER THAN 30%
- PLEASE DO NOT CHARGE ANY DEVICES, LIKE PHONE OR PAD, WHILE CHARGING POWER BANK
- WHENEVER YOU PLUG IN THE POWERBANK, PLEASE PRESS THE BUTTON ON THE POWER BANK TO ACTIVE IT.
- THIS POWERBANK IS DESIGNED EXCLUSIVELY FOR THIS SUITCASE.
- CHANGES OR MODIFICATIONS TO THIS PRODUCT NOT AUTHORIZED BY PLANET TRAVELER WILL VOID YOUR 10 YEAR CLOUD PROTECTION.

10 YEAR CLOUD PROTECTION' TERMS AND CONDITIONS

VIRTUAL WORLD WIDE 10 YEAR CLOUD PROTECTION YOU ARE COVERED WORLD WIDE WITH OUR 24 HOUR 10 YEAR CLOUD PROTECTION



NEVER CALL TO BE PLACED ON HOLD AGAIN



NEVER WASTE YOUR TIME BY DRIVING TO A REPAIR CENTER AGAIN



NEVER PAY FOR REPAIR AGAIN**



SELF REPAIR YOUR LUGGAGE WITHIN 5 MIN

10 YEAR CLOUD PROTECTION' TERMS AND CONDITIONS

SPACE CASE I WORLD WIDE 10 YEAR CLOUD PROTECTION

THE SPACE CASE I COMES WITH A WORLD WIDE 10 YEAR - 24 HOUR SELF REPAIR CLOUD PROTECTION THAT IS EFFECTIVE FROM THE DATE. OF PURCHASE, SPACE CASE LIS COVERED BY THE TERMS AND CONDITIONS OF THIS WARRANTY, WITH OUR 10 YEAR CLOUD PROTECTION WE COVER REPAIRS TO YOUR LUGGAGE IN THE UNLIKELY EVENT OF MANUFACTURING OR WORKMANSHIP DEFECTS. HOWEVER. CLOUD PROTECTION DOES NOT COVER ANY DAMAGES CAUSED BY AIRLINE ABUSE, MISHANDLING, OR NORMAL WEAR AND TEAR. TO RECEIVE CLOUD PROTECTION SERVICES AND DETERMINE YOUR COVERAGE ELIGIBILITY, PLEASE NOTIFY A SPACE CASE 1™ REPAIR CENTER BY UPLOADING YOUR CLAIM DIRECTLY THROUGH THE APP TO REPORT ANY DAMAGES THAT MAY HAVE OCCURRED. THE REPAIR CENTER WILL EVALUATE YOUR LUGGAGE AND DETERMINE IF IT IS DAMAGED, WEAR, OR DEFECTIVE, AND IF YOUR PRODUCT IS CURRENTLY UNDER WARRANTY, ALL CLAIMS MUST BE REPORTED IMMEDIATELY TO AVOID ANY FURTHER DAMAGES OR DELAY IN REPAIR.

TERRITORY COVERAGE

WARRANTIES APPLY TO ANY AND ALL MIA TOR PRODUCTS WORLD WIDE. FOR REPAIRS, FREIGHT IS INCLUDED ONLY FOR DOMESTIC SHIPPING FROM OUR CLAIM CENTER TO CUSTOMER OR REPAIR CENTER. SHIPPING FROM CUSTOMER OR REPAIR CENTER TO OUR CLAIM CENTER IS NOT COVERED INTERNATIONAL FEES MAY VARY

^{**} EXCLUDING AIRLINE ABUSE, MISHANDLEING, AND NORMAL WEAR AND TEAR

^{*} ALL ECETRONICS ARE COVERED FOR LYEAR.

Federal Communications Commission Statement
This equipment has been tested and found to comply with
the limits for a class B digital device, pursuant to Part 15 of
the Federal Communications Commission (FCC) rules.
These limits are designed to provide reasonable protection
against harmful interference in a residential installation. This
equipment generates, uses, and can radiate radio frequency
energy and, if not installed and used in accordance with the
instructions, may cause harmful interference to radio
communications. However, there is no guarantee that
interference will not occur in a particular installation. If this
equipment causes harmful interference to radio or television
reception, which can be determined by turning the equipment
off and on, the user is encouraged to try to correct the
interference by doing one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device contains ID:RI7HE910 GL

This device complies with FCC Rules Part 15. Operation is subject to the following two conditions:

- . This device may not cause harmful interference.
- This device must accept any interference received, including interference that may cause undesired operation.
 FCC Caution

Any changes or modifications not expressly approved by the party responsible for compliance could void the user 's authority to operate the equipment.

The antenna(s) used for this transmitter must not be colocated or operating in conjunction with any other antenna or transmitter.

Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be colocated or operating in conjunction with any other antenna or transmitter.

This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body.