# **Appendix C**

# RF Test Data for 2.4G WIFI (Conducted Measurement)


**Product Name: Tablet PC Trade Mark: ALLDOCUBE** Test Model: U1005


#### **Environmental Conditions**


Temperature:	22.5 ° C						
Relative Humidity:	52.3%						
ATM Pressure:	100.0 kPa						
Test Engineer:	Diamond.Lu						
Supervised by:	Jayden.Zhuo						

## **C.1 Duty Cycle**


Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
11B	2437	Ant1	100	PASS
11G	2437	Ant1	100	PASS
11N20SISO	2437	Ant1	100	PASS
11N40SISO	2437	Ant1	100	PASS








### Duty Cycle\_11N20SISO\_2437\_Ant1



### Duty Cycle\_11N40SISO\_2437\_Ant1





## **C.2 Maximum Conducted Output Power**


Mode	Channel	Meas.Level Peak [dBm]	Limit [dBm]	Verdict
	LCH	12.12	30	PASS
11B	MCH	12.26	30	PASS
	HCH	12.33	30	PASS
	LCH	11.95	30	PASS
11G	MCH	11.79	30	PASS
	HCH	11.88	30	PASS
	LCH	11.69	30	PASS
11N20SISO	MCH	11.74	30	PASS
	HCH	11.59	30	PASS
	LCH	11.26	30	PASS
11N40SISO	MCH	11.22	30	PASS
	HCH	11.36	30	PASS


## **C.3 Maximum Power Spectral Density**


Mode	Channel	Meas.Level [dBm/30KHz]	Limit [dBm/3KHz]	Verdict
	LCH	-6.611	8	PASS
11B	MCH	-5.726	8	PASS
	HCH	-5.780	8	PASS
	LCH	-12.765	8	PASS
11G	MCH	-12.194	8	PASS
	HCH	-11.926	8	PASS
	LCH	-11.853	8	PASS
11N20SISO	MCH	-12.220	8	PASS
	HCH	-11.828	8	PASS
	LCH	-15.412	8	PASS
11N40SISO	MCH	-15.459	8	PASS
	HCH	-14.939	8	PASS
















#### C.4 6dB Bandwidth


Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
	LCH	9.149	≥0.5	PASS
11B	MCH	9.160	≥0.5	PASS
	HCH	9.154	≥0.5	PASS
	LCH	16.39	≥0.5	PASS
11G	MCH	16.61	≥0.5	PASS
	HCH	16.61	≥0.5	PASS
	LCH	17.79	≥0.5	PASS
11N20SISO	MCH	17.83	≥0.5	PASS
	HCH	17.82	≥0.5	PASS
	LCH	36.49	≥0.5	PASS
11N40SISO	MCH	36.54	≥0.5	PASS
	НСН	36.47	≥0.5	PASS





## **C.5 RF Conducted Spurious Emissions**


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
	LCH	-1.458	-43.982	-21.458	PASS
11B	MCH	-0.541	-43.313	-20.541	PASS
	НСН	-0.503	-42.905	-20.503	PASS
	LCH	-10.077	-43.819	-30.077	PASS
11G	MCH	-9.602	-42.703	-29.602	PASS
	НСН	-9.626	-43.644	-29.626	PASS
	LCH	-9.344	-43.621	-29.344	PASS
11N20SISO	MCH	-9.102	-43.243	-29.102	PASS
	НСН	-9.089	-43.501	-29.089	PASS
	LCH	-12.719	-43.432	-32.719	PASS
11N40SISO	MCH	-12.204	-43.412	-32.204	PASS
	НСН	-11.856	-42.707	-31.856	PASS

































## C.6 Band-edge for RF Conducted Emissions


Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
445	LCH	-1.405	-50.318	-21.41	PASS
11B	HCH	-0.440	-49.505	-20.44	PASS
	LCH	-10.083	-50.199	-30.08	PASS
11G	HCH	-9.467	-49.191	-29.47	PASS
441000100	LCH	-9.898	-50.068	-29.9	PASS
11N20SISO	HCH	-8.921	-49.709	-28.92	PASS
	LCH	-12.718	-50.117	-32.72	PASS
11N40SISO	HCH	-11.722	-48.890	-31.72	PASS




# C.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
	2412	Ant1	2310.0	-43.90	2.0	0	51.36	PEAK	74	PASS
	2412	Ant1	2310.0	-53.89	2.0	0	41.37	AV	54	PASS
	2412	Ant1	2390.0	-41.77	2.0	0	53.48	PEAK	74	PASS
445	2412	Ant1	2390.0	-53.53	2.0	0	41.73	AV	54	PASS
11B	2462	Ant1	2483.5	-42.89	2.0	0	52.37	PEAK	74	PASS
	2462	Ant1	2483.5	-52.86	2.0	0	42.40	AV	54	PASS
	2462	Ant1	2500.0	-42.95	2.0	0	52.31	PEAK	74	PASS
	2462	Ant1	2500.0	-53.26	2.0	0	42.00	AV	54	PASS
	2412	Ant1	2310.0	-43.38	2.0	0	51.88	PEAK	74	PASS
	2412	Ant1	2310.0	-53.86	2.0	0	41.40	AV	54	PASS
	2412	Ant1	2390.0	-43.20	2.0	0	52.06	PEAK	74	PASS
	2412	Ant1	2390.0	-53.37	2.0	0	41.89	AV	54	PASS
11G	2462	Ant1	2483.5	-41.92	2.0	0	53.34	PEAK	74	PASS
	2462	Ant1	2483.5	-52.10	2.0	0	43.15	AV	54	PASS
	2462	Ant1	2500.0	-43.16	2.0	0	52.10	PEAK	74	PASS
	2462	Ant1	2500.0	-53.27	2.0	0	41.99	AV	54	PASS
	2412	Ant1	2310.0	-43.37	2.0	0	51.89	PEAK	74	PASS
	2412	Ant1	2310.0	-53.85	2.0	0	41.41	AV	54	PASS
	2412	Ant1	2390.0	-43.00	2.0	0	52.26	PEAK	74	PASS
11N20	2412	Ant1	2390.0	-53.23	2.0	0	42.02	AV	54	PASS
SISO	2462	Ant1	2483.5	-41.65	2.0	0	53.61	PEAK	74	PASS
	2462	Ant1	2483.5	-52.04	2.0	0	43.22	AV	54	PASS
	2462	Ant1	2500.0	-42.67	2.0	0	52.59	PEAK	74	PASS
	2462	Ant1	2500.0	-53.27	2.0	0	41.99	AV	54	PASS
11N40	2422	Ant1	2310.0	-43.28	2.0	0	51.98	PEAK	74	PASS
SISO	2422	Ant1	2310.0	-53.86	2.0	0	41.40	AV	54	PASS

<u>S</u>	SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.						FCC ID: 2AKO6	Report No.: LCS181211089AEC				
		2422	Ant1	2390.0	-41.31	2.0	0	53.95	PEAK	74	PASS	
		2422	Ant1	2390.0	-52.88	2.0	0	42.38	AV	54	PASS	
		2452	Ant1	2483.5	-41.57	2.0	0	53.69	PEAK	74	PASS	
		2452	Ant1	2483.5	-51.72	2.0	0	43.54	AV	54	PASS	
		2452	Ant1	2500.0	-42.84	2.0	0	52.42	PEAK	74	PASS	
		2452	Ant1	2500.0	-53.30	2.0	0	41.96	AV	54	PASS	




#### Restrict-band band-edge measurements\_11B\_2412\_Ant1\_AV





Page 39 of 46


#### Restrict-band band-edge measurements\_11B\_2462\_Ant1\_PEAK




#### Restrict-band band-edge measurements\_11B\_2462\_Ant1\_AV









#### Restrict-band band-edge measurements\_11G\_2412\_Ant1\_AV





#### Restrict-band band-edge measurements\_11G\_2462\_Ant1\_PEAK




## Restrict-band band-edge measurements\_11G\_2462\_Ant1\_AV










#### Restrict-band band-edge measurements\_11N20SISO\_2412\_Ant1\_AV










## Restrict-band band-edge measurements\_11N20SISO\_2462\_Ant1\_AV









#### Restrict-band band-edge measurements\_11N40SISO\_2422\_Ant1\_AV







#### Restrict-band band-edge measurements\_11N40SISO\_2452\_Ant1\_AV

