

Apparatus: NEMEUS MM002-LS-US

RF Exposure Considerations for FCC ID: 2AKSYMM002XUS

## The calculation of the MPE is as following:

Prediction of MPE limit at a prediction distance:

$$S = \frac{P.G}{4. \prod .R^2} = \frac{E.I.R.P}{4. \prod .R^2}$$

S: Power density (mW/cm²)

P: Peak output power at antenna terminal (mW)

G: Numerical Antenna gain

R: Distance of radiation to antenna (cm)

MPE

F = 902.3 / 927.5 MHz

P = 100mW

GidB = 2.2dBi / G = 1.66

R= 20cm

S=0.033mW/cm<sup>2</sup>

MPE limit for uncontrolled exposure: 0.6mW/cm<sup>2</sup>

→ Below MPE limit

<u>Conclusion:</u> Therefore the device complies with FCC's RF radiation exposure limits for general population for a mobile device.

Certified By Laurent CHAPUS (Agent for this device)

SMEE

Rue de Taille

ZI des Blanchisseries

38500 Voiron - France

laurent.chapus@smee.fr

FCC Registration Number: 0020356952 (FRN) /

Applicant for this device:

NEMEUS

13 rue de la vallée

35220 SAINT DIDIER France

gilles.ronco@nemeus.fr

+33(0)6 51 72 32 30

TEL: 04 76 65 76 50

FAX: 04 76 66 18 30