


Version.1.3 Page 71 of 83








Version.1.3 Page 72 of 83







Version.1.3 Page 73 of 83







Report No.: S19070901512001

## 8.7 CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant2	-56.60864302635	-20	Pass
NVNT	1-DH5	2441	Ant2	-56.03727574348	-20	Pass
NVNT	1-DH5	2480	Ant2	-55.11058159828	-20	Pass
NVNT	2-DH5	2402	Ant2	-53.23759997368	-20	Pass
NVNT	2-DH5	2441	Ant2	-52.29803960323	-20	Pass
NVNT	2-DH5	2480	Ant2	-51.81580940247	-20	Pass
NVNT	3-DH5	2402	Ant2	-51.86396552086	-20	Pass
NVNT	3-DH5	2441	Ant2	-51.74022854805	-20	Pass
NVNT	3-DH5	2480	Ant2	-50.2284264183	-20	Pass






Version.1.3 Page 74 of 83








Version.1.3 Page 75 of 83








Version.1.3 Page 76 of 83








Version.1.3 Page 77 of 83








Version.1.3 Page 78 of 83








Version.1.3 Page 79 of 83








Version.1.3 Page 80 of 83










Version.1.3 Page 81 of 83








Version.1.3 Page 82 of 83





Report No.: S19070901512001



**END OF REPORT** 

Version.1.3 Page 83 of 83