



Redi-Temp Electronic System Royal Prestige®



IMPORTANT: To avoid personal injury and / or property damage and please ead the instructions and warnings given in this Use and Care Manual.

Tables of Contents

Introduction .	(•)	•	•	٠	•	ž		9. •	٠	·	•	2
Before you begin	٠	•	٠	•	•	•	٠			<u>.</u>		2
Configuration	•							•	/ &			4
Operation	(* €)	*:	*		•	•	:(•)	(*)			×	5
Cleaning & Care	((*))			•		•		•	•	•		8
Troubleshooting		.•:			*	•	. •		•			9
Indemnización	Ť	%	•		•	•	•	V		•	•	10
Certification .	٠	•	•		•	٠	•	•	•	•	•	10
Technical informatio	ņ					ě		***		ě		11

Introduction

Congratulations on your purchase of a new Redi-Temp Electronic System.

Purchase of a new Royal Prestige® Redi-Temp Electronic System. Please be sure to read this manual thoroughly before using your Redi-Temp ™ Electronic System to enjoy your full experience. The valuable information in this manual will provide you with a summary of the product, some helpful tips to get you started, and troubleshooting tips if you have them in the future.



Before starting

REQUIREMENTS FOR THE MOBILE DEVICE

The mobile application of the Redi-Temp ™ Electronic System Is available in versions compatible with Android and iOS only. Your mobile device must have Wi-Fi.

IMPORTANT SAFETY MEASURES

When using your Redi-Temp ™ Electronic System, you must follow basic safety precautions to reduce the risk of fire, property damage and personal injury.



READ ALL INSTRUCTIONS BEFORE USING.

Risk of injury or property damage	 The Redi-Temp ™ Electronic System is not a saíety device and does not replace the need for human supervision during the cooking process. Cooking involves heat, fire, hot liquids and other potential haZards. Do not leave unattended utensils that are being heated. Not supervising Cooking utensils, even if such utensils The electric whistle and the mobile application of the Redi-Temp ™ Electronic System can cause personal injury, including serious injury and possible material damage. It is your responsibility to operate and supervise any hot kitchen utensils with care. Cooking involves heat, fire, hot liquids and other haZards. Keep these and other haZards in mind in the kitchen and always cook with care. Always supervise children in the kitchen. The Redi-Temp ™ Electronic System should not be used by children or others who do not understand the haZards in the kitchen. While in operation, do not touch the hot surfaces of utensils attached to the Redi-Temp ™ Electronic System. Clean the hot surfaces with care. Do not burn yourself by cleaning the Redi-Temp ™ Electronic System or the kitchen utensils to which it is connected. Use caution when lifting or moving kitchen utensils to which the Redi-Temp ™ Electronic System is connected to avoid damaging the Redi-Temp ™ Electronic System and causing coffee danger. Be sure to have a firm and balanced grip on the utensils. Use the Redi-Temp ™ Electronic System in accordance with the instructions provided and for intended domestic use only.
Avoid Direct Contact with the Heat Source	 Do not expose the Redi-Temp ™ Electronic System to direct (ire Do not place the Redi-Temp ™ Electronic System in the oven or microwave. High temperatures could damage electrical circuits and batteries.
No User Repairable Parts	 Do not disassemble the eWhistle or the center. The only operation that can be períormed by the user is to remove the battery cover to replace the batteries. The Redi Temp ™ Electronic System is not repairable and should not be disassembled.
	 Ií your Redi-Temp ™ Electronic System íalls, check to see ií it is damaged beíore use. Ií one oí the parties has leít or is not sure - DO NOT USE. In such a case, have the Royal Prestige Service Center check your Redi-Temp ™ Electronic System.
	 Do not use your Redi-Temp ™ Electronic System ií it has íailed or is damaged in any way. Return your Redi-Temp ™ Electronic System to the Royal Prestige Service Center íor service or repair.



REDI-TEMP ELECTRONIC SYSTEM ROYAL PRESTIGE

Secure the Connection	 Beíore each use, make sure that the batteries, valves and the center of the Redi-Temp Electronic System are charged and operative, and that the mobile device has suíficient power. The Redi-Temp ™ Electronic System only works with the Redi-Temp ™ Electronic System's mobile application. Beíore using the Redi-Temp ™ Electronic System, make sure that the mobile application is installed on your mobile device and works, and that you are using the latest version of the Redi-Temp ™ Electronic System mobile application. The functionality of the Redi-Temp ™ Electronic System depends on a direct WiFi connection operative between the mobile device and the center of the Redi-Temp Electronic System. When using the Wi-Fi direct connection between the mobile device and the central device of the Redi-Temp Electronic System, make sure that the central device and the mobile device are connected between each other. If they are not connected correctly, the mobile application will not be able to tell you the temperature of the food you are preparing.
Cleaning Precautions	 Do not immerse the Redi-Temp Electronic System in water or other liquids and do not wash it in the dishwasher. Do not wash the Redi-Temp Electronic System valves in the dishwasher.

Configuration



Install the Redi-Temp TM Electronic System Mobile Device Application

Download from Apple Store

o Google Play and download for free.



Remove the existing Redi-Temp mechanical valves and replace with the Redi-Temp Electronic System valves.



Operation

Press the power button on the central device of the Redi-Temp Electronic System. The button will light white and the ring around the logo will flash white. It may be necessary to charge the battery and / or the central device can be used while it is plugged in.



Select the Royal Prestige icon



The "Loading" animation appears on your screen



Select Your Language



Review EULA terms and accept



ROYAL PRESTIGE® REDI-TEMP ELECTRONIC SYSTEM



Select Redi-Temp Electronic System



Read and confirm the Warning



Select Wi-Fi Direct



Use the System screens to connect to the central device
Of the Redi-Temp Electronic System. The SSID will resemble the following:
"USRWIFI232-D2_E1BC".
(The image used here is for illustration purposes only.)




CAUTION: It will be necessary to first disconnect from any other Wi-Fi device or router, since the Wi-Fi connection is only a connection.






When leaving the system screens, the following should appear. Select "Next"



This is the "Ready" screen. There are no active Redi-Temp electronic valves at this time.

PREPARE AND COOK AS YOU WOULD DO NORMALLY






When the temperature of the air passing through the valves of the Redi-Temp Electronic System reaches the manufacturer's predetermined point, the valves will automatically turn on, the faucet in the center of the valves will illuminate and the faucets will appear on the "Ready" screen. In this example, there are three valves that have reached the on / off point predetermined by the manufacturer. The System can display up to nine (9) active valves.

CAUTION: The valve must be open so that it can be activated.

CAUTION: If the faucet in the valve is illuminated, the metal parts of the cover will probably be very hot.



When any of the Redi-Temp Electronic System valves rings, the System will notify you with this screen and its default ring settings.

CAUTION: The system depends on the configuration of your telephone. For example, if your phone is silent, the system will not emit any sound. Please make sure your ringtone is turned on.

You can choose to postpone the alert every two minutes, or delete the alert altogether.

CAUTION: The alert system valve Electrónico rejected Redi-Temp will not return to ring unless to cool below the predetermined temperature by the manufacturer and then climb more preset point alert.

If any of the Redi-Temp Electronic System valves are cooled below the default on / off point, the faucet on the valve will turn off and the corresponding icon on the Ready screen will disappear.

Cleaning / Care



The batteries in the Redi-Temp Electronic System valves should be replaced when the battery icon in the application turns red.



CAUTION: Use only three volt lithium CR2032 batteries.

The Redi-Temp Electronic System valves are water-proof and can be washed in a normal manner.

The central device of the Redi-Temp Electronic System can be cleaned with a damp cloth.

Otherwise, it does not require regular maintenance.

CAUTION: The batteries of the central device of the Redi-Temp Electronic System can not be replaced by the user.

CAUTION: Do not put the valves in the dishwasher.

CAUTION: Do not immerse the central device.

lí any oí the Redi-Temp Electronic System valves are cooled below the deíault on / oíí point, the íaucet on the valve will turn oíí and the corresponding icon on the Ready screen will disappear.

Batteries

Use only three volt lithium CR2032 batteries.

Troubleshooting / Frequently Asked Questions

Problems with Connectivity

- Ií y ou can not connect to y our Redi-Temp ™ Electronic Sy stem, this brieí list covers the most common causes oí connection problems:
- · Connectivity problems
- If y ou can not connect to y our Redi-Temp ™ Electronic Sy stem, this brief list covers the most common causes of connection problems:
- c: Do y ou have the latest version of the mobile application of the Redi-Temp ™ Electronic Sy stem installed?
- c: Do y ou have Wi-Fi on y our mobile device?
- c: Are the batteries in the Redi-Temp ™ Electronic Sy stem valves ſully charged?
- c: Are the batteries installed correctly and in the correct direction?

For more complex problems, we have created a Connectivity Problem Solving guide, a selí-help document that explains step-by-step how to check for problems with the software or the Redi-Temp TM Electronic System. You can find the Connectivity Troubleshooting guide by visiting: https://redi-temp.zendesk.com/hc/en-us



Indemnification

You agree to indemnify, defend and hold harmless Hy Cite and its officers, directors, employees, agents, affiliates, successors and assigns from and against any and all losses, liabilities, liabilities, deficiencies, claims, actions, Interest, costs, or expenses of any kind, including attorneys' fees, arising out of or in any way related to (a) the use or misuse of the Redi-Temp ™ Electronic System, the mobile application, Or your breach of this agreement; (B) any failure of the wireless Internet, Bluetooth or Wi-Fi connection; (C) any hazards in the kitchen or cooking; (C) consumption of raw or poorly cooked meats, shellfish, eggs, or other ingredients; (D) non-compliance with the cooking instructions specified by the products or foods being cooked; (E) any claim that the Redi-Temp ™ Electronic System or the mobile application is defectively designed or manufactured; And (n any claims that the Redi-Temp ™ Electronic System or the mobile application or the manufacture, marketing, sale or product labels (including instructions or warnings) are inappropriate in any way or do not comply with any governmental requirements regarding If you do not agree to this indemnity provision, you may return the unused product for a refund. If you do not agree to this claim, you may return the unused product for a refund.

Security of Approval for Certifications

FCC CÓMPLIANCE STATEMENT:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC WARNING:

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. Note: This equipment has been tested and found to comply with the limits for a Class B digital device.

B, pursuant to Part 15 of the FCC Rules. These are designed to provide reasonable protection against harmful interference in a residential structure. This equipment generates, uses and can radiate radio frequency energy and, if

Not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that such interference will not occur in the particular structure. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio / TV technician for help.

This device complies with FCC and IC requirements for RF exposure in a public or uncontrolled environment...



Déclaration of Conformity

téchnical information

Model	Hub :PE0002 Válvula: PE0003
Voltage Rating	Hub: 5V
Max Range (depends on local conditions)	Válvula al Hub: 30m Hub al Teléfono: 30m
Weight	Hub: 5.3oz Válvula: 1.9oz
Dimensions	Hub: 4 x 2.5 x 11/2 inches Válvula: 2 x 13/8 inches



SISTEMA DE COCINA SIN AGUA ROYAL PRESTIGE®

For detailed information on Guarantee, visit The Royal Prestige® website: www.royalprestige.com



For warranty service, send the product to our Care Center:

United States
HY CITE EÑTERPRISES, LLC
CEÑTER OE ATEÑCIDÑ
ROYAL PRESTIGE®
2115 PIÑEHURST DRIVE
MIDDLETOÑ, WI 53562
TELEPHOÑE: 1-800-279-3373
BILIÑGOE (EÑGLISH AÑD SPAÑISH)

Peru
HY CITE PERO S.R.L.
STREET. CAÑTUARIAS # 160, 170,
176 OFFICE # 702 - CAÑTUARIAS
BUILDIÑG MIRAFLORES, LIMA-BUT
TELEPHOÑE: (511) 243-7756
/ (511) 243-7768

MÉXICO HY CITE MÉXICO S. DE R.L. DE CV.

AVENIDA TESISTAN # 2450 NAVE 18 COLONIA EL TIGRE ZAPOPAN JALISCO C.P. 45134M

Telephone: 01-800-111-1116

BRASIL ROYAL PRESTIGE DO BRASIL

COMÉRCIO E IMPORTAÇÃO

DE UTILIDADES DOMÉSTICAS LTDA.

CENTRO DE ATENCIÓN

ALAMEDA ARAGUAIA N.º 3814

BARUERI - SP CEP: 06455-000

Telephone: (11) 4191-5026

COLOMBIA
HY CITE ENTERPRISES
COLOMBIA S.A.S.

CALLE 90 NO. 12-28, PISO 3 CHICO, BOGOTÁ, COLOMBIA

TELELPHOÑE: (571) 745-8694 / 018000 128694

> ARGENTINA HY CITE BA S.R.L.

SUIPACHA 552, PISO 1, CAPITAL FEDERAL, BUENOS AIRES, ARGENTINA, C.P. 1008

TELEPHOÑE: 0800 4442904

