

Quick Start Guide

COPYRIGHT © 2016 Hangzhou Hikvision Digital Technology Co., Ltd. or its subsidiaries. ALL RIGHTS RESERVED

About this Manual

The Manual includes instructions for using and managing the product. Pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the Manual is subject to change, without notice, due to firmware updates or other reasons. Please find the latest version in the **EZVIZ**™ website (httn://www.ezvizlife.com)

Any and all information, including, among others, wordings, pictures, graphs are the properties of Hangzhou Hikvision Digital Technology Co., Ltd. or its subsidiaries (hereinafter referred to be "Hikvision"). This user manual (hereinafter referred to be "the Manual") cannot be reproduced, changed, translated, or distributed, partially or wholly, by any means, without the prior written permission of Hikvision. Unless otherwise stipulated, Hikvision does not make any warranties, quarantees or representations, express or implied, regarding to the Manual.

PZVIZ M. . and other Hikvision's trademarks and logos are the properties of Hikvision in various jurisdictions. Other trademarks and logos mentioned below are the properties of their respective owners.

Legal Disclaimer TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW. THE PRODUCT DESCRIBED. WITH ITS HARDWARE. SOFTWARE AND FIRMWARE, IS PROVIDED "AS IS", WITH ALL FAULTS AND FRRORS AND HIKVISION MAKES NO WARRANTIES EXPRESS OR IMPLIED INCLUDING WITHOUT LIMITATION MERCHANTABILITY SATISFACTORY OLIALITY FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY IN NO EVENT WILL HIKVISION ITS DIRECTORS DEFICERS EMPLOYEES OR AGENTS BE LIABLE TO YOU FOR ANY SPECIAL. CONSEQUENTIAL. INCIDENTAL. OR INDIRECT DAMAGES. INCLUDING. AMONG OTHERS DAMAGES FOR LOSS OF BUSINESS PROFITS BUSINESS INTERRUPTION OR LOSS OF DATA OR DOCUMENTATION IN CONNECTION WITH THE USE OF THIS PRODUCT EVEN IF HIKVISION HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW IN NO EVENT SHALL HIKVISION'S TOTAL LIABILITY FOR ALL DAMAGES EXCEED THE PURCHASE PRICE THE

HIKVISION does not undertake any liability for personal injury or property damage, as the result of product interruption or service termination cause by: a) improper installation or usage other than as requested; b) the protection of national or public interests; c) Force Majeure; d) yourself or the third party, including not limitation, using any third party's products, software, applications, and among others.

REGARDING TO THE PRODUCT WITH INTERNET ACCESS, THE USE OF PRODUCT SHALL BE WHOLLY AT YOUR OWN RISKS. HIKVISION SHALL NOT TAKE ANY RESPONSIBILITES FOR

ABNORMAL OPERATION PRIVACY LEAKAGE OR OTHER DAMAGES RESULTING FROM CYBER ATTACK HACKER ATTACK VIRUS INSPECTION OR OTHER INTERNET SECURITY RISKS: HOWEVER HIKVISION WILL PROVIDE TIMELY TECHNICAL SUPPORT IF REQUIRED The purpose of the Products is to provide an adequate warning in the event of illegal

encroachment in certain area; however, the proper installation of the Products will not eliminate, but only reduce, that accidents will not occur or that there will be no personal iniury or property loss as a result. You are highly recommended to raise your vigilance and strengthen the safety awareness in the daily life.

SURVĚLLANCE LAWŚ VARY BY TURISDICTION. PLEASE CHECK ALL RELEVANT LAWS IN YOUR. JURISDICTION BEFORE USING THIS PRODUCT IN ORDER TO ENSURE THAT YOUR USE CONFORMS TO THE APPLICABLE LAW YOU FUTHER AGREE THAT THIS PRODUCT IS ONLY FOR CIVIL USE AND HIKVISION SHALL NOT BE LIABLE IN THE EVENT THAT THIS PRODUCT I LISED WITH ILLEGITIMATE PURPOSES. SUCH AS THIRD PARTY RIGHTS INFRINGEMENT MEDICAL TREATMENT SAFETY FOLIPMENT OR OTHER SITUATIONS WHERE THE PRODUCT FAILURE COULD LEAD TO DEATH OR PERSONAL INJURY, OR WEAPON OF MASS DESTRUCTION, CHEMINCAL AND BIOLOGICAL WEAPON, NUCLEAR EXPLOSION, AND ANY UNSAFE NUCLEAR ENERGY USES OR ANTI-HUMANITY USAGES. YOU SHOULD UNDERTAKE ALL RESPONSIBILITIES FOR LOSSES OR DAMAGES RESULTING FROM THE ABOVE USAGES WHATSOEVER

IN THE EVENT OF ANY CONFLICTS RETWEEN THE ABOVE AND THE APPLICABLE LAW. THE LATER PREVAILS



This product and - if applicable - the supplied accessories too are marked with "CE" and comply therefore with the applicable harmonized European standards listed under the Radio Equipment Directive 2014/53/EU, the EMC Directive 2014/30/FU the RoHS Directive 2011/65/FU



117/19/FII (WFFF directive): Products marked with this symbol cannot be sposed of as unsorted municipal waste in the European Union. For proper recycling, return this product to your local supplier upon the purchase of equivalent new equipment, or dispose of it at designated collection points or more information see: www.recvclethis.info.



6/66/EC and its amendment 2013/56/EU (battery directive): This product contains a battery that cannot be disposed of as unsorted municipal waste in the European Union. See the product documentation for specific battery information. The battery is marked with this symbol, which may include lettering to indicate cadmium (Cd), lead (Pb), or mercury (Hg). For proper recycling, return the battery to your supplier or to a designated collection noint. For more information see: www.recyclethis.info

C DECLARATION OF CONFORMITY

Hereby, Hangzhou Hikvision Digital Technology Co., Ltd. declares that the radio equipment type ICS-K2-Al is in compliance with Directive 2014/53/EU.

The full text of the EC DECLARATION OF CONFORMITY is available at the following web link http://www.ezvizlife.com/declaration-of-conformity

CAUTION: THE PRODUCT IS BUILT IN A REPLACEABLE BATTERY. RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

Due to the product shape and dimension, the name and address of the importer/manufacturer are printed on the package.

SAVE THIS MANUAL FOR FUTURE REFERENCE

K2 Introduction

LED Indicator



Flicker when any button is pressed.

Press to switch to At-Home mode.

Press to switch to Sleeping mode.

Press to turn off the voice prompts.

the Quick Start Guide of Internet Alarm Hub for detailed operation

• K2 should be used cooperating with the Internet Alarm Hub. Refer to

Working temperature: -10°C to 55°C [14°F to 131°F]

Working humidity: 10% to 90% (non-condensing)

Press to switch to Leaving-Home mode

Press and hold the button for 7 s to send an

Description

emergency alarm.

Bezeichnung Beschreibung

modus

K2-Einführung

Notfall o----

LED-Anzeige Blinkt, wenn eine Taste betätigt wird.

Taste 2 Sekunden lang gedrückt halten, um einen Notalarm an die F7VI7-Plattform zu senden

Drücken, um in den Anwesenheitsmodus zu wechseln.

Drücken, um in den Nachtzeitmodus zu wechseln.

S EZVIZ

Drücken, um in den Abwesenheitsmodus zu wechseln. Drücken, um den Voice Guide zu deaktivieren.

 Die K2 sollte in Verbindung mit dem Internet-Alarm-Hub benutzt werden. Ausführliche Bedienungshinweise enthält die

Schnellstartanleitung zum Internet-Alarm-Hub. • Temperatur (Betrieb): -10°C bis 55°C

• Luftfeuchtigkeit (Betrieb) 10% bis 90% (nicht kondensierend)

Introducción a Ká

--- O I FD Anzeige

☼) ······ Nachtzeitmodus



Descripción

Indicador LED Parpadea cuando se pulsa cualquier botón. Mantenga pulsado el botón durante 2 s para enviar una alarma de emergencia a la plataforma EZVIZ.

Pulse para cambiar la modo En casa. Pulse para cambiar la Sueño.

Pulse para cambiar la modo Fuera de casa.

0

Pulse el botón para desactivar los avisos de voz.

 K2 debe utilizarse en colaboración con el centro de alarmas de Internet. Consulte la Guía de inicio rápido del centro de alarmas de Internet para obtener información detallada sobre su funcionamiento.

Temperatura de trabaio: De -10°C a 55°C (de 14°F a 131°F)

Humedad de trabajo: De 10% a 90% (sin condensación)

I IMITED WARRANTY

Thank you for purchasing EZVIZ products. This limited warranty gives you, the priginal purchaser of the EZVIZ product, specific lenal rights. You may also have other legal rights that yary by state province or jurisdiction. The disclaimers exclusions and limitations of liability under this limited warranty will not apply to the extent prohibited by applicable law. No distributor. reseller, agent, or employee is authorized to make any medication, extension, or addition to this limited warranty.

Your EZVIZ product is warranted for a period of one (1) year from the date of purchase against defects in materials and workmanship, or such longer period as may be required by law in the country or state where this product is sold, when used normally in accordance with EZVIZ's user manual.

You can request warranty service emailing us at service@ezvizlife.com.

For any defective EZVIZ products under warranty, EZVIZ. Inc. will, at its option, fill repair or replace your product free of charge: fill exchange your product with a functional equivalent product: fiill or refund the priginal purchase price, provided you provide the orininal nurchase receint or conv. brief explanation of the defect, and return the product in its prininal packaging. At F7V/S. sole discretion, repair or replacement may be made with a new or refurbished product or components. This warranty does not cover the postal cost, insurance and any other incidental charges incurred by you in returning the product.

Except where prohibited by applicable law this is your sole and exclusive remedy for breach of this limited warranty. Any product that has either been repaired or replaced under this limited warranty will be covered by the terms of this limited warranty for the longer of ninety (90) days from the date of delivery or the remaining original warranty period.

This warranty does not apply and is void-

- If the warranty claim is made outside the warranty period or if the proof of purchase is not provided.
- For any malfunction, defect or failure caused by or resulting from the evidence of impact, mishandling, tampering, use contrary to the annicable instruction manual incorrect nower line voltage accident loss theft fire flood or other Acts of God, shinning damage or damage resulting from repairs performed by upauthorized personnel
- For any consumable parts, such as batteries, where the malfunction is due to the normal aging of the product.
 - . Cosmetic damage, including but not limited to scratches, dents and broken plastic on ports.
 - . Any software, even if packaged or sold with EZVIZ hardware.
 - For any other damages free from defects in material or workmanship.

· Routine cleaning, normal cosmetic and mechanical wear and tear. DISCLAIMER OF WARRANTIES

EXCEPT AS STATED ABOVE IN THIS LIMITED WARRANTY, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW F7V7 DISCLAIMS ALL EXPRESS, IMPLIED AND STATISTORY WARRANTIES AND CONDITIONS WITH RESPECT TO THE PRODUCT INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND EITNESS FOR A PARTICULAR PURPOSE. THE DURATION OF ANY APPLICABLE IMPLIED WARRANTIES OR CONDITIONS TO THE DURATION OF THIS LIMITED WARRANTY. THE SECURITY OF THE PRODUCT OR AVAILABILITY AND RELIABILITY OF PRODUCT INFORMATION OR DATA.

LIMITATION OF DAMAGES

IN NO EVENT WILL EZVIZ BE LIABLE FOR ANY CONSEQUENTIAL. INCIDENTAL. EXEMPLARY, OR SPECIAL DAMAGES, INCLUDING ANY DAMAGES FOR LOST DATA OR LOST PROFITS ARISING FROM OR RELATING TO THIS LIMITED WARRANTY OR THE PRODUCT AND E7VES TOTAL CLIMITATIVE LIABILITY ARISING FROM OR RELATED TO THIS LIMITED WARRANTY OR THE PRODUCT WILL NOT EXCEED THE AMOUNT ACTUALLY PAID FOR THE PRODUCT BY THE ORIGINAL PURCHASER. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES OF THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU

LIMITATION OF LIABILITY

ALL PRODUCT INFORMATION AND DATA IS PROVIDED FOR YOUR CONVENIENCE "AS IS" AND "AS AVAILABLE" F7V7 DOES NOT REPRESENT WARRANT OR GUARANTEE THAT PRODUCT INFORMATION AND DATA WILL BE

AVAILABLE, ACCURATE, OR RELIABLE OR THAT PRODUCT INFORMATION AND DATA OR USE OF THE PRODUCT WILL PROVIDE SAFFTY IN YOUR HOME YOU USE ALL PRODUCT INFORMATION, DATA, AND THE PRODUCT AT YOUR OWN DISCRETION AND RISK, YOU WILL BE SOLELY RESPONSIBLE FOR (AND EZVIZ DISCLAIMS) ANY AND ALL LOSS, LIABILITY OR DAMAGES, INCLUDING TO YOUR WIRING, FIXTURES, ELECTRICITY, HOME, PRODUCT, PRODUCT PERIPHERALS, COMPUTER, MOBILE DEVICE, AND ALL OTHER ITEMS AND PETS. RESULTING FROM YOUR USE OF THE PRODUCT INFORMATION, DATA, OR PRODUCT PRODUCT INFORMATION AND DATA PROVIDED BY EZVIZ IS NOT INTENDED AS A SUBSTITUTE FOR DIRECT MEANS OF OBTAINING THE INFORMATION FOR EXAMPLE A NOTIFICATION PROVIDED THROUGH THE PRODUCT IS NOT INTENDED AS A SURSTITUTE FOR AUDIBLE AND VISIBLE INDICATIONS IN THE HOME AND ON THE PRODUCT, NOR FOR A THIRD PARTY MONITORING SERVICE.

Please do not hesitate to contact your seller, or send e-mails to us servicel@exitalife.com, with any questions. COPYRIGHT ©2017 EZVIZ Inc. ALL RIGHTS RESERVED.

About the Documents

The documents include instructions for using and managing the product. Pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the documents is subject to change, without notice, due to firmware updates or other reasons. Please find the latest version in the website fultry/www.acvidis.com/.

Any and all information, including, among others, wordings, pictures, graphs are the properties of EZM2 fisc or its subsidiaries, fluerainthe referred to the EZM2. The documents cannot be reproduced, changed, translated, or distributed, partially or which by any means, without the prior written permission of EZM1 files of therewe subjected, EZM2 does not make any varianthe, quarantees or representations, express or implied, regarding to the documents. Trailconnects Actional Architecture 1.

EZVIZM. **** and other ENVI's trademarks and logos are the properties of ENVI in various jurisdictions. Other trademarks and logos mentioned in the documents are the properties of their respective owners.

TO THE MAXIMUM EXTINT PERMITTED BY APPLIABLE JUST THE PRODUCT DESIGNED, WITH ITS HARDWARE, SOTTWARE AND TRAMMARE, IS PROVIDED BY S. S. WITH ALL FULLS AND ERRORS, AND EXPOSED, WARRES ON WIRRANCHES, DEFINESS OR OF METER. IN JUSTICAL WARRS SON WIRRANCHES, DEFINESS OR OF METERS. THE STATE OF A PRITICIPATE OF A PRIT

CONNECTION WITH THE USE OF THIS PRODUCT, EVEN IF EVEN HAS BEEN ADVISED OF THE PUSSIBILITY OF SOUTH DAMPHOES. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAIM, IN NO EVENT SHALL EXIZ'S TOTAL LIABILITY FOR ALL DAMAGES FACEFO THE PIRICHASE PRICE THE PRODUCT

EDNZ does not undertake any liability for personal injury or properly damage, as the result of product interruption or service termination cause by: all improper installation or usage other than as requested; b) the protection of national or public interests; c) Force Majeure, d) youself or the third party, including not limitation, using any third party's products, software, applications and among others.

RÉGAROINS TO THE PRÓDUCT WITH INTERNET ACCESS, THE USE OF PRODUCT SHALL BE WHOLLY AT YOUR OWN RISKS. EXAZ SHALL NOT TAKE AW RESPONSIBILITÉS FOR ARMORMA OPERATION, PRINCEY LEAKAGE OR OTHER DAMAGES RESULTING FORM C'IBER ATTACH, HACKER ATTACK, VIEWS INSPECTION, OR OTHER INTERNET SECURITY RISKS, HOWEVER, EXAZ WILL PROVIDE TIMELY TECHNICAL SUPPORT I REQUIRED.

The purpose of the Products is to provide an adequate warning in the event of illegal encroachment in certain area; however, the proper installation of the Products will not eliminate, but only reduce, that accidents will not occur or that there will be no personal injury or properly loss as a result. You are highly recommended to raise your violators and strenothern the safety averageness in the daily life.

SURVELLANCE LAWN WARY BY JURISCIPLING PLASE CHEEK ALL REFLAND LAWN IN VIDER JURISCIPLING REPORT USAND. THE REPORTICUENT DESIGNE PLASS OF THE REPORT OF THE REPORT DESIGNE FIRST WITH SEC SCORIOSOF STORE PROPERTIES. THE PRODUCT IS ONLY FOR CAME USE, AND EAST SHALL NOT BE LURIED IN THE DENN'T HANT THIS PRODUCT IS USED WITH LILESTIMANT, SHELLY BELLING THE REPORT OF THE RESIDENCE FOR THE REPORT OF THE RESIDENCE FOR THE R

Regulatory Information

FOC Information

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation, Note: This product has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This product generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no quarantee that interference will not occur in a particular installation. If this product does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna. -Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected

-Consult the dealer or an experienced radio/TV technician for help.

Please take attention that changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment

This equipment should be installed and operated with a minimum distance 20cm between the radiator and your body. Cet équipement doit être installé et utilisé à une distance minimale de 20 cm entre le radiateur et votre corps. CAN ICES-3 (B)/NMB-3(B)

Industry Canada ICES-003 Compliance

This device meets the CAN ICES-3 (BI/NMB-3(B) standards requirements.

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions-

(1) this device may not cause interference, and

(2) this device must accept any interference, including interference that may cause undesired operation of the device. Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radioexempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

(1) l'appareil ne doit pas produire de brouillage, et

(2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

This equipment should be installed and operated with a minimum distance 20cm between the radiator and your body. Cet équipement doit être installé et utilisé à une distance minimale de 20 cm entre le radiateur et votre corps.

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum for lesser) gain approved for the transmitter by Industry Canada. To reduce notential radio interference to other users, the antenna type and its pain should be so chosen that the equivalent isotropically radiated power (e i.r.p.) is not more than that necessary for successful communication.

Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut

fonctionner avec une antenne d'un type et d'un pain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada. Dans le but de réduire les risques de brouillage radioélectrique à l'intention des autres utilisateurs, il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayonnée équivalente (p.i.r.e.) ne dépasse pas l'intensité nécessaire à l'établissement d'une communication satisfaisante.

La operación de este equipo está sujeta a las siguientes dos condiciones: (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.

FII Conformity Statement



This product and - if applicable - the supplied accessories too are marked with "CE" and comply therefore with the applicable harmonized European standards listed under the Radio Equipment Directive 2014/53/ EU. the EMC Directive 2014/30/EU. the RoHS Directive 2011/65/EU.





2012/19/EU (WEEE directive): Products marked with this symbol cannot be disposed of as unsorted municipal waste in the European Union. For proper recycling, return this product to your local supplier upon the purchase of equivalent new equipment, or dispose of it at designated collection points. For more information see: www.recyclethis.info. 2006/66/EC and is amendment 2013/66/EU (labetery directive): This product contains a battery that cannot be disposed of as unsorted municipal waste in the European Union. See the product documentation for specific battery information. The battery is marked with this symbol, which may include lettering to indicate cadmium (Cd), lead (Pb), or mercury (Hg). For proper recycling, return the battery to you supplier or to a designated collection point. For more information see: www.recyclethis info.

Safety Instruction

CAUTION: THE PRODUCT IS BUILT IN A REPLACEABLE BATTERY. RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS

Due to the product shape and dimension, the name and address of the importer/manufacturer are printed on the package.

EC DECLARATION OF CONFORMITY

Hereby, Hangzhou Hikvision Digital Technology Co., Ltd. declares that the radio equipment type is in compliance with Directive 2014/53/EU.


The full text of the EC DECLARATION OF CONFORMITY is available at the following web: http://www.ezvizlife.com/declaration-of-conformity.

For more information, please visit www.ezvizlife.com Need help? Contact us:

Phone: USA/CAN: +1-855-693-9849 MX: +52-55-8526-1060

Email: USA/CAN/MX: service@ezvizlife.com Other countries: support@ezvizlife.com

Introduction de K



Description Clianote lorsque vous appuvez sur un bouton. Appuyez sur le bouton et maintenez-le enfoncé 2 secondes pour envoyer une alarme d'urgence à la plate-forme EZVIZ. Appuvez pour passer en mode À domicile. Appuyez pour passer en mode Sommeil. Appuvez pour passer en mode Hors domicile. Appuyez pour désactiver les messages vocaux.

- convient d'utiliser la K2 coniointement au concentrateur d'alarme Internet. Pour plus de précisions sur le fonctionnement. reportez-vous au Guide de prise en main.
- Temp. de fonctionnement : -10 °C 55 °C (14 °F 131 °F)
- Humidité de fonctionnement : 10 % 90 % (sans condensation)

Introduzione al K2



Nome Descrizione

LED Lampeggia guando viene premuto un tasto.

Tenere premuto il tasto per 2 s per inviare un allarme di emergenza alla piattaforma EZVIZ.

Premere per attivare la modalità di disinserimento.

Premere per attivare la modalità di inserimento parziale.

Premere per attivare la modalità di inserimento.

Premere per disattivare le indicazioni vocali.

- K2 deve essere utilizzato in abbinamento all'Internet Alarm Hub. Fare riferimento alla Guida rapida dell'Internet Alarm Hub per istruzioni
- Temperatura di esercizio: da -10 °C a 55 °C
- Umidità di esercizio: da 10% a 90% (non condensante).

Introdução ao K2




Descrição Indicador LED Pisca quando é premido qualquer botão. ۵ Mantenha premido o botão durante 2 segundos para enviar alarme de emergência para a plataforma EZVIZ. Prima para comutar para o modo Em casa. Prima para comutar para o modo A dormir. Prima para comutar para o modo A sair de casa. Prima para desligar os comandos de voz. 0 K2 deve ser utilizado em conjunto com o hub de alarme de Internet.

Consulte o Manual de iniciação rápida do hub de alarme de Internet para obter mais informações sobre as instruções de funcionamento.

 Temperatura de funcionamento: -10°C a 55°C (14°F a 131°F) Humidade na área de funcionamento: 10% a 90% (sem condensação)

K2 tutvustus




Nimi	Kirjeldus
Valgusdioodnäidik	Vilgub mis tahes nupu vajutamisel.
	Hädaolukorra teate saatmiseks vajuta nupule ja hoia seda 2 sekundit all.
命	Vajuta kodusoleku režiimile lülitumiseks.
٤	Vajuta unerežiimi lülitumiseks.
(A)	Vajuta kodust-väljas režiimi lülitumiseks.
□ 0	Häälviipade väljalülitamiseks vajuta nupule.

- K2 tuleks kasutada koos Internet Alarm Hubiga. Üksikasjalikud kasutusiuhised leiab Internet Alarm Hubi lühiiuhendist.
- Töötemperatuur: -10-55 °C (14-131 °F)

1/* * 1.1

Tööniiskus: 10–90% (mittekondenseeruv)

Общие сведения о пульте К2




Наименование Описание

тодиодный цикатор	Этот индикатор мигает при нажатии любой кнопки.
7	Нажмите и удерживайте эту кнопку 2 секунды для отправк экстренного сигнала тревоги.
ì	Нажмите эту кнопку, чтобы включить режим «Дома».
)	Нажмите эту кнопку, чтобы включить режим «Сон».
)	Нажмите эту кнопку, чтобы включить режим «Покидание дома».
0	Нажмите эту кнопку, чтобы отключить голосовые сообщения.

- Пульт К2 должен использоваться совместно с интернет- концентратором игнализации. Для получения подробных рабочих инструкций см. «Краткое руководство пользователя», прилагаемое к интернет-концентратору сигнализации.
- Рабочая температура: от −10 до +55 °С (от −14 до +131 °F)
- Влажность в рабочем режиме: 10-90 % (без конденсации)

levadinformācija par K2 ierīci




aukums	Apraks

LED indikatore Mirgo posniožot johkuru pogu

LED	IIIUIKALOIS	Mirgo, nospieżot jedkuru pogu.
Ŷ		Nospiediet un turiet nospiestu pogu 2 sekundes, lai nosūtīt ārkārtas signālu.
	1	Nospiediet, lai ieslēgtu režīmu "Esmu mājās".
٤)	Nospiediet, lai ieslēgtu režīmu "Gulēšana".
12	1	Nospiediet, lai ieslēgtu režīmu "Dodos prom no mājām".
	D	Nospiediet, lai izslēgtu balss uzvednes.


- K2 ierīci vajadzētu izmantot kopā ar interneta signalizācijas centrāli. Detalizētus lietošanas norādījumus skatiet interneta signalizācijas centrāles ātrā starta rokasgrāmatā.
- Darba temperatūra: no -10 °C līdz 55 °C (no 14 °F līdz 131 °F)
- Darba vides mitruma līmenis: no 10 % līdz 90 % (nekondensējošs)



Šviesos diodo indikatorius	Paspaudus bet kurį mygtuką, ima mirksėti.
٥	Paspauskite ir palaikykite mygtuką 2 sek., kad

Anračac

Pavadinimas



Paspauskite, jei norite perjungti j miego režimą.

Paspauskite, jei norite jjungti išėjimo iš namų režimą. Paspauskite, kad išjungtumėte balso suflerius.

📻 🔹 K2 reikia naudoti kartu su internetinių pavojaus signalų centru. Žr. internetinių pavojaus signalų centro sparčiosios paleisties vadovą, kur

- rasite išsamiu naudojimo instrukciju. Veikimo temperatūra: Nuo -10 °C iki 55 °C (nuo 14 °F iki 131 °F)
- Veikimo drėgnumas: 10—90 % (be kondensacijos)