Humixx




为了给您带来更好的使用体验,阅读本说明书的同时也请参阅您的手机或电子产品说明书。

产品参数

感谢您购买及使用本产品!

无线充电器 (乐学版)	CDRZ21	直径 ≈90mm、厚度 ≈ 15mm	PC+ABS阻燃防火料、PU皮	5V = 2A, 9V = 1.8A	110KHz – 205KHz	(4-6)mm	≈ 1.5m	≈ 95g	兼容OK标准的苹果、三星、LG、Moto等全系列支持无线充电机型	无线充电器×1、充电线×1、说明书×1
祖等	10日 元	产品用卡	外壳材质	《	充电频率	充电感应距离	充电线长	無失	送用机型	掛無唱礼

产品概况



保修卡

-]. 格无线充电器连接电源; 2. 指示灯亮后,将手机故在题应区内即可充电。
- 注:被充电设备必须符合Qi标准才能使用。

购买日期 客户姓名: 产品名称: 地 井

联系电话:

指示灯说明

1. 接通电源、指示灯闪烁2次后进入待机状态、指示灯熄灭; 2. 充电时,指示灯常光。充满电后,指示灯熄灭; 3. 感应到金属异地时,指示灯闪烁,并开音保护功能。停止充电。

△注意事項

- 1. 请勿用力挤压或碰撞该产品。
- 请勿自行拆装分解或改造。
 请勿將产品靠近火源或投入火中,水中。

提携市郵提出子商务布展公司 提集中定岗区布当街道金运路 209 号 150-3

蓝禾集团有限公司

网址: www.torras.hk

聚集中戊烷医布古铁进金运路 209 年 150-3 中国制造 深圳市縣煜电子商务有限公司 国内热线:400-800-1368 部箱:sales@torras.hk 逻辑市郵整电子商务有限公司

(RoHS @ 🗘 💩

以上参数均来源于图拉斯实验室,实际参数会因产品或其他因素而有差异;图片仅供参4部以实物为准。

使用产品前请仔细阅读本使用说明书,并请妥善保管。

Warranty Card

Indicator light.

After the power lesseleded on the indicator will blink twice, then enter the standily mode and the

2. When the power lesseled on the indicator will be the selection opes.

2. When changing the indicator lamp is always on and when it is fall of enteringly, the indicator goes

3. When execution the metal foreign body, the indicator light billies and opers the protection function

to sape changing.

Customer Name: Phone Number: Product Name: Date of Purchase:	

The control or checks the event of partners.

— Exception the control of the cont

((RoHS @ 😩 @seriik

△ Notes

LANHE GROUP CO, LTD. The Charmer Half Vis Charmeres Co., Ltd. No. 150-3 Hao 209, Janyun Road, Buji Street, Longgang Districshenzhen, Guangdong, 518116, China Domestic tel: 400-800-1368 Web: www.torras.hk Shenzhen Hui Yu E-Commerce Co., Ltd.

Made in China

USER'S GUIDE

Humixx



Thank you for purchasing and using this product: In order to bring you a better experience, read this manual and also please or electronic product manual.

Product Specifications:	
Product Name	WIRELESS CHARGER
Model	CDRZ21
Size	Diameter = 90mm, Thickness = 15mm
Material	Flame retardant fire material, PU leather
Input Voltage	5V=2A, 9V=1.8A
Charging frequency	110KHz 205KHz
Charging distance	(4-6)mm
Length of Charging line	× LSm
Net weight	556 ×
Applicable models	The Qi standard of iPhone, Samsung, LG, Moto and other whole series will support the wireless charging models.
Product list	Wireless charger ×1, Charging line ×1, Instruction ×1

Product Profile Chapping baction distance the distance between the inner magnetic induction coll of the californess invented stayer in about (44) mm, and the cultiprone should be prevented from being start with a tacker cellphone shall.

Instructions
1. Connect the wireless charger to the power.
2. After the light is on,put your cell phone in the sensor zone.