Company Name: Hangzhou Tuya Information Technology Co.,Ltd Add: Room701,Building3,More Center,No.87 GuDun Road,Hangzhou,Zhejiang,China Tel: +86-571-86581786

Fax: +86-571-86581786 E-mail: mikeshou@tuya.com

Applicant		Hangzhou Tuya Information Technology Co.,Ltd			
FCC ID:		2ANDL-WR2E			
Section 15.212 Modular Transmitters					
Request for Modular Approval 🔲 Request for Limited Modular Approval 🗌					
Require			ts	EUT Conditions	Comply(Y/N)
Single Modular Approval Requirements					
1	The radio	elements of	the modular	Refer to external photos.	Υ
	transmitter must have their own shielding.			This module does have	
	The physical crystal and tuning capacitors			shield cover.	
	may be located external to the shielded				
	radio elements.				
2 The modular transmitter must have				All to the state of the state o	V
2				All inputs to the modules	Υ
	buffered modulation/data inputs (if such inputs are provided) to ensure that the			are buffered through logic or microprocessor inputs.	
	module wi			Refer to Schematics.	
	requirement		conditions of	Neier to schematics.	
		ta rates or over			
	checoon of all				
3	The modular transmitter must have its own power supply regulation.			The Module uses the chip W302	Υ
				HB140P1 with built-in power management components, the	
				module power is DC 3.3V.	
				Refer to schematics.	
4	The modula	ar transmitter	must comply	The modular	Υ
	with the antenna and transmission system			transmitter has a PCB	
	requirement	s of §§15.203,	15.204(b) and	antenna arrangement for	
	1		nust either be	Wi-Fi, Refer to internal	
	permanently		or employ a	photo.	
		antenna cou	•		
			nodule and the		
		ncluding the	•		
	1 -		provision of		
			to modules but		
		raph (b) of this			
	ander paragi	apri (b) or tills	Jeenoti.		
	j				

5 The modular transmitter must be The modular transmitter tested in a stand-alone configuration, is connected to the controlled board when i.e., the module must not be inside another device during testing for testing. compliance with Please refer to setup part requirements. Unless the transmitter photo. module will be battery powered, it must comply with the AC line conducted requirements found in §15.207. AC or DC power lines and data input/output lines connected to module must not contain the ferrites, unless they will be marketed with the module (see §15.27(a)). The length of these lines shall be the length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, support equipment connected to the module during testing shall be unmodified and commercially available (see §15.31(i)). 6 Refer to the label. Υ If using a permanently affixed label, the modular transmitter must be labeled with its own FCC identification number, and, if the FCC identification number is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "ContainsTransmitter Module " FCC ID: 2ANDL-WR2E"Any similarwording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included

in the application for equipment must provide authorization, or, adequate instructions along with the module which explain requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. 7 The modular transmitter must Refer to manual comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application equipment for authorization. 8 transmitter modular must The EUT comply with any applicable RF comply with any applicable RF exposure requirements exposure requirements in its final in its final configuration. configuration.

Sincerely Yours,

Signature: Xiao dong Shou

Typed or Printed Name: Xiaodong.Shou

Title: General Manager