

Universal remote control manual

Product Name: 2.4g Remote Control

Model Name:R1

Manufacture: AUSEK Limited

Specifications:

name	Specifications
type of battery	CR2032
Operating Voltage	DC1.9-3.3V
Standby current	2uA
Working current	20mA (MAX)
working frequency	2.4GHz
Operating temperature	-10℃ - +60℃
storage temperature	-20℃ - +70℃
Battery life	≥180 day
Remote control distance	10-15 M (empty without interference)

Instructions for use:

A. The transmitter has two function keys and two blue indicators.

B. Key function definition:

Take pictures

Short press to take pictures, blue light flash once;

Long press 3S, turn on / off the screen display, blue light at the same time flash once.

Video key:

Short press to start / stop recording, blue light flash once;

通用型遥控器使用说明书

规格参数：

名称	规格参数
电池类型	CR2032
工作电压	DC1.9-3.3V
待机电流	2uA
工作电流	20mA (MAX)
工作频率	2.4GHz
工作温度	-10℃ - +60℃
存储温度	-20℃ - +70℃
电池使用寿命	≥180 天
遥控距离	10-15 米（空旷无干扰）

使用说明：

A. 发射端带两个功能按键以及蓝色指示灯两颗。

B. 按键功能定义：

拍照键：

短按拍照，蓝色指示灯闪一次；

长按 3S，开启/关闭屏幕显示，蓝色指示灯同时闪一次。

录像键：

短按开始/停止录像，蓝色指示灯闪一次；

FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.