

Description	Antenna Φ5*	310MM 5 section	Time	2004/8/24
Material	Copper ch	rome-plating	Unit	mm
NO.	Criterion			
1	TOTAL LENGTH 310+-5			
2	LENGTH 73+-1			
3	DIA. ()5.2+0.02-0.1			
		-	3	



Description	Antenna Φ5*	310MM 5 section	Time	2004/8/24
Material	Copper ch	rome-plating	Unit	mm
NO.	Criterion			
1	TOTAL LENGTH 310+-5			
2	LENGTH 73+-1			
3	DIA. ()5.2+0.02-0.1			
		-	3	



Description	Arc ar	ntenna Ø2*194.3MM	Time	2004/8/24
Material	Nick	cel-plate steel wire	Unit	mm
NO.	Criterion			
1	OUT DIA.()86+-1			1
2	DIA.()2+-0.03			
3	1.2+-0.05			
4	2+-0.2		-3	
5	3+-0.1			
			<u></u>	



Description	Arc ar	ntenna Ø2*194.3MM	Time	2004/8/24
Material	Nick	cel-plate steel wire	Unit	mm
NO.	Criterion			
1	OUT DIA.()86+-1			1
2	DIA.()2+-0.03			
3	1.2+-0.05			
4	2+-0.2		-3	
5	3+-0.1			
			<u></u>	

型号		增益	0 dBi	
Model		Gain		
Гуре :	monopole			
频率范围		极化方式	垂直	
Frequency		Polarization	Vertical	
Range				
带寬		耐功率	25 W	
Band		Maximum		
Width		Input Power		
阻抗	50 OHM	避雷保护	直流接地	
Impedance		Lighting	Direct	
er 12		Protection	Ground	
驻波比		接头型式		
VSWR		Connector		