



APPENDIX F CONDUCTED OUTPUT POWER

CONTINUE ON NEXT PAGE





Test Mode	UNII-1_	IEEE 802.11a	_ANT 1
-----------	---------	--------------	--------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	16.49	0.0446	30.00	1.0000	Complies
5200	16.81	0.0480	30.00	1.0000	Complies
5240	17.37	0.0546	30.00	1.0000	Complies

Test Mode UNII-1_IEEE 802.11a_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	15.18	0.0330	30.00	1.0000	Complies
5200	15.90	0.0389	30.00	1.0000	Complies
5240	16.53	0.0450	30.00	1.0000	Complies

Test Mode UNII-1_IEEE 802.11a_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	18.89	0.0775	30.00	1.0000	Complies
5200	19.39	0.0869	30.00	1.0000	Complies
5240	19.98	0.0996	30.00	1.0000	Complies





Test Mode	UNII-1_IEEE 802.11n ((HT20)_ANT 1
-----------	-----------------------	--------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	15.94	0.0393	30.00	1.0000	Complies
5200	16.53	0.0450	30.00	1.0000	Complies
5240	17.10	0.0513	30.00	1.0000	Complies

Test Mode UNII-1_IEEE 802.11n (HT20)_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	14.98	0.0315	30.00	1.0000	Complies
5200	15.67	0.0369	30.00	1.0000	Complies
5240	16.16	0.0413	30.00	1.0000	Complies

Test Mode UNII-1_IEEE 802.11n (HT20)_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	18.50	0.0707	30.00	1.0000	Complies
5200	19.13	0.0819	30.00	1.0000	Complies
5240	19.67	0.0926	30.00	1.0000	Complies





Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	16.15	0.0412	30.00	1.0000	Complies
5200	16.71	0.0469	30.00	1.0000	Complies
5240	17.13	0.0516	30.00	1.0000	Complies

Test Mode UNII-1_IEEE 802.11ac (HT20)_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	15.15	0.0327	30.00	1.0000	Complies
5200	15.73	0.0374	30.00	1.0000	Complies
5240	16.33	0.0430	30.00	1.0000	Complies

Test Mode UNII-1_IEEE 802.11ac (HT20)_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	18.69	0.0739	30.00	1.0000	Complies
5200	19.26	0.0843	30.00	1.0000	Complies
5240	19.76	0.0946	30.00	1.0000	Complies

Report No.: BTL-FCCP-2-1809T061

Page 133 of 158 Report Version: R01





Test Mode	UNII-1	_IEEE	802.1	1n (ł	HT40)_	_ANT 1
-----------	--------	-------	-------	-------	--------	--------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	14.08	0.0256	30.00	1.0000	Complies
5230	17.96	0.0625	30.00	1.0000	Complies

Test Mode UNII-1_IEEE 802.11n (HT40)_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	12.79	0.0190	30.00	1.0000	Complies
5230	17.17	0.0521	30.00	1.0000	Complies

Test Mode UNII-1_IEEE 802.11n (HT40)_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.49	0.0446	30.00	1.0000	Complies
5230	20.59	0.1146	30.00	1.0000	Complies

Report No.: BTL-FCCP-2-1809T061

Page 134 of 158 Report Version: R01





Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	13.98	0.0250	30.00	1.0000	Complies
5230	18.03	0.0635	30.00	1.0000	Complies

Test Mode UNII-1_IEEE 802.11ac (HT40)_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	12.99	0.0199	30.00	1.0000	Complies
5230	17.13	0.0516	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.52	0.0449	30.00	1.0000	Complies
5230	20.61	0.1152	30.00	1.0000	Complies

Report No.: BTL-FCCP-2-1809T061

Page 135 of 158 Report Version: R01





Test Mode	UNII-1_IEEE 802.11ac (VHT80)_ANT 1	
Frequency	Conducted Power Conducted Power Max Limit Max Limit _	

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	11.85	0.0153	30.00	1.0000	Complies

	Test Mode	UNII-1_IEEE 802.11ac (VHT80)_ANT 2
Ш	-	

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	10.75	0.0119	30.00	1.0000	Complies

Test Mode	UNII-1 IEEE 802.11ac (VHT80) Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	14.35	0.0272	30.00	1.0000	Complies

Report No.: BTL-FCCP-2-1809T061

Page 136 of 158 Report Version: R01





Test Mode	UNII-3_IEEE 802.11a_ANT 1
-----------	---------------------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	14.23	0.0265	30.00	1.0000	Complies
5785	15.07	0.0321	30.00	1.0000	Complies
5825	13.64	0.0231	30.00	1.0000	Complies

Test Mode UNII-3_IEEE 802.11a_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	14.48	0.0281	30.00	1.0000	Complies
5785	15.17	0.0329	30.00	1.0000	Complies
5825	13.97	0.0249	30.00	1.0000	Complies

Test Mode UNII-3_IEEE 802.11a_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	17.37	0.0545	30.00	1.0000	Complies
5785	18.13	0.0650	30.00	1.0000	Complies
5825	16.82	0.0481	30.00	1.0000	Complies

Report No.: BTL-FCCP-2-1809T061

Page 137 of 158 Report Version: R01





Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	14.14	0.0259	30.00	1.0000	Complies
5785	15.07	0.0321	30.00	1.0000	Complies
5825	13.65	0.0232	30.00	1.0000	Complies

Test Mode UNII-3_IEEE 802.11n (HT20)_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	14.26	0.0267	30.00	1.0000	Complies
5785	15.01	0.0317	30.00	1.0000	Complies
5825	13.88	0.0244	30.00	1.0000	Complies

Test Mode UNII-3_IEEE 802.11n (HT20)_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	17.21	0.0526	30.00	1.0000	Complies
5785	18.05	0.0638	30.00	1.0000	Complies
5825	16.78	0.0476	30.00	1.0000	Complies

Report No.: BTL-FCCP-2-1809T061

Page 138 of 158 Report Version: R01





Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	14.34	0.0272	30.00	1.0000	Complies
5785	15.18	0.0330	30.00	1.0000	Complies
5825	13.75	0.0237	30.00	1.0000	Complies

Test Mode UNII-3_IEEE 802.11ac (HT20)_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	14.52	0.0283	30.00	1.0000	Complies
5785	15.14	0.0327	30.00	1.0000	Complies
5825	14.04	0.0254	30.00	1.0000	Complies

Test Mode UNII-3_IEEE 802.11ac (HT20)_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	17.44	0.0555	30.00	1.0000	Complies
5785	18.17	0.0656	30.00	1.0000	Complies
5825	16.91	0.0491	30.00	1.0000	Complies

Report No.: BTL-FCCP-2-1809T061

Page 139 of 158 Report Version: R01





Test Mode	UNII-3_IEEE 802.11n	(HT40)_ANT 1
-----------	---------------------	--------------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	15.54	0.0358	30.00	1.0000	Complies
5795	15.30	0.0339	30.00	1.0000	Complies

Test Mode UNII-3_IEEE 802.11n (HT40)_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	16.04	0.0402	30.00	1.0000	Complies
5795	15.38	0.0345	30.00	1.0000	Complies

Test Mode UNII-3_IEEE 802.11n (HT40)_Total

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	18.81	0.0760	30.00	1.0000	Complies
5795	18.35	0.0684	30.00	1.0000	Complies

Report No.: BTL-FCCP-2-1809T061

Page 140 of 158 Report Version: R01





Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	15.94	0.0393	30.00	1.0000	Complies
5795	15.33	0.0341	30.00	1.0000	Complies

Test Mode UNII-3_IEEE 802.11ac (HT40)_ANT 2

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	16.13	0.0410	30.00	1.0000	Complies
5795	15.40	0.0347	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	19.05	0.0803	30.00	1.0000	Complies
5795	18.38	0.0688	30.00	1.0000	Complies

Report No.: BTL-FCCP-2-1809T061

Page 141 of 158 Report Version: R01



5775

15.36



Complies

Test Mode	t Mode UNII-3_IEEE 802.11ac (VHT80)_ANT 1					
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result	
5775	15.32	0.0340	30.00	1.0000	Complies	
Test Mode	UNII-3_IEEE 802.1	l1ac (VHT80)_ANT	2			
Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result	

Test Mode	UNII-3_IEEE 802.11ac (VHT80)_Total

30.00

1.0000

0.0344

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5775	18.35	0.0684	30.00	1.0000	Complies

Report No.: BTL-FCCP-2-1809T061

Page 142 of 158 Report Version: R01





APPENDIX G POWER SPECTRAL DENSITY

CONTINUE ON NEXT PAGE

Report No.: BTL-FCCP-2-1809T061 Page 143 of 158






Test Mode UNII-1_IEEE 802.11a_ANT 1

Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)	Result
5180	5.69	0.27	5.96	16.99	Complies
5200	5.82	0.27	6.09	16.99	Complies
5240	6.44	0.27	6.71	16.99	Complies



Test Mode UNII-1_IEEE 802.11a_ANT 2

Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)	Result
5180	4.65	0.27	4.92	16.99	Complies
5200	5.27	0.27	5.54	16.99	Complies
5240	5.85	0.27	6.12	16.99	Complies



Report No.: BTL-FCCP-2-1809T061

Page 144 of 158 Report Version: R01





Test Mode	UNII-1_IEEE 802.11a_Total

Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)	Result
5180	8.48	16.99	Complies
5200	8.83	16.99	Complies
5240	9.43	16.99	Complies

Report No.: BTL-FCCP-2-1809T061


Page 145 of 158 Report Version: R01






Test Mode UNII-1_IEEE 802.11ac (HT20)_ANT 1

Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)	Result
5180	5.26	0.20	5.46	16.99	Complies
5200	5.49	0.20	5.69	16.99	Complies
5240	5.91	0.20	6.11	16.99	Complies



Test Mode UNII-1_IEEE 802.11ac (HT20)_ANT 2

Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)	Result
5180	3.95	0.20	4.15	16.99	Complies
5200	4.24	0.20	4.44	16.99	Complies
5240	5.19	0.20	5.39	16.99	Complies



Report No.: BTL-FCCP-2-1809T061

Page 146 of 158 Report Version: R01





Test Mode UNII-1_IEEE 802.11ac (HT20)_Total

Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)	Result
5180	7.86	16.99	Complies
5200	8.12	16.99	Complies
5240	8.78	16.99	Complies

Report No.: BTL-FCCP-2-1809T061


Page 147 of 158 Report Version: R01





Test Mode	UNII-1	_IEEE 802.11ac	(HT40)_	_ANT 1
-----------	--------	----------------	---------	--------

Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/MHz)	Max. Limit (dBm)	Result
5190	-1.04	0.54	-0.50	16.99	Complies
5230	3.24	0.54	3.78	16.99	Complies



Test Mode UNII-1_IEEE 802.11ac (HT40)_ANT 2

Frequency	Power Density (dBm/MHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/MHz)	Max. Limit (dBm)	Result
5190	-1.76	0.54	-1.22	16.99	Complies
5230	2.74	0.54	3.28	16.99	Complies



Test Mode UNII-1_IEEE 802.11ac (HT40)_Total	
---	--


Frequency	Power Density + Duty Factor (dBm/MHz)	Max. Limit (dBm)	Result
5190	2.17	16.99	Complies
5230	6.55	16.99	Complies






Test Mode UNII-1_IEEE 802.11ac (VHT80)_ANT 1

Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)	Result
5210	-5.90	1.22	-4.68	16.99	Complies



Test Mode UNII-1_IEEE 802.11ac (VHT80)_ANT 2

Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)	Result
5210	-6.78	1.22	-5.56	16.99	Complies



Test Mode UNII-1_IEEE 802.11ac (HT40)_Total

Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)	Result
5210	-2.09	16.99	Complies

Report No.: BTL-FCCP-2-1809T061

Page 149 of 158 Report Version: R01





Test Mode	UNII-3	IEEE	802.11a	ANT	1
100t Wiodo	011110_		002.11u_	_/ \ •	

Frequency	Power Density (dBm/500 kHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5745	0.40	0.27	0.67	29.99	Complies
5785	0.78	0.27	1.05	29.99	Complies
5825	-0.46	0.27	-0.19	29.99	Complies



Test Mode UNII-3_IEEE 802.11a_ANT 2

Frequency	Power Density (dBm/500 kHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5745	0.74	0.27	1.01	29.99	Complies
5785	1.16	0.27	1.43	29.99	Complies
5825	0.03	0.27	0.30	29.99	Complies







Test Mode	UNII-3_IEEE 802.11a_Total
TIEST MORE	IUIVII-3 IEEE OUZ.IIA IUIAI

Frequency	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5745	3.85	29.99	Complies
5785	4.25	29.99	Complies
5825	3.07	29.99	Complies


Report No.: BTL-FCCP-2-1809T061

Page 151 of 158 Report Version: R01






Frequency	Power Density (dBm/500 kHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5745	-0.01	0.20	0.19	29.99	Complies
5785	0.57	0.20	0.77	29.99	Complies
5825	-0.76	0.20	-0.56	29.99	Complies



Test Mode UNII-3_IEEE 802.11a_ANT 2

Frequency	Power Density (dBm/500 kHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5745	0.50	0.20	0.70	29.99	Complies
5785	1.01	0.20	1.21	29.99	Complies
5825	-0.39	0.20	-0.19	29.99	Complies



Report No.: BTL-FCCP-2-1809T061

Page 152 of 158 Report Version: R01





T (NA) -	LINIU 0. IEEE 000 44 - T-1-1
Test Mode	UNII-3 IEEE 802.11a Total
	1 = =

Frequency	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5745	3.46	29.99	Complies
5785	4.01	29.99	Complies
5825	2.64	29.99	Complies

Report No.: BTL-FCCP-2-1809T061

Page 153 of 158 Report Version: R01






Frequency	Power Density (dBm/500 kHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5755	-2.22	0.54	-1.68	29.99	Complies
5795	-2.69	0.54	-2.15	29.99	Complies



Test Mode UNII-3_IEEE 802.11ac (HT40)_ANT 2

Frequency	Power Density (dBm/500 kHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5755	-1.47	0.54	-0.93	29.99	Complies
5795	-2.36	0.54	-1.82	29.99	Complies



ı		
	Test Mode	UNII-3_IEEE 802.11ac (HT40)_Total
1	HEST MORE	UNII-3 IEEE 002.11aC (11140) TOTAL

Frequency	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5755	1.73	29.99	Complies
5795	1.03	29.99	Complies

Report No.: BTL-FCCP-2-1809T061


Page 154 of 158 Report Version: R01






Test Mode	UNII-3_IEEE 802.11ac (VHT80)	_ANT 1
-----------	------------------------------	--------

Frequency	Power Density (dBm/500 kHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5775	-6.04	1.22	-4.82	29.99	Complies



Test Mode UNII-3_IEEE 802.11ac (VHT80)_ANT 2

Frequency	Power Density (dBm/500 kHz)	Duty Factor (dB)	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5775	-5.16	1.22	-3.94	29.99	Complies



Test Mode UNII-3_IEEE 802.11ac (VHT80)_Total

Frequency	Power Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm)	Result
5775	-1.35	29.99	Complies





APPENDIX H FREQUENCY STABILITY

CONTINUE ON NEXT PAGE





Test Mode UNII-1

Voltage vs. Frequency Stability

Operating Frequency	5180
Voltage	Measurement Frequency
(V)	(MHz)
132	5179.9750
120	5179.9799
108	5179.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.8263

Temperature vs. Frequency Stability

Operating Frequency	5180
Temperature	Measurement Frequency
(°C)	(MHz)
0	5179.9799
10	5179.9950
20	5179.9599
30	5179.9799
40	5179.9799
45	5179.9599
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.7461





Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Operating Frequency	5745
Voltage	Measurement Frequency
(V)	(MHz)
132	5744.9750
120	5744.9750
108	5744.9599
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	6.9822

Temperature vs. Frequency Stability

Operating Frequency	5745
Temperature	Measurement Frequency
(°C)	(MHz)
0	5744.9750
10	5744.9599
20	5744.9902
30	5744.9750
40	5744.9599
45	5744.9599
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	6.9843

End of Test Report

Report No.: BTL-FCCP-2-1809T061 Page 158 of 158 Report Version: R01