


**Inside View**




**Board I Front**







**Board I Rear**



**Board II Front**



**Board II Rear**





### LCD Panel Rear




## 6.4 Data sheet of Conducted Emission

*Standard Engineering Co., Ltd.*  
*Conducted Emission Measurement*

EUT: DS174  
Manufacturer: DAYSYSTEM CO., LTD.  
Operating Condition: Normal  
Test Site: Shield Room  
Operator: SSSEO  
Test Specification: Conducted Emission Fcc Part 15 Subpart B / Class B  
Comment: D-Sub Mode / Phase N

### SCAN TABLE: "ZFCCCEA"

Start Frequency	Stop Frequency	Step Width	Detector	Meas. Time	IF Bandw.	Transducer
150.0 kHz	30.0 MHz	5.0 kHz	MaxPeak Average	1.0 ms	9 kHz	ESH3-Z2






**Standard Engineering Co., Ltd.**  
**Conducted Emission Measurement**

EUT: DS174  
Manufacturer: DAYSYSTEM CO., LTD.  
Operating Condition: Normal  
Test Site: Shield Room  
Operator: SSSEO  
Test Specification: Conducted Emission Fcc Part 15 Subpart B / Class B  
Comment: D-Sub Mode / Phase L

**SCAN TABLE: "ZFCCCEA"**

Start Frequency	Stop Frequency	Step Width	Detector	Meas. Time	IF Bandw.	Transducer
150.0 kHz	30.0 MHz	5.0 kHz	MaxPeak Average	1.0 ms	9 kHz	ESH3-Z2






**Standard Engineering Co., Ltd.**  
**Conducted Emission Measurement**

EUT: DS174  
 Manufacturer: DAYSYSTEM CO., LTD.  
 Operating Condition: Normal  
 Test Site: Shield Room  
 Operator: SSSEO  
 Test Specification: Conducted Emission Fcc Part 15 Subpart B / Class B  
 Comment: DVI Mode / Phase N

**SCAN TABLE: "ZFCCCEA"**

Start Frequency	Stop Frequency	Step Width	Detector	Meas. Time	IF Bandw.	Transducer
150.0 kHz	30.0 MHz	5.0 kHz	MaxPeak Average	1.0 ms	9 kHz	ESH3-Z2




**Standard Engineering Co., Ltd.**  
**Conducted Emission Measurement**

EUT: DS174  
 Manufacturer: DAYSYSTEM CO., LTD.  
 Operating Condition: Normal  
 Test Site: Shield Room  
 Operator: SSSEO  
 Test Specification: Conducted Emission Fcc Part 15 Subpart B / Class B  
 Comment: DVI Mode / Phase L

**SCAN TABLE: "ZFCCCEA"**

Start Frequency	Stop Frequency	Step Width	Detector	Meas. Time	IF Bandw.	Transducer
150.0 kHz	30.0 MHz	5.0 kHz	MaxPeak Average	1.0 ms	9 kHz	ESH3-Z2





## **6.5 Block Diagram/Circuit**

**Attached**

---

## **6.6 User's Manual**

**Attached**

