




Horizontal/Vertical for 1 GHz ~ 6.5 GHz**Horizontal/Vertical for 6.5 GHz ~ 18 GHz****Horizontal/Vertical for 18 GHz ~ 40 GHz**

KCTL Inc.




65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR19-SRF0192-B

Page (72) of (112)

**Middle Channel (5 200 MHz)**

Frequency (MHz)	Pol.	Reading (dB(μV))	Ant. Factor (dB)	Amp.+Cable (dB)	DCCF	Result (dB(μV/m))	Limit (dB(μV/m))	Margin (dB)
Peak data								
2 871.20 ¹⁾	H	66.07	32.69	-48.08	-	50.68	74.00	23.32
10 403.17	H	60.87	37.34	-48.63	-	49.58	68.20	18.62
Average Data								
No spurious emissions were detected within 20 dB of the limit								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz**Horizontal/Vertical for 6.5 GHz ~ 18 GHz****Horizontal/Vertical for 18 GHz ~ 40 GHz**

KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr




Report No.:
KR19-SRF0192-B

Page (74) of (112)

**Highest Channel (5 240 MHz)**


Frequency (MHz)	Pol.	Reading (dB(μ V))	Ant. Factor (dB)	Amp.+Cable (dB)	DCCF	Result (dB(μ V/m))	Limit (dB(μ V/m))	Margin (dB)
Peak data								
2 439.11	V	66.77	32.05	-48.49	-	50.33	68.20	17.87
10 481.52	H	56.75	37.39	-48.18	-	45.96	68.20	22.24
Average Data								
No spurious emissions were detected within 20 dB of the limit.								






Horizontal/Vertical for 1 GHz ~ 6.5 GHz**Horizontal/Vertical for 6.5 GHz ~ 18 GHz****Horizontal/Vertical for 18 GHz ~ 40 GHz**

802.11ac VHT40 UNII-1**Lowest Channel (5 190 MHz)**

Frequency (MHz)	Pol. (V/H)	Reading (dB(μ V))	Ant. Factor (dB)	Amp.+Cable (dB)	DCCF (dB)	Result (dB(μ V/m))	Limit (dB(μ V/m))	Margin (dB)
Peak data								
2 686.09	H	66.16	32.40	-47.89	-	50.67	68.20	17.53
5 116.75 ¹⁾	V	40.61	34.04	-26.90	-	47.75	74.00	26.25
10 381.97	H	60.46	37.33	-48.75	-	49.04	68.20	19.16
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge

Horizontal/Vertical for 1 GHz ~ 6.5 GHz**Horizontal/Vertical for 6.5 GHz ~ 18 GHz****Horizontal/Vertical for 18 GHz ~ 40 GHz**

KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr




Report No.:
KR19-SRF0192-B

Page (78) of (112)

**Highest Channel (5 230 MHz)**


Frequency (MHz)	Pol.	Reading (dB(μ V))	Ant. Factor (dB)	Amp.+Cable (dB)	DCCF	Result (dB(μ V/m))	Limit (dB(μ V/m))	Margin (dB)
Peak data								
3 433.23	H	66.72	32.64	-46.65	-	52.71	68.20	15.49
10 457.80	H	56.23	37.37	-48.32	-	45.28	68.20	22.92
Average Data								
No spurious emissions were detected within 20 dB of the limit.								






Horizontal/Vertical for 1 GHz ~ 6.5 GHz**Horizontal/Vertical for 6.5 GHz ~ 18 GHz****Horizontal/Vertical for 18 GHz ~ 40 GHz**

802.11ac VHT80 UNII-1**Lowest Channel (5 210 MHz)**


Frequency	Pol.	Reading	Ant. Factor	Amp.+Cable	DCCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 682.83	H	66.74	32.39	-47.91	-	51.22	68.20	16.98
5 121.70 ¹⁾	H	41.66	34.19	-26.93	-	48.92	74.00	25.08
10 420.78	V	59.13	37.35	-48.53	-	47.95	68.20	20.25
Average Data								
5 121.70 ¹⁾	H	30.44	34.19	-26.93	0.86	38.56	54.00	15.44






Horizontal/Vertical for 1 GHz ~ 6.5 GHz**Horizontal/Vertical for 6.5 GHz ~ 18 GHz****Horizontal/Vertical for 18 GHz ~ 40 GHz**

802.11a UNII-3**Lowest Channel (5 745 MHz)**

Frequency	Pol.	Reading	Ant. Factor	Amp.+Cable	DCCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
3 370.33	H	65.05	32.68	-46.57	-	51.16	68.20	17.04
5 721.41	V	41.91	34.77	-25.87	-	50.81	114.01	63.20
11 490.64 ¹⁾	V	56.39	38.19	-48.18	-	46.40	74.00	27.60
17 236.33	H	65.00	41.79	-46.64	-	60.15	68.20	8.05
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for Band-edge

Horizontal/Vertical for 1 GHz ~ 6.5 GHz**Horizontal/Vertical for 6.5 GHz ~ 18 GHz****Horizontal/Vertical for 18 GHz ~ 40 GHz**

KCTL Inc.

65, Sinwon-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16677, Korea
TEL: 82-31-285-0894 FAX: 82-505-299-8311
www.kctl.co.kr

Report No.:
KR19-SRF0192-B

Page (84) of (112)

**Middle Channel (5 785 MHz)**

Frequency (MHz)	Pol.	Reading (dB(μV))	Ant. Factor (dB)	Amp.+Cable (dB)	DCCF	Result (dB(μV/m))	Limit (dB(μV/m))	Margin (dB)
Peak data								
3 550.63	V	66.01	32.61	-46.89	-	51.73	68.20	16.47
11 570.42 ¹⁾	V	55.28	38.28	-48.41	-	45.15	74.00	28.85
17 361.03	V	63.96	41.84	-46.94	-	58.86	68.20	9.34
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

