




TEST PLOTS



Conducted Spurious CDMA Ch. 1013




Conducted Spurious CDMA Ch. 0384




Conducted Spurious CDMA Ch. 0777




Power Out. CDMA Ch. 1013




Power Out. CDMA Ch. 0777




Power Out. CDMA Ch. 0384




Channel Power. CDMA Ch. 0384




Occupied Bandwidth. CDMA Ch. 0384




Band Edge. CDMA Ch. 1013





Band Edge. CDMA Ch. 0777



FCC ID: TRZACT-800
Manufacturer: ANNCOM Co., LTD
Channel: 869.0 ~ 894.0 MHz
Test Mode: CDMA Receiving Band





***** DIGITAL EMC *****
 <<CONDUCTED EMISSION>>

18 October,2005 23:03
 ACT-800.dat

Standard : FCC PART.15
 Manufacturer : ANNCOM
 Model : ACT-800
 Operator : W.J.LEE
 AC Power : 120V 60Hz
 Temp,Humidity : 20 62
 Remark1 : Adaptor: WPA-12W
 Remark2 :
 Remark3 :
 :

 Final Result

--- N Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.195	48.9	35.4	1.2	50.1	36.6	63.8	53.8	13.7	17.2	
2	0.652	43.1	41.9	0.3	43.4	42.2	56.0	46.0	12.6	3.8	
3	18.256	47.5	42.4	0.7	48.2	43.1	60.0	50.0	11.8	6.9	
4	29.848	48.2	40.2	1.1	49.3	41.3	60.0	50.0	10.7	8.7	

--- L1 Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.196	49.6	36.8	1.1	50.7	37.9	63.8	53.8	13.1	15.9	
2	0.652	44.1	43.1	0.3	44.4	43.4	56.0	46.0	11.6	2.6	
3	18.367	46.6	45.7	0.7	47.3	46.4	60.0	50.0	12.7	3.6	
4	29.661	49.4	41.8	1.2	50.6	43.0	60.0	50.0	9.4	7.0	