Modular Approval Request Letter

Date: Jan. 9, 2006

Dear Sir,

There's an 802.11b/g Mini PCI WLAN Card that would like to have your authorization as a modular approval.

The specific product as below, 802.11b/g Mini PCI WLAN Card, with its designed features and specified description, meets special requirements for full modular approval on FCC Public Notice DA 00-1407 by cross-reference list below.

Company	: Sertek Incorporated
Model Name	: 802.11b/g Mini PCI WLAN Card
Model Number	: WCM300C
FCC ID	: TV5WCM300C

1. The modular transmitter must have its own RF shielding. 2. The modular transmitter must have buffered modulation/data inputs. 3. The modular transmitter must have its own power supply regulation. 4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c). 5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. 6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must have its own power supply regulation. The modular transmitter must be labeled with its own the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any secific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		
2. The modular transmitter must have buffered modulation/data inputs. 3. The modular transmitter must have its own power supply regulation. 4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c). 5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. 6. The modular transmitter must be labeled with its own the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental	Requirement of Public Notice DA00-1407	Reference to WCM300C
2. The modular transmitter must have buffered modulation/data inputs. 3. The modular transmitter must have its own power supply regulation. 4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c). 5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. 6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		The module has its own RF shielding. Please see
in chip ISL3686BIRZ. Please see diagram.pdf 3. The modular transmitter must have its own power supply regulation. 4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c). 5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. 6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and millimeter wave devices perform routine environmental		
All power lines derived from the host device are regulated before energizing other circuits internal to the WCM300C. Please see circuit.pdf The WCM300C Please see circuit.pdf The WCM300C Please see circuit.pdf The WCM300C meets the FCC antenna requirements of Section 15.203 and 15.204(c). The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed must also display a label referring to the enclosed module. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. The wCM300C was tested in a stand-alone configuration via a PCMCIA extender. Please see conducted set-up photo.pdf The WCM300C is clearly indicated. Please see the label.pdf The wCM300C was tested in a stand-alone configuration via a PCMCIA extender. Please see the label.pdf The wCM300C is clearly indicated. Please see the label.pdf The wCM300C is compliant with all applicable effoct rules. Detail instructions are given in the Users Manual. Please see Installation guide.pdf The wCM300C comply with applicable effoct rules. Detail instructions are given in the Users Manual. Please see the label.pdf The wCM300C comply with applicable effoct rules. Detail instructions are given in the Users Manual. Please see RF safety evaluation. pdf	2. The modular transmitter must have buffered	The modular has buffered data inputs, it is integrated
4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c). 5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. 6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and including including 15.319(i), 15.407(f), 15.253(f) and millimeter wave devices perform routine environmental	modulation/data inputs.	in chip ISL3686BIRZ. Please see diagram.pdf
the WCM300C. Please see circuit.pdf 4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c). 5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. 6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental	3. The modular transmitter must have its own power	
4. The modular transmitter must comply with the antenna requirements of Section 15.203 and 15.204(c). 5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. 6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental	supply regulation.	regulated before energizing other circuits internal to
requirements of Section 15.203 and 15.204(c). 5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be included in the application for equipment authorization. 8. The modular transmitter must comply with any specific requirements. A copy of these instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and millimeter wave devices perform routine environmental		the WCM300C. Please see circuit.pdf
external photo.pdf 5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. 6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental	4. The modular transmitter must comply with the antenna	The WCM300C meets the FCC antenna
5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. 6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and millimeter wave devices perform routine environmental	requirements of Section 15.203 and 15.204(c).	requirements. It has a unique connector. Please see
configuration via a PCMCIA extender. Please see conducted set-up photo.pdf 6. The modular transmitter must be labeled with its own the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		
conducted set-up photo.pdf and spurious set-up photo.pdf 6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental	5. The modular transmitter must be tested in a	The WCM300C was tested in a stand-alone
photo.pdf 6. The modular transmitter must be labeled with its own the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental	stand-alone configuration, i.e., the module must not be	configuration via a PCMCIA extender. Please see
6. The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental	inside another device during testing.	conducted set-up photo.pdf and spurious set-up
Please see the label.pdf Please see the lab		
the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		
outside of the device into which the module is installed must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		Please see the label.pdf
must also display a label referring to the enclosed module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental	the module is installed inside another device, then the	
module. 7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental	outside of the device into which the module is installed	
7. The modular transmitter must comply with any specific rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules Detail instructions are given in the Users Manual. Please see Installation guide.pdf The WCM300C is compliant with all applicable FCC rules. Detail instructions are given in the Users Manual. Please see Installation guide.pdf The WCM300C comply with applicable RF exposure requirements. Please see RF safety evaluation. pdf The WCM300C is compliant with all applicable FCC rules. Detail instructions are given in the Users Manual. Please see Installation guide.pdf The WCM300C comply with applicable RF exposure requirements. Please see RF safety evaluation. pdf		
rule or operating requirements applicable to the transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental	module.	
transmitter and the manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		
instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		
requirements. A copy of these instructions must be included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		Manual. Please see Installation guide.pdf
included in the application for equipment authorization. 8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		
8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		
applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		
Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		
Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		
15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental		evaluation. pdf
millimeter wave devices perform routine environmental		
avaluation for DE Exposure to demonstrate compliance		
	evaluation for RF Exposure to demonstrate compliance.	
	In addition, spread spectrum transmitters operating under	
	Section 15.247 are required to address RF Exposure	
	compliance in accordance with Section 15.247(b)(4).	

Yours sincerely,

Kevin Chen Sr. Engineer

Intertek Testing Service Taiwan Ltd.