



Title		
Outsite Networks - Wireless Printer RFID, Audio, Keypad, LEDs		
Size	Number	Revision
B		D
Date:	1/18/2011	Sheet of
File:	C:\Work\RFIDReader.SchDoc	Drawn By:

Check EXAR rs232 parts






Printer Interface Port





Use AMP Part# 1658615-2 DB25->Flat ribbon


Printer Sniffer Module Port 1 & 2




POS Loyalty Port




Serial Modem




Card Reader Header




USB Type B (Device Port) Rear Panel




USB Type A (Host Port) Rear Panel




USB Type A (Host Port) Internal



Title		
Outsite Networks - Wireless Printer Serial Ports		
Size	Number	Revision
B		D
Date:	1/18/2011	Sheet of
File:	C:\Work\SerialInterfaces.SchDoc	Drawn By:



Title		
Outsite Networks - Wireless Printer RFTransceiver		
Size	Number	Revision
B		D
Date:	1/18/2011	Sheet of
File:	C:\Work\RFTransceiver.SchDoc	Drawn By:



Disable pull-ups (in ARM) on ETH_* signals before resetting PHY

Title		
Outsite Networks - Wireless Printer Ethernet		
Size	Number	Revision
B		D
Date:	1/18/2011	Sheet of
File:	C:\Work\Ethernet.SchDoc	Drawn By: