

## Engineering Solutions & Electromagnetic Compatibility Services

### FCC Part 15.231 Test Data

EUT: 319.5 MHz Smoke Detector 56-0062-01 Rev B01

for

Resolution Engineering, Inc. 226 Locust Street, Suite 4 Hudson, WI 54016 Contact: Josh Gathje

Testing Conducted By Rhein Tech Laboratories, Inc. 360 Herndon Parkway, Suite 1400 Herndon, VA 20170

RTL Test Engineer: Jon Wilson

RTL Project/Report Number: 2013171

August 27, 2013

This report may not be reproduced, except in full, without the full written approval of Rhein Tech Laboratories, Inc. and Resolution Engineering. Test results relate only to the item tested.

These tests are accredited and meet the requirements of ISO/IEC 17025 as verified by ANSI-ASQ National Accreditation Board/ACLASS. Refer to certificate and scope of accreditation AT-1445.

Client: Resolution Engineering EUT: 319.5 MHz Smoke Detector Standards: FCC Parts 2, 15 Report #: 2013171

## **Testing Represented in Report**

The data and limits presented in this report are for radiated emissions per 15.231(b)(2) which references 15.35(b), and peak limiting for restricted bands per 15.209(e), which again references 15.35(b)(2), as procured by Resolution Engineering. No average data is presented in this report. Data is also presented for spurious, non-harmonic radiated emissions per 15.209. The Equipment Under Test (EUT) was the 319.5 MHz Smoke Detector 56-0062-01 Rev B01 (RTL Bar Code 21242).

15.231 Radiated Emissions Test Data - FCC Limits/ 3m Distance

Emission	Test	Antenna	Analyzer	Site	Emission			Pass/
Frequency	Detector	Polarity	Reading	Correction	Level	Limit	Margin	Fail
(MHz)		(H/V)	(dBuV)	Factor	(dBuV/m)	(dBuV/m)	(dB)	
				(dB/m)				
319.505	Peak	V	65.8	25.8	91.6	95.9	-4.3	Pass
399.388	Qp	V	44.4	-8.9	30.3	55.9	-25.6	Pass
479.258	Qp	V	61.6	-9.6	52.0	55.9	-3.9	Pass
559.141	Qp	Н	37.4	-8.6	27.3	55.9	-28.6	Pass
639.011	Peak	V	72.6	-9.1	63.5	75.9	-12.4	Pass
958.521	Peak	V	50.2	-5.1	45.1	75.9	-30.8	Pass
1,278.045*	Peak	Н	39.2	-0.8	38.4	74.0	-35.6	Pass
1,597.568	Peak	V	35.5	2.2	37.7	74.0	-36.3	Pass
1,917.091	Peak	Н	35.5	6.9	42.4	75.9	-33.5	Pass
2,236.661	Peak	V	53.4	-18.5	34.9	74.0	-39.1	Pass
2,556.184	Peak	V	45.8	-18.9	26.9	75.9	-49.0	Pass
2,875.707	Peak	Н	57.2	-18.3	38.9	74.0	-35.1	Pass
3,195.230	Peak	Н	57.0	-17.5	39.5	75.9	-36.4	Pass

<sup>\*</sup> IC restricted band

#### **Test Procedure**

Radiated fundamental and spurious emissions were tested at three meters. The EUT was tested in the three orthogonal planes with the receive antenna in both polarities. The emissions were maximized per ANSI C63.4:2003 8.3.1.2; that is, the measurement antenna height was varied between 1 and 4 m, and the EUT was rotated through 360° on a rotating turntable until the maximum emissions were found. Both horizontal and vertical measurement antenna polarizations were used. A resolution bandwidth of 100 kHz was used for frequencies less than 1000 MHz, and a resolution bandwidth of 1 MHz was used for frequencies greater than or equal to 1000 MHz. The video bandwidth was set to a value at least three times greater than the resolution bandwidth.

#### **EUT Disposition**

The EUT was adapted to continuously transmit for testing purposes.

Client: Resolution Engineering EUT: 319.5 MHz Smoke Detector Standards: FCC Parts 2, 15 Report #: 2013171

# **Radiated Emissions Test Equipment**

Part	Manufacturer	Model	Serial Number	RTL Bar Code	Calibration Due Date
Amplifier (20 MHz-2 GHz)	Rhein Tech Laboratories, Inc.	PR-1040	900905	900905	9/28/14
Bilog Periodic Antenna (25 MHz-2 GHz)	Schaffner Chase	CBL6112	2099	900791	2/2/14
EMI Receiver RF Section (9 kHz-6.5 GHz)	Hewlett Packard	85462A	3325A00159	900913	9/20/13
RF Filter Section (100 kHz-6.5 GHz)	Hewlett Packard	85460A	3330A00107	900914	9/20/13
Spectrum Analyzer	Hewlett Packard	8596EM	3826A00144	901215	3/15/14
Amplifier (1 GHz–26.0 GHz)	Rhein Tech Laboratories, Inc.	PR-1042	N/A	901364	9/28/13
Horn Antenna (2.0-4.0 GHz)	EMCO	3161-02	9804-1044	900772	4/20/15
Emissions Testing Software	Rhein Tech Laboratories, Inc.	Automated Emission Tester	Rev. 14.0.2	N/A	N/A

## **Test Personnel:**

Jon Wilson	In ne	August 19, 23, 2013
Test Engineer	Signature	Date of Test

## **FCC/IC Cross Reference**

FCC 15.231(b)(2)	RSS-210 Issue 8 A1.1
FCC 15.35(b)	RSS-Gen Issue 3 7.2.3
FCC 15.205	RSS-Gen Issue 3 7.2.2
FCC 15.209	RSS-Gen Issue 3 7.2.5

Rhein Tech Laboratories, Inc. 360 Herndon Parkway, Suite 1400 Herndon, VA 20170 http://www.rheintech.com Client: Resolution Engineering EUT: 319.5 MHz Smoke Detector Standards: FCC Parts 2, 15 Report #: 2013171

# **Test Configuration Photograph**

## **Radiated Emissions**



Rhein Tech Laboratories, Inc. 360 Herndon Parkway, Suite 1400 Herndon, VA 20170 http://www.rheintech.com Client: Resolution Engineering EUT: 319.5 MHz Smoke Detector Standards: FCC Parts 2, 15 Report #: 2013171

