

CCM - Communication Center Module				
MPE Calculation - GPRS	1.0	Release Date: 9/10/2012		
Mariano Lasebnik		Page 1 of 4		

CCM Project

Communication Center Module

MPE Calculation GPRS

Confidential. The copyright of this document is the property of SHL Telemedicine Ltd. This document is issued on the condition that it is not reproduced, nor its contents disclosed to any third party without the prior written consent of SHL Telemedicine.



CCM - Communication Center Module				
MPE Calculation - GPRS	1.0	Release Date: 9/10/2012		
Mariano Lasebnik		Page 2 of 4		

FCC ID: U6VCCMGPRS - MPE Calculation

The FCC requires that the calculated MPE be equal to or less than a given limit dependent on frequency at a distance of 20 cm from a device to the body of a user.

The MPE calculation as given in FCC OET Bulletin 65, page 19 is used to calculate the safe operating distance for the user.

The following FCC Rule Parts are applicable:

Part 1.1310 - Radiofrequency radiation exposure limits

Part 2.1091 – Radiofrequency radiation exposure evaluation: mobile devices

Also, KDB447498 D01, v04 - Mobile and Portable Device RF Exposure Procedures and Equipment Authorisation Policies

CALCULATIONS:

Maximum Transmitter Power for CCM GPRS

ERP - GSM850

EIRPeff = ERP + 2.1dB (half wave dipole gain)

EIRPeff = 31.9 + 2.1 = 34dBm (2.52W)

EIRP - PCS1900

EIRP (measured) = 31.7dBm (1.48W)

From OET Bulletin 65 the following far field power density equation is applicable:

$S = EIRP/4 \pi R^2$

Where S = Power density

EIRP = Effective Isotropically Radiated Power (EIRP = P x G)

P = Conducted Transmitter Power

G = Antenna Gain (relative to an isotropic radiator)

R = distance to the centre of radiation of the antenna (safe

operating distance)

Confidential. The copyright of this document is the property of SHL Telemedicine Ltd. This document is issued on the condition that it is not reproduced, nor its contents disclosed to any third party without the prior written consent of SHL Telemedicine.



CCM - Communication Center Module				
MPE Calculation - GPRS	1.0	Release Date: 9/10/2012		
Mariano Lasebnik		Page 3 of 4		

Calculation for 850MHz

CCM GPRS Values:

Transmitter frequency range = 824.2MHz to 848.8MHz Maximum EIRP (calculated) = 34dBm (2.52W)

For GPRS Class 10 using 2 uplink time slots;

EIRPeff = $2.52 \times 2/8 = 0.63W$

Power Density Requirement

From table 1 (b) - Limits for General Population/ Uncontrolled

Exposure of

FCC Rule Part 1.1310 for 850MHz

S = f/1500 mW/cm2 (f = operating frequency) Sreg = 825/1500 = 0.55 mW/cm2 (worst case)

Calculation:

 $S = EIRP/4 \pi R2$

 $0.55 = 630/(12.56 \times R2)$

 $R2 = 630/(12.56 \times 0.55)$

R = 9.5cm (< 20cm)

Calculation for 1900MHz

CCM GPRS Values:

Transmitter frequency range = 1851.25MHz to 1908.75MHz

Maximum EIRP (measured) = 31.7dBm (1.48W)

For GPRS Class 10 using 2 uplink time slots;

EIRPeff = $1.48 \times 2/8 = 0.37W$

Power Density Requirement

From table 1 (b) - Limits for General Population/ Uncontrolled

Exposure of

FCC Rule Part 1.1310 for 1900MHz

Sreq = 1.0 mW/cm2

Calculation:

 $S = EIRP/4 \pi R2$

 $1.0 = 370/(12.56 \times R2)$

 $R2 = 370/(12.56 \times 1.0)$

R = 5.43cm (< 20cm)

Confidential. The copyright of this document is the property of SHL Telemedicine Ltd. This document is issued on the condition that it is not reproduced, nor its contents disclosed to any third party without the prior written consent of SHL Telemedicine.



CCM - Communication Center Module				
MPE Calculation - GPRS	1.0	Release Date: 9/10/2012		
Mariano Lasebnik		Page 4 of 4		

Calculation for 2.4GHz (BT)

CCM GPRS Values:

Transmitter frequency range = 2402MHz to 2480MHz Maximum Transmitter Power (measured) = 13dBm (0.02W)

Power Density Requirement

From table 1 (b) - Limits for General Population/ Uncontrolled

Exposure of

FCC Rule Part 1.1310 for 1900MHz

Sreq = 1.0 mW/cm2

Calculation:

 $S = EIRP/4 \pi R2$ $1.0 = 20/(12.56 \times R2)$ $R2 = 20/(12.56 \times 1.0)$

R = 1.26cm (< 20cm)

Conclusion

The CCM GPRS meets the 20cm safe operating distance for Part 2.1091 RF exposure requirements.

Confidential. The copyright of this document is the property of SHL Telemedicine Ltd. This document is issued on the condition that it is not reproduced, nor its contents disclosed to any third party without the prior written consent of SHL Telemedicine.