




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 15.MAY.2007 10:52:33

Ctrl No.:




Report No.: 07046444
Left Speaker
Receiving mode
AC mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB	
1 Quasi Peak	182 kHz	47.85	-16.53	
2 Average	182 kHz	36.28	-18.11	
1 Quasi Peak	242 kHz	36.31	-25.71	
2 Average	242 kHz	13.47	-38.55	
2 Average	366 kHz	13.54	-35.04	
2 Average	490 kHz	30.33	-15.83	
2 Average	610 kHz	24.27	-21.72	
2 Average	1.078 MHz	8.73	-37.26	
2 Average	1.194 MHz	10.00	-35.99	
2 Average	1.722 MHz	17.86	-28.13	
2 Average	3.958 MHz	15.49	-30.50	

Date: 15.MAY.2007 10:52:14

Ctrl No.:



Date: 15.MAY.2007 10:43:42

Ctrl No.:




Report No.: 07046444
Right Speaker
Receiving mode
AC mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB	
1 Quasi Peak	186 kHz	51.40	-12.80	
2 Average	186 kHz	20.33	-33.88	
1 Quasi Peak	250 kHz	34.77	-26.98	
2 Average	250 kHz	34.09	-17.66	
2 Average	374 kHz	31.64	-16.76	
2 Average	502 kHz	28.09	-17.90	
2 Average	566 kHz	18.09	-27.91	
2 Average	1.69 MHz	12.40	-33.59	
2 Average	2.126 MHz	12.75	-33.24	
2 Average	3.626 MHz	18.08	-27.91	

Date: 15.MAY.2007 10:42:51

Ctrl No.:





Report No.: 07046444
Charging mode
AC mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB	
1 Quasi Peak	178 kHz	47.20	-17.36	
2 Average	182 kHz	34.35	-20.03	
1 Quasi Peak	242 kHz	41.65	-20.37	
2 Average	242 kHz	29.44	-22.58	
2 Average	366 kHz	14.34	-34.25	
2 Average	430 kHz	29.85	-17.39	
2 Average	1.266 MHz	17.58	-28.42	
2 Average	1.578 MHz	11.49	-34.50	
2 Average	2.918 MHz	19.40	-26.59	
1 Quasi Peak	3.346 MHz	33.17	-22.82	
2 Average	3.346 MHz	23.62	-22.37	

Ctrl No.: