



Firmtech Co., Ltd  
807, 555, Dunchon-daero, Jungwon-gu, Seongnam-si,  
Gyeonggi-do, Korea 462-726  
(Sangdaewondong, Sunil Technopia)  
TEL No : + 82-31-719-4812 / FAX No : + 82-31-719-4834

April 18, 2014

Federal Communications Commission  
Equipment Authorization Branch  
7435 Oakland Mills Road  
Columbia, MD 21046

**In re : Firmtech co.,Ltd**  
**FCC ID : U8D- FBS100BC**

**Request for Confidentiality**

Pursuant to Sections 0.457 and 0.459 of the Commission's Rules (CFR 47), and Section 552 (b) (4) of the Freedom of Information Act, **Firmtech co.,Ltd.** hereby requests confidentiality and treatment of certain information accompanying this application. The materials contain trade secrets and proprietary information not customarily released to the public. The public disclosure of these matters might be harmful to the Applicant and provide unjustified benefits to its competitors.

We are also hereby request Short-Term Confidentiality for 180 days after the grant as outlined in Public Notice DA 04-1705. This provision will give **Firmtech co.,Ltd.** temporary confidentiality of commercially sensitive information prior to product release.

The requested Confidential and Temporary Confidential exhibits are listed as follows:

	Exhibit Type	File Name
CONFIDENTIAL	Schematics	CONF APPENDIX U8D-FBS100BC SCH DIA.pdf
	Parts list	CONF APPENDIX U8D- FBS100BC PL.pdf
	Block diagram	CONF APPENDIX U8D- FBS100BC BLK DIA.pdf
	Operational description	CONF APPENDIX U8D- FBS100BC OpDes.pdf
SHORT-TERM CONFIDENTIAL	External Photos	SHORT-TERM CONF U8D- FBS100BC EXT Photo.pdf
	Internal Photos	SHORT-TERM CONF U8D- FBS100BC INT Photo.pdf
	Test-Setup Photos	SHORT-TERM CONF U8D- FBS100BC Test Photo.pdf
	User's Manual	SHORT-TERM CONF U8D- FBS100BC Manual.pdf

The Applicant understands that pursuant to Rule 0.457, disclosure of this application and all accompanying documentations, where applicable, will not be made public before the date of the Grant for this application.

Sincerely,

김재훈

Jae Hoon Kim/Team Manager  
Firmtech Co., Ltd