Model: B30 LTE

Product Code:BPL-031-LTE-US-T

Serial No.:1925-58C5-42B4

LAN MAC:10-56-CA-0F-79-3C

Default Access	Username: admin
https://192.168.1.1	Password: admin

peplink

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Made in PRC

M8   HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: B30 LTE

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

PEPWAVE

RoHS CE

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC

M8   HW1

Model: Balance 30 LTE

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

peplink

🗑 🔘 CE

Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Made in PRC

||||||||||||||||||||||||||||||||||||||||||||

M8   HW1

Model: Balance 30 LTE

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

Default Access	Username: admin
https://192.168.1.1	Password: admin

PEPWAVE

RoHS CE

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Made in PRC

M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is
subject to the following two conditions: (1) this device may not cause
harmful interference, and (2) this device must accept any interference
received, including interference that may cause undesired operation.

Model: Balance 30 LTEA

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

peplink

🗑 ⚫ RoHS CE

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC

M8   HW1

This device complies with Part 15 of the FCC Rules. Operation is
subject to the following two conditions: (1) this device may not cause
harmful interference, and (2) this device must accept any interference
received, including interference that may cause undesired operation.

Model: Balance 30 LTEA

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

PEPWAVE

CE

Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Made in PRC

M8   HW1

This device complies with Part 15 of the FCC Rules. Operation is
subject to the following two conditions: (1) this device may not cause
harmful interference, and (2) this device must accept any interference
received, including interference that may cause undesired operation.

Model: BPL-031-LTE-US-T

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

peplink

RoHS CE

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Made in PRC

M8   HW1

Model: BPL-031-LTE-US-T

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

PEPWAVE

RoHS CE

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC

M8   HW1

Model: Peplink Balance 30 LTE

Product Code:BPL-031-LTE-US-T

Serial No.:1925-58C5-42B4

LAN MAC:10-56-CA-0F-79-3C

peplink

CE

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC

M8   HW1

Model: Peplink Balance 30 LTE

Product Code:BPL-031-LTE-US-T

Serial No.:1925-58C5-42B4

LAN MAC:10-56-CA-0F-79-3C

PEPWAVE

CE

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC

M8 HW1

Model: Peplink Balance 30

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

peplink

🗙 🔘 RoHS C E

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC

M8   HW1

Model: Peplink Balance 30

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

PEPWAVE
CE

Default Access	Username: admin
https://192.168.1.1	Password: admin

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Made in PRC

M8   HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 811AC

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

peplink

CE

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC

M8   HW1

Model: Pismo 811AC

Product Code:BPL-031-LTE-US-T
Serial No.:1925-58C5-42B4
LAN MAC:10-56-CA-0F-79-3C

PEPWAVE

CE

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC

M8   HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.