LASER POINTER WITH PRESENTER

Thank you for purchasing laser pointer with presenter product. This powerful tool will help you make a perfect speech in front of others. It's light, handy, and elegant, which can be your best partner when making presentation. Before using it, we strongly advise you carefully to read the following information and usage.

It consists of two parts: transmitter and USB receiver.

Installation and Usage:

- 1.Plug the Receiver into the USB port on your PC. Then the system will automatically search for the new hardware and complete the install. Then the LED Indicator will start to blink.
- 2.Begin your presentation.

Safety precautions:

- 1. Since a laser light can be harmful to eyes, please do not look directly into the eyes of the beam when operating to avoid any accidents.
- 2.Do not use this device to aim on human being or animals' eyes.
- 3. Caution: Use of controls, adjustments, or performance of procedures other than those specified herein may result in hazardous Laser light exposure.
- 4. The device is not a toy, and please keeps it out of the reach from children.

FCC NOTE:

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference, and;
- 2. This device must accept any interference received, including interference that may cause undesired operation.

Technical Specifications:

Туре	Transmitter	Receiver
Radio frequency	433MHz	433MHz
RF control distance	>15m	>15m
Laser distance	>200m	
Laser Output power	650mn<1mW	
Interface		USB 1.1, USB 2.0
Supported OS		Win98SE/ME/2000/XP
Working voltage	2.4~3.5V	USB 5.0V
Working voltage Working current	2.4~3.5V <15mA	USB 5.0V <15mA
Working current	<15mA	<15mA
Working current Sleep Current	<15mA <5 μ A	<15mA
Working current Sleep Current Battery	<15mA <5 \mu A 12V 1PCS	<15mA <5 μ A



