Serial No: UL-SAR-RP90385JD04A V3.0

/ersion 3.0 Issue Date: 11 December 2012

Appendix 4. Photographs

This appendix	contains	the	following	photographs:

This appendix contains the following photographs:			
Photo Ref Number	Title		
PHT/90385JD04/001	Test configuration for the measurement of Specific Absorption Rate (SAR)		
Head Configuration			
PHT/90385JD04/002	Touch Left Antenna Retracted		
PHT/90385JD04/003	Touch Left Antenna Extended		
PHT/90385JD04/004	Tilt Left Antenna Retracted		
PHT/90385JD04/005	Tilt Left Antenna Extended		
PHT/90385JD04/006	Touch Right Antenna Retracted		
PHT/90385JD04/007	Touch Right Antenna Extended		
PHT/90385JD04/008	Tilt Right Antenna Retracted		
PHT/90385JD04/009	Tilt Right Antenna Extended		
Hotspot Configuration			
PHT/90385JD04/010	Front Of EUT facing phantom Antenna Retracted 10mm		
PHT/90385JD04/011	Front Of EUT facing phantom Antenna Extended		
PHT/90385JD04/012	Back Of EUT facing phantom Antenna Retracted		
PHT/90385JD04/013	Back Of EUT facing phantom Antenna Extended		
PHT/90385JD04/014	Left Hand Side Of EUT facing phantom Antenna Retracted		
PHT/90385JD04/015	Left Hand Side Of EUT facing phantom Antenna Extended		
PHT/90385JD04/016	Right Hand Side Of EUT facing phantom Antenna Retracted		
PHT/90385JD04/017	Right Hand Side Of EUT facing phantom Antenna Extended		
PHT/90385JD04/018	Top Of EUT facing phantom Antenna Retracted		
	Body-Worn Configuration		
PHT/90385JD04/019	General Setup of EUT with PHF		
PHT/90385JD04/020	Front Of EUT facing phantom Antenna Retracted body-worn 15mm		
PHT/90385JD04/021	Back Of EUT facing phantom Antenna Retracted body-worn 15mm		
EUT View			
PHT/90385JD04/022	Front View of EUT With Antenna Retracted		
PHT/90385JD04/023	Front View of EUT With Antenna Extended		
PHT/90385JD04/024	Back View of EUT With Antenna Retracted		
PHT/90385JD04/025	Back View of EUT With Antenna Extended		
PHT/90385JD04/026	Left Hand View of EUT With Antenna Retracted		
PHT/90385JD04/027	Left Hand View of EUT With Antenna Extended		
PHT/90385JD04/028	Right Hand View of EUT With Antenna Retracted		
PHT/90385JD04/029	Right Hand View of EUT With Antenna Extended		
PHT/90385JD04/030	Top View of EUT With Antenna Retracted		
PHT/90385JD04/031	Base View of EUT With Antenna Retracted		
PHT/90385JD04/032	Internal View of EUT		

Page: 156 of 204 RFI Global Services Ltd.

Simulating Liquid		
PHT/90385JD04/033	900 MHz Head Fluid Level	
PHT/90385JD04/034	900 MHz Body Fluid Level	
PHT/90385JD04/035	1900 MHz Head Fluid Level	
PHT/90385JD04/036	1900 MHz Body Fluid Level	
PHT/90385JD04/037	1900 MHz Body Fluid Level	
PHT/90385JD04/038	2450 MHz Head Fluid Level	
PHT/90385JD04/039	2450 MHz Body Fluid Level	


Page: 157 of 204 RFI Global Services Ltd.

PHT/90385JD04/001: Test configuration for the measurement of Specific Absorption Rate (SAR)



Page: 158 of 204 RFI Global Services Ltd.

Serial No: UL-SAR-RP90385JD04A V3.0 Issue Date: 11 December 2012



Page: 159 of 204 RFI Global Services Ltd.





Page: 160 of 204 RFI Global Services Ltd.

Serial No: UL-SAR-RP90385JD04A V3.0 Issue Date: 11 December 2012



Page: 161 of 204 RFI Global Services Ltd.



Page: 162 of 204 RFI Global Services Ltd. Version 3.0 Issue Date: 11 December 2012




Page: 163 of 204 RFI Global Services Ltd.

Version 3.0



Page: 164 of 204 RFI Global Services Ltd.



Page: 165 of 204 RFI Global Services Ltd.



Page: 166 of 204 RFI Global Services Ltd.

Serial No: UL-SAR-RP90385JD04A V3.0

Issue Date: 11 December 2012

PHT/90385JD04/010: Front Of EUT facing phantom Antenna Retracted 10mm 2 5

Page: 167 of 204 RFI Global Services Ltd.

Test Report Serial No: UL-SAR-RP90385JD04A V3.0




Page: 168 of 204 RFI Global Services Ltd.



Page: 169 of 204 RFI Global Services Ltd.




Page: 170 of 204 RFI Global Services Ltd.




Page: 171 of 204 RFI Global Services Ltd.

Test Report Serial No: UL-SAR-RP90385JD04A V3.0



Page: 172 of 204 RFI Global Services Ltd.




Page: 173 of 204 RFI Global Services Ltd.

Test Report Serial No: UL-SAR-RP90385JD04A V3.0



Page: 174 of 204 RFI Global Services Ltd.



Page: 175 of 204 RFI Global Services Ltd.

Serial No: UL-SAR-RP90385JD04A V3.0 Issue Date: 11 December 2012




Page: 176 of 204 RFI Global Services Ltd.

Serial No: UL-SAR-RP90385JD04A V3.0




Page: 177 of 204 RFI Global Services Ltd.






Page: 178 of 204 RFI Global Services Ltd.



Page: 179 of 204 RFI Global Services Ltd.



Page: 180 of 204 RFI Global Services Ltd.

Serial No: UL-SAR-RP90385JD04A V3.0



Page: 181 of 204 RFI Global Services Ltd.



Page: 182 of 204 RFI Global Services Ltd.



Page: 183 of 204 RFI Global Services Ltd.


Serial No: UL-SAR-RP90385JD04A V3.0

Test Report Version 3.0



Page: 184 of 204 RFI Global Services Ltd.

Test Report Serial No: UL-SAR-RP90385JD04A V3.0



Page: 185 of 204 RFI Global Services Ltd.

Test Report Serial No: UL-SAR-RP90385JD04A V3.0



Page: 186 of 204 RFI Global Services Ltd.



Page: 187 of 204 RFI Global Services Ltd.



Page: 188 of 204 RFI Global Services Ltd.

Serial No: UL-SAR-RP90385JD04A V3.0



Page: 189 of 204 RFI Global Services Ltd.


Test Report Serial No: UL-SAR-RP90385JD04A V3.0 Version 3.0

PHT/90385JD04/033: Battery View $\Theta \oplus \oplus \oplus \oplus$ TT FIT No.1 電池バック P29 定格 3.8 V 2320 mAh 8.9 Wh **小**危険 指定の携帯電話無線機専用です。 次のことはしないでください。 ・専用充電器以外での使用 ・火中投入、加熱、高温での充電・使用・放置 ・変形やショート、および分解・改造(発熱・発火 ・破裂の恐れあり) 使用後は家庭ゴミとして捨てず、 リサイクルへ ションズ株式会社 中国製

Issue Date: 11 December 2012

Page: 190 of 204 RFI Global Services Ltd.

Serial No: UL-SAR-RP90385JD04A V3.0 Issue Date: 11 December 2012




Page: 191 of 204 RFI Global Services Ltd.



Page: 192 of 204 RFI Global Services Ltd.

Serial No: UL-SAR-RP90385JD04A V3.0 Version 3.0 Issue Date: 11 December 2012



Page: 193 of 204 RFI Global Services Ltd. PHT/90385JD04/037: 1900 MHz Body Fluid Level

DO NOT REMOV

Page: 194 of 204 RFI Global Services Ltd.