




Plot on Configuration IEEE 802. 11ac MCSO/Nss4 VHT20 / Reference Level - Horizontal



Date: 1.SEP.2015 01:50:46

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 298 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT20 / CH 1 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 1.SEP.2015 01:52:10

Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT20 / CH 1 / 2500MHz \sim 26500MHz (down 30dBc) - Horizontal



Date: 1.SEP.2015 01:52:42

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 299 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT20 / CH 11 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 1.SEP.2015 01:54:03

Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT20 / CH 11 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Date: 1.SEP.2015 01:54:33

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 300 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT20 / CH 1 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 07:44:59

Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT20 / CH 1 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 07:45:28

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 301 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT20 / CH 11 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 07:47:26

Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT20 / CH 11 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 07:47:53

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 302 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016





Plot on Configuration IEEE 802. 11ac MCSO/Nss4 VHT40 / Reference Level - Horizontal



Date: 1.SEP.2015 01:56:07

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 303 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT40 / CH 3 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 1.SEP.2015 01:58:49

Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT40 / CH 3 / 2500MHz \sim 26500MHz (down 30dBc) - Horizontal



Date: 1.SEP.2015 01:59:19

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 304 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT40 / CH 9 / 30MHz~2400MHz (down 30dBc) - Horizontal



Date: 1.SEP.2015 01:56:54

Plot on Configuration IEEE 802. 11ac MCSO/Nss4 VHT40 / CH 9 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Date: 1.SEP.2015 01:57:35

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 305 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT40 / CH 3 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 07:50:10

Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT40 / CH 3 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 07:51:24

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 306 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss4 VHT40 / CH 9 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 07:52:41

Plot on Configuration IEEE 802. 11ac MCSO/Nss4 VHT40 / CH 9 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 07:53:21

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.

 Report Format Version: Rev. 01
 Page No.
 : 307 of 361


 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016





For Radio 1 / Beamforming Mode

Plot on Configuration IEEE 802. 11ac MCSO/Nss1 VHT20 / Reference Level - Horizontal



Date: 10.SEP.2015 17:05:45

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 308 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 1 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 17:08:13

Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 1 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 17:11:08

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 309 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 11 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 17:14:12

Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 11 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 17:13:39

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 310 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 1 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:06:39

Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 1 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:07:07

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 311 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 11 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:10:29

Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 11 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:10:53

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 312 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016





Plot on Configuration IEEE 802. 11ac MCSO/Nss1 VHT40 / Reference Level - Horizontal




Date: 19.DEC.2015 08:30:55

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 3 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:35:09

Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 3 / 2500MHz \sim 26500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:35:49

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 314 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 9 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:39:08

Plot on Configuration IEEE 802. 11ac MCSO/Nss1 VHT40 / CH 9 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:39:32

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 315 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 3 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:36:29

Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 3 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:37:00

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 316 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 9 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:39:50

Plot on Configuration IEEE 802. 11ac MCSO/Nss1 VHT40 / CH 9 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:40:19

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 317 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016





Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT20 / Reference Level - Horizontal



Date: 10.SEP.2015 22:05:59

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 318 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT20 / CH 1 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 22:07:11

Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT20 / CH 1 / 2500MHz \sim 26500MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 22:07:42

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 319 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT20 / CH 11 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 22:08:30

Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT20 / CH 11 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 22:09:05

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 320 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT20 / CH 1 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:49:35

Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT20 / CH 1 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:50:20

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 321 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT20 / CH 11 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:51:41

Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT20 / CH 11 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 08:52:06

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 322 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016





Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT40 / Reference Level - Horizontal



Date: 10.SEP.2015 22:00:18

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 323 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT40 / CH 3 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 22:02:11

Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT40 / CH 3 / 2500MHz \sim 26500MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 22:02:39

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 324 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT40 / CH 9 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 22:03:29

Plot on Configuration IEEE 802. 11ac MCSO/Nss2 VHT40 / CH 9 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Date: 10.SEP.2015 22:03:59

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 325 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT40 / CH 3 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:00:50

Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT40 / CH 3 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:01:16

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 326 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss2 VHT40 / CH 9 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:02:16

Plot on Configuration IEEE 802. 11ac MCSO/Nss2 VHT40 / CH 9 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:02:43

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 327 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016





Plot on Configuration IEEE 802. 11ac MCSO/Nss3 VHT20 / Reference Level - Horizontal



Date: 11.SEP.2015 01:06:20

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 328 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT20 / CH 1 / $30MHz\sim2400MHz$ (down 30dBc) - Horizontal



Date: 11.SEP.2015 01:12:12

Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT20 / CH 1 / 2500MHz \sim 26500MHz (down 30dBc) - Horizontal



Date: 11.SEP.2015 01:12:39

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 329 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT20 / CH 11 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 11.SEP.2015 01:13:32

Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT20 / CH 11 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Date: 11.SEP.2015 01:13:59

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 330 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT20 / CH 1 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:21:38

Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT20 / CH 1 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:22:07

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 331 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT20 / CH 11 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:23:16

Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT20 / CH 11 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:23:37

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 332 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016





Plot on Configuration IEEE 802. 11ac MCSO/Nss3 VHT40 / Reference Level - Horizontal



Date: 11.SEP.2015 01:00:39

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 333 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT40 / CH 3 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 11.SEP.2015 01:02:21

Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT40 / CH 3 / 2500MHz \sim 26500MHz (down 30dBc) - Horizontal



Date: 11.SEP.2015 01:02:56

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 334 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT40 / CH 9 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 11.SEP.2015 01:17:20

Plot on Configuration IEEE 802. 11ac MCSO/Nss3 VHT40 / CH 9 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Date: 11.SEP.2015 01:05:07

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 335 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT40 / CH 3 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:25:23

Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT40 / CH 3 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:34:39

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 336 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss3 VHT40 / CH 9 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:36:45

Plot on Configuration IEEE 802. 11ac MCSO/Nss3 VHT40 / CH 9 / 2483.5-2500MHz (down 30dBc) - Horizontal



Date: 19.DEC.2015 09:37:43

Note: Only the worse polarization (Horizontal) is tested and recorded in test report.

 Report Format Version: Rev. 01
 Page No.
 : 337 of 361


 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016





<For Radio 3 Mode>

Plot on Configuration IEEE 802.11b / Reference Level - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 338 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802.11b / CH 1 / 30MHz~2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802.11b / CH 1 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 339 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802.11b / CH 11 / 30MHz~2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802.11b / CH 11 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 340 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802.11b / CH 1 / 2390MHz~2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802.11b / CH 1 / 2483.5-2500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 341 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802.11b / CH 11 / 2390MHz~2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802.11b / CH 11 / 2483.5-2500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 342 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016





Plot on Configuration IEEE 802.11g / Reference Level - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 343 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802.11g / CH 1 / 30MHz~2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802.11g / CH 1 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 344 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802.11g / CH 11 / 30MHz~2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802.11g / CH 11 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 345 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802.11g / CH 1 / 2390MHz~2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802.11g / CH 1 / 2483.5-2500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 346 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802.11g / CH 11 / 2390MHz~2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802.11g / CH 11 / 2483.5-2500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 347 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016





Plot on Configuration IEEE 802. 11ac MCSO/Nss1 VHT20 / Reference Level - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 348 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 1 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 1 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 349 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 11 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 11 / 2500MHz~26500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 350 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 1 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 1 / 2483.5-2500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 351 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 11 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT20 / CH 11 / 2483.5-2500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 352 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016





Plot on Configuration IEEE 802. 11ac MCSO/Nss1 VHT40 / Reference Level - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 353 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 3 / $30MHz\sim2400MHz$ (down 30dBc) - Horizontal



Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 3 / 2500MHz \sim 26500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 354 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 9 / 30MHz \sim 2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 9 / 2500MHz \sim 26500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No. : 355 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 3 / 2390MHz \sim 2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 3 / 2483.5-2500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.


 Report Format Version: Rev. 01
 Page No.
 : 356 of 361

 FCC ID: UDX-60042010
 Issued Date
 : Mar. 04, 2016






Plot on Configuration IEEE 802. 11ac MCS0/Nss1 VHT40 / CH 9 / 2390MHz~2400MHz (down 30dBc) - Horizontal



Plot on Configuration IEEE 802. 11ac MCSO/Nss1 VHT40 / CH 9 / 2483.5-2500MHz (down 30dBc) - Horizontal



Note: Only the worse polarization (Horizontal) is tested and recorded in test report.

 Report Format Version: Rev. 01
 Page No. : 357 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016

4.7. Antenna Requirements

4.7.1. Limit

Except for special regulations, the Low-power Radio-frequency Devices must not be equipped with any jacket for installing an antenna with extension cable. An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this Section. The manufacturer may design the unit so that the user can replace a broken antenna, but the use of a standard antenna jack or electrical connector is prohibited. Further, this requirement does not apply to intentional radiators that must be professionally installed.

4.7.2. Antenna Connector Construction

Please refer to section 3.3 in this test report; antenna connector complied with the requirements.

 Report Format Version: Rev. 01
 Page No. : 358 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016



5. LIST OF MEASURING EQUIPMENTS

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Remark
EMI Test Receiver	R&S	ESCS 30	100355	9kHz ~ 2.75GHz	Apr. 22, 2015	Conduction (CO01-CB)
LISN	F.C.C.	FCC-LISN-50-16-2	04083	150kHz ~ 100MHz	Dec. 02, 2014	Conduction (CO01-CB)
LISN	Schwarzbeck	NSLK 8127	8127647	9kHz ~ 30MHz	Dec. 02, 2014	Conduction (CO01-CB)
COND Cable	Woken	Cable	01	150kHz ~ 30MHz	Dec. 03, 2014	Conduction (CO01-CB)
Software	Audix	E3	6.120210n	-	N.C.R.	Conduction (CO01-CB)
BILOG ANTENNA	Schaffner	CBL6112D&ATT-06	22021&SP-01	20MHz ~ 2GHz	Nov. 18, 2015	Radiation (03CH01-CB)
Loop Antenna	Teseq	HLA 6120	24155	9kHz - 30 MHz	Mar. 12, 2015*	Radiation (03CH01-CB)
Horn Antenna	EMCO	3115	00075790	750MHz ~ 18GHz	Oct. 28, 2014	Radiation (03CH01-CB)
Horn Antenna	EMCO	3115	00075790	750MHz ~ 18GHz	Oct. 22, 2015	Radiation (03CH01-CB)
Horn Antenna	Schwarzbeck	BBHA 9170	BBHA9170252	15GHz ~ 40GHz	Jul. 21, 2015	Radiation (03CH01-CB)
Pre-Amplifier	Agilent	8447D	2944A10991	0.1MHz ~ 1.3GHz	Feb. 24, 2015	Radiation (03CH01-CB)
Pre-Amplifier	Agilent	8449B	3008A02310	1GHz ~ 26.5GHz	Jan. 12, 2015	Radiation (03CH01-CB)
Pre-Amplifier	WM	TF-130N-R1	923365	26GHz ~ 40GHz	Feb.10, 2015	Radiation (03CH01-CB)
Spectrum Analyzer	R&S	FSP40	100056	9kHz ~ 40GHz	Nov. 06, 2014	Radiation (03CH01-CB)
Spectrum Analyzer	R&S	FSP40	100056	9kHz ~ 40GHz	Oct. 27, 2015	Radiation (03CH01-CB)
EMI Receiver	Agilent	N9038A	MY52260123	9kHz ~ 8.4GHz	Jan. 21, 2015	Radiation (03CH01-CB)
RF Cable-low	Woken	Low Cable-1	N/A	30 MHz ~ 1 GHz	Nov. 02, 2015	Radiation (03CH01-CB)
RF Cable-high	Woken	High Cable-16	N/A	1 GHz ~ 18 GHz	Nov. 15, 2014	Radiation (03CH01-CB)
RF Cable-high	Woken	High Cable-16	N/A	1 GHz ~ 18 GHz	Nov. 02, 2015	Radiation (03CH01-CB)
RF Cable-high	Woken	High Cable-17	N/A	1 GHz ~ 18 GHz	Nov. 15, 2014	Radiation (03CH01-CB)
RF Cable-high	Woken	High Cable-17	N/A	1 GHz ~ 18 GHz	Nov. 02, 2015	Radiation (03CH01-CB)
RF Cable-high	Woken	High Cable-40G-1	N/A	1 GHz ~ 40 GHz	Nov. 15, 2014	Radiation (03CH01-CB)
RF Cable-high	Woken	High Cable-40G-1	N/A	18GHz ~ 40 GHz	Nov. 02, 2015	Radiation (03CH01-CB)
RF Cable-high	Woken	High Cable-40G-2	N/A	1 GHz ~ 40 GHz	Nov. 15, 2014	Radiation (03CH01-CB)
RF Cable-high	Woken	High Cable-40G-2	N/A	18GHz ~ 40 GHz	Nov. 02, 2015	Radiation (03CH01-CB)
Spectrum analyzer	R&S	FSP40	100979	9kHz~40GHz	Dec. 12, 2014	Conducted (TH01-CB)
Spectrum Analyzer	R&S	FSP40	100142	9kHz~40GHz	Oct. 13, 2015	Conducted (TH01-CB)
Spectrum analyzer	R&S	FSV40	100979	9kHz~40GHz	Dec. 12, 2014	Conducted (TH01-CB)
Spectrum analyzer	R&S	FSV40	100979	9kHz~40GHz	Dec. 09, 2015	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-7	1 GHz – 26.5 GHz	Nov. 15, 2014	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-7	1 GHz – 26.5 GHz	Nov. 02, 2015	Conducted (TH01-CB)

Report Format Version: Rev. 01 FCC ID: UDX-60042010

Page No. : 359 of 361 Issued Date : Mar. 04, 2016



Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Remark
RF Cable-high	Woken	RG402	High Cable-8	1 GHz – 26.5 GHz	Nov. 15, 2014	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-8	1 GHz – 26.5 GHz	Nov. 02, 2015	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-9	1 GHz – 26.5 GHz	Nov. 15, 2014	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-9	1 GHz – 26.5 GHz	Nov. 02, 2015	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-10	1 GHz – 26.5 GHz	Nov. 15, 2014	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-10	1 GHz – 26.5 GHz	Nov. 02, 2015	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-6	1 GHz – 26.5 GHz	Nov. 15, 2014	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-6	1 GHz – 26.5 GHz	Nov. 02, 2015	Conducted (TH01-CB)
Power Sensor	Agilent	U2021XA	MY53410001	50MHz~18GHz	Nov. 03, 2014	Conducted (TH01-CB)
Power Sensor	Agilent	U2021XA	MY53410001	50MHz~18GHz	Nov. 02, 2015	Conducted (TH01-CB)

Note: Calibration Interval of instruments listed above is one year.

N.C.R. means Non-Calibration required.

 Report Format Version: Rev. 01
 Page No. : 360 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016

[&]quot;*" Calibration Interval of instruments listed above is two years.



6. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty	Remark	
Conducted Emission (150kHz \sim 30MHz)	3.2 dB	Confidence levels of 95%	
Radiated Emission (30MHz ~ 1,000MHz)	3.6 dB	Confidence levels of 95%	
Radiated Emission (1GHz \sim 18GHz)	3.7 dB	Confidence levels of 95%	
Radiated Emission (18GHz ~ 40GHz)	3.5 dB	Confidence levels of 95%	
Conducted Emission	1.7 dB	Confidence levels of 95%	

 Report Format Version: Rev. 01
 Page No. : 361 of 361

 FCC ID: UDX-60042010
 Issued Date : Mar. 04, 2016