

🛮 Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

Brand / Model: MR18-HW(Radio 1)


Remark: TX/RX 5G 15.407 , Z-AXIS ,POE mode

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER: 2 Date: 2015/10/14 Time: 14:51:48 Approved by:

Temperature (C):21.0 Humidity (%): 70 Polarity: Vertical



This data is for evaluation purposes only. It cannot be used for EMC approvals unless it contains the approved signature. If you have any questions regarding the test data, please contact with us or through mail; service adt@tw.bureauveritas.com

No.		Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	Limit dBu∀/m	Margin dB	Tower / Table	
*	1	38.58	-15.3	53.3	38.0	40.0	-2.0	100	151
0	2	47.40	-14.6	51.9	37.3	40.0	-2.7	101	16
	3	125.17	-15.9	49.5	33.6	43.5	-9.9	101	198
-(3)	4	374.04	-11.0	41.1	30.1	46.0	-15.9	101	184
-98	5	624.85	-5.4	41.6	36.2	46.0	-9.8	101	243
8	6	875.67	-0.9	34.8	33.9	46.0	-12.1	101	16
3									
68	- 8								

E1-011013 Y CAS-30M-10Hz-986-2, 20161104 Y (SA - AMP-E1-011227-30M-IZ-1G, 20161018 ± RE - AMP-E1-011227-30M-IZ-1G, 20161018)



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

Brand / Model: MR18-HW(Radio 1)


Remark: TX/RX 5G 15.407 , Z-AXIS ,ADP mode

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER: 2 Date: 2015/10/14 Time: 14:11:24 Approved by:

Temperature (C):21.0 Humidity (%): 70 Polarity: Horizontal



This data is for evaluation purposes only. It cannot be used for EMC approvals unless it contains the approved signature. If you have any questions regarding the test data, please contact with us or through mail; service adt@tw.bureauveritas.com

No.		Frequency MHz	Factor dB/m	Reading dBuV	Emission dBu∀/m	Limit dBuV/m	Margin dB	Tower / Table cm deg	
10	1	57.12	-14.8	44.2	29.4	40.0	-10.6	200	253
- (3)	2	125.17	-15.9	42.5	26.6	43.5	-16.9	200	253
	3	374.04	-11.0	40.0	29.0	46.0	-17.0	101	207
-(3)	4	500.42	-8.3	36.0	27.7	46.0	-18.3	151	193
*	5	624.85	-5.4	42.9	37.5	46.0	-8.5	151	7
8	6	875.67	-0.9	33.9	33.0	46.0	-13.0	101	203
35									
(S)	3 3 2								
3									

E1-011010 Y CAS-3004-1GHz-986-2, 20161104 Y (SA - AMP-E1-011227-3004-2, FG , 20161018 ± RE : AMP-E1-011227-3004-2, FG , 20161018)



Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

Brand / Model: MR18-HW(Radio 1)

Remark: TX/RX 5G 15.407 , Z-AXIS ,ADP mode

Sample No.: C151005-022-006-002

Tested By: Jones

100.0


29.9

200.0

300.0

400.0

Location: 966 CHAMBER: 2 Date: 2015/10/14 Time: 14:07:44 Approved by:



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature. If you have any questions regarding the test data, please contact with us or through mail; service.adt@tw.bureauveritas.com

500.0

(MHz)

600.0

700.0

800.0

900.0

1000.1

V7.6.15.9.4

N	о.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBuV/m	Limit dBu∀/m	Margin dB	Tower / Table cm deg	
*	1	39.62	-15.2	51.4	36.2	40.0	-3.8	100	308
- 8	2	59.06	-14.8	50.0	35.2	40.0	-4.8	100	356
	3	125.17	-15.9	43.2	27.3	43.5	-16.2	100	186
-(3)	4	374.04	-11.0	42.7	31.7	46.0	-14.3	100	184
- 19	5	624.85	-5.4	43.0	37.6	46.0	-8.4	100	238
	6	875.67	-0.9	35.2	34.3	46.0	-11.7	100	44
- 8									
-00	3								
9									

E1-011013 Y CAS-30M-10Hz-986-2, 20161104 Y (SA - AMP-E1-011227-30M-IZ-1G, 20161018 ± RE - AMP-E1-011227-30M-IZ-1G, 20161018)



🛾 Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch 【Bureau Veritas ADT】

Brand / Model : MR18-HVV(Radio 1)


Remark: TX/RX 5G 15.407 , Z-AXIS ,POE mode

Sample No.: C151005-022-006-002

Tested By: Jones

Location: 966 CHAMBER: 2 Date: 2015/10/14 Time: 14:47:38 Approved by:

Temperature (C):21.0 Humidity (%): 70 Polarity: Horizontal



This data is for evaluation purposes only. It cannot be used for EMC approvals unless it contains the approved signature. If you have any questions regarding the test data, please contact with us or through mail; service adt @tw.bureauveritas.com

N	о.	Frequency MHz	Factor dB/m	Reading dBu∀	Emission dBu∀/m	Limit dBu∀/m	Margin dB	Tower / Table	
- 10	1	37.68	-15.4	46.0	30.6	40.0	-9.4	199	58
- (3)	2	57.12	-14.8	44.2	29.4	40.0	-10.6	199	306
	3	125.17	-15.9	49.6	33.7	43.5	-9.8	149	253
-(3)	4	177.67	-15.1	43.6	28.5	43.5	-15.0	199	261
-18	5	374.04	-11.0	40.4	29.4	46.0	-16.6	100	86
*	6	624.85	-5.4	42.6	37.2	46.0	-8.8	100	145
33	3								
(S)	3		5						
3									

E1-011013 Y CAS-30M-10Hz-986-2, 20161104 Y (SA - AMP-E1-011227-30M-IZ-1G, 20161018 ± RE - AMP-E1-011227-30M-IZ-1G, 20161018)