

40000.00 MHz

Orthogonal Axis:	x
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11591.70	42.69	20.45	63.14	74.00	-10.86	peak	
2	*	11591.70	32.20	20.45	52.65	54.00	-1.35	AVG	

12700.00 16600.00 20500.00 24400.00 28300.00 32200.00

1000.000 4900.00


8800.00

Report No.: BTL-FCCP-1-1410139 Page 161 of 326



Orthogonal Axis:	x
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical



Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
	704.500	28.70	39.41	68.11	68.30	-0.19	peak	
5	704.500	18.82	39.41	58.23	68.30	-10.07	AVG	
57	715.000	27.12	39.43	66.55	68.30	-1.75	peak	
5	715.000	14.61	39.43	54.04	68.30	-14.26	AVG	
57	725.000	38.70	39.45	78.15	78.30	-0.15	peak	
57	725.000	23.62	39.45	63.07	68.30	-5.23	AVG	
	57 57 57 57	MHz 5704.500	MHz dBuV 5704.500 28.70 5704.500 18.82 5715.000 27.12 5715.000 14.61 5725.000 38.70	MHz dBuV dB 5704.500 28.70 39.41 5704.500 18.82 39.41 5715.000 27.12 39.43 5715.000 14.61 39.43 5725.000 38.70 39.45	MHz dBuV dB dBuV/m 5704.500 28.70 39.41 68.11 5704.500 18.82 39.41 58.23 5715.000 27.12 39.43 66.55 5715.000 14.61 39.43 54.04 5725.000 38.70 39.45 78.15	MHz dBuV dB dBuV/m dBuV/m dBuV/m 5704.500 28.70 39.41 68.11 68.30 5704.500 18.82 39.41 58.23 68.30 5715.000 27.12 39.43 66.55 68.30 5715.000 14.61 39.43 54.04 68.30 5725.000 38.70 39.45 78.15 78.30	MHz dBuV dB dBuV/m dBuV/m dB 5704.500 28.70 39.41 68.11 68.30 -0.19 5704.500 18.82 39.41 58.23 68.30 -10.07 5715.000 27.12 39.43 66.55 68.30 -1.75 5715.000 14.61 39.43 54.04 68.30 -14.26 5725.000 38.70 39.45 78.15 78.30 -0.15	MHz dBuV dB dBuV/m dBuV/m dBuV/m dB uV/m dB uV/m

Report No.: BTL-FCCP-1-1410139 Page 162 of 326



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

No.	Mk	C. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
			dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11551.05	43.37	20.40	63.77	74.00	-10.23	peak	
2	*	11551.05	31.55	20.40	51.95	54.00	-2.05	AVG	

Report No.: BTL-FCCP-1-1410139 Page 163 of 326



Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal



No.	Mk	S.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
			MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		57	15.000	25.30	39.43	64.73	68.30	-3.57	peak	
2		57	15.000	14.73	39.43	54.16	68.30	-14.14	AVG	
3		57	25.000	33.50	39.45	72.95	78.30	-5.35	peak	
4		57	25.000	17.72	39.45	57.17	68.30	-11.13	AVG	
5	*	57	43.500	60.46	39.50	99.96	78.30	21.66	peak	No Limit
6	X	57	43.500	49.68	39.50	89.18	68.30	20.88	AVG	No Limit

Report No.: BTL-FCCP-1-1410139 Page 164 of 326



40000.00 MHz

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

No.	Mk	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		11547.56	45.26	20.38	65.64	74.00	-8.36	peak	
2	*	11547.56	31.48	20.38	51.86	54.00	-2.14	AVG	

12700.00 16600.00 20500.00 24400.00 28300.00 32200.00

20.0


1000.000 4900.00

8800.00

Report No.: BTL-FCCP-1-1410139 Page 165 of 326







Date: 20.NOV.2014 01:59:41

Duty cycle: TX 5180MHz

Duty cycle = T_{ON} / T_{Total}

Ton: 5.44 msec

T_{Total}: 5.46 msec

Duty cycle: 0.996

Duty Factor = 10 log(1/Duty cycle)

Duty Factor = 0.02

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be cacluated as


Output Power = Measured power + Ducy factor

Power Spectral Density = Measured density + Duty factor

Report No.: BTL-FCCP-1-1410139 Page 166 of 326



TX N20 Mode_DUTY CYCLE



Date: 20.NOV.2014 02:02:38

Duty cycle: TX 5180MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON}: 1.756 msec

T_{Total}: 1.776 msec

Duty cycle: 0.988

Duty Factor = 10 log(1/Duty cycle)

Duty Factor = 0.05

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be cacluated as


Output Power = Measured power + Ducy factor

Power Spectral Density = Measured density + Duty factor

Report No.: BTL-FCCP-1-1410139 Page 167 of 326







Date: 20.NOV.2014 02:04:45

Duty cycle: TX 5190MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON}: 0.918 msec

T_{Total}: 0.934 msec

Duty cycle: 0.982

Duty Factor = 10 log(1/Duty cycle)

Duty Factor = 0.08

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be cacluated as


Output Power = Measured power + Ducy factor

Power Spectral Density = Measured density + Duty factor

Report No.: BTL-FCCP-1-1410139 Page 168 of 326



TX AC20 Mode_DUTY CYCLE



Date: 20.NOV.2014 02:08:09

Duty cycle: TX 5190MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON}: 5.048 msec

T_{Total}: 5.068 msec

Duty cycle: 0.996

Duty Factor = 10 log(1/Duty cycle)

Duty Factor = 0.02


Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calcuated as Output Power = Measured power + Ducy factor

Power Spectral Density = Measured density + Duty factor

Report No.: BTL-FCCP-1-1410139 Page 169 of 326







Date: 20.NOV.2014 02:06:25

Duty cycle: TX 5190MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON}: 2.488 msec

T_{Total}: 2.498 msec

Duty cycle: 0.995

Duty Factor = 10 log(1/Duty cycle)

Duty Factor = 0.02


Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calcuated as Output Power = Measured power + Ducy factor

Power Spectral Density = Measured density + Duty factor

Report No.: BTL-FCCP-1-1410139 Page 170 of 326







Date: 20.NOV.2014 02:10:39

Duty cycle: TX 5210MHz

Duty cycle = T_{ON} / T_{Total}

T_{ON}: 1.18 msec

T_{Total}: 1.216 msec

Duty cycle: 0.970

Duty Factor = 10 log(1/Duty cycle)

Duty Factor = 0.13

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be cacluated as

Output Power = Measured power + Ducy factor

Power Spectral Density = Measured density + Duty factor

Report No.: BTL-FCCP-1-1410139 Page 171 of 326



ATTACHMENT E - BANDWIDTH	


Report No.: BTL-FCCP-1-1410139 Page 172 of 326



Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48

	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
I	CH36	5180	22.07	17.00
I	CH40	5200	22.44	17.00
I	CH48	5240	21.82	17.00

TX CH36




Date: 27.JAN.2015 18:47:46

Report No.: BTL-FCCP-1-1410139 Page 173 of 326








Date: 27.JAN.2015 18:51:05

TX CH48




Date: 27.JAN.2015 18:52:50



Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	22.94	18.13
CH40	5200	23.07	18.00
CH48	5240	23.32	18.00

TX CH36




Date: 27.JAN.2015 19:02:48

Report No.: BTL-FCCP-1-1410139 Page 175 of 326








Date: 27.JAN.2015 19:06:43

TX CH48



Date: 27.JAN.2015 19:08:32




Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	43.39	36.50
CH46	5230	44.14	36.50

Report No.: BTL-FCCP-1-1410139 Page 177 of 326





Date: 27.JAN.2015 19:20:24




Date: 27.JAN.2015 19:22:22



Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH1 49	5745	16.46	16.88	>=500
CH1 57	5785	16.58	17.00	>=500
CH1 65	5825	16.58	16.88	>=500


TX CH 149




Date: 27.JAN.2015 18:54:58

Report No.: BTL-FCCP-1-1410139 Page 179 of 326





Date: 27.JAN.2015 18:57:29




Date: 27.JAN.2015 18:59:40



Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH1 49	5745	17.58	18.00	>=500
CH1 57	5785	17.58	17.88	>=500
CH1 65	5825	17.71	18.13	>=500


TX CH 149





Date: 27.JAN.2015 19:12:13

Report No.: BTL-FCCP-1-1410139 Page 181 of 326









Date: 27.JAN.2015 19:18:05




Test Mode: UNII-3/ TX N40 Mode_CH151/CH159

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH1 51	5755	36.66	36.50	>=500
CH1 59	5795	36.66	36.50	>=500

Report No.: BTL-FCCP-1-1410139 Page 183 of 326






Span 100 MHz

Date: 27.JAN.2015 19:24:25

Center 5.755 GHz




Date: 27.JAN.2015 19:26:36



Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	23.44	18.00
CH40	5200	22.94	18.00
CH48	5240	22.94	18.00


TX CH36




Date: 27.JAN.2015 19:30:28

Report No.: BTL-FCCP-1-1410139 Page 185 of 326








Date: 27.JAN.2015 19:32:17

TX CH48



Date: 27.JAN.2015 19:34:19




Test Mode: UNII-1/TX AC40 Mode_CH38/CH46

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	45.14	36.50
CH46	5230	43.39	36.50

Report No.: BTL-FCCP-1-1410139 Page 187 of 326








Date: 27.JAN.2015 19:47:27

TX CH46




Date: 27.JAN.2015 19:49:16



Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	84.99	76.00

TX CH42



Date: 27.JAN.2015 20:01:03


Report No.: BTL-FCCP-1-1410139 Page 189 of 326



Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH149	5745	17.58	18.00	>=500
CH157	5785	17.83	18.25	>=500
CH165	5825	17.71	18.13	>=500


TX CH 149




Date: 27.JAN.2015 19:36:20

Report No.: BTL-FCCP-1-1410139 Page 190 of 326





Date: 27.JAN.2015 19:38:24



Date: 27.JAN.2015 19:41:11




Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH151	5755	36.16	36.50	>=500
CH159	5795	36.41	36.50	>=500

Report No.: BTL-FCCP-1-1410139 Page 192 of 326






Span 100 MHz

Date: 27.JAN.2015 19:51:06

Center 5.755 GHz




Date: 27.JAN.2015 19:53:31



Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (KHz)
CH155	5775	75.81	76.00	>=500

TX CH 155



Date: 27.JAN.2015 20:02:50

Report No.: BTL-FCCP-1-1410139 Page 194 of 326



ATTACHMENT F - MAXIMUM OUTPUT POWER

Report No.: BTL-FCCP-1-1410139 Page 195 of 326



Test Mode: UNII-1/TX A Mode_ANT 4

	Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
	CH36	5180	16.27	0.02	16.29	24.00	0.25
Ī	CH40	5200	15.46	0.02	15.48	24.00	0.25
Ī	CH48	5240	16.11	0.02	16.13	24.00	0.25

Test Mode: UNII-1/TX A Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.89	0.02	15.91	24.00	0.25
CH40	5200	15.32	0.02	15.34	24.00	0.25
CH48	5240	15.92	0.02	15.94	24.00	0.25

Test Mode: UNII-1/TX A Mode_ANT 6

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.33	0.02	15.35	24.00	0.25
CH40	5200	15.33	0.02	15.35	24.00	0.25
CH48	5240	16.28	0.02	16.30	24.00	0.25

Test Mode: UNII-1/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	20.63	0.02	20.63	24.00	0.25
CH40	5200	20.16	0.02	20.16	24.00	0.25
CH48	5240	20.89	0.02	20.89	24.00	0.25

Report No.: BTL-FCCP-1-1410139 Page 196 of 326



Test Mode: UNII-1/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.88	0.05	16.93	24.00	0.25
CH40	5200	15.27	0.05	15.32	24.00	0.25
CH48	5240	15.95	0.05	16.00	24.00	0.25

Test Mode: UNII-1/TX N20 Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.77	0.05	16.82	24.00	0.25
CH40	5200	14.75	0.05	14.80	24.00	0.25
CH48	5240	15.53	0.05	15.58	24.00	0.25

Test Mode: UNII-1/TX N20 Mode_ANT 6

Channel	Frequency (MHz)	Output Power	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
	(2)	(dBm)	(dBm)	1 dotor (d2)	(42)	(Truit)
CH36	5180	16.67	0.05	16.72	24.00	0.25
CH40	5200	14.63	0.05	14.68	24.00	0.25
CH48	5240	15.32	0.05	15.37	24.00	0.25

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	21.59	0.05	21.59	24.00	0.25
CH40	5200	19.71	0.05	19.71	24.00	0.25
CH48	5240	20.43	0.05	20.43	24.00	0.25

Report No.: BTL-FCCP-1-1410139 Page 197 of 326



Test Mode: UNII-1/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.22	0.08	13.30	24.00	0.25
CH46	5230	17.23	0.08	17.31	24.00	0.25

Test Mode: UNII-1/TX N40 Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	12.96	0.08	13.04	24.00	0.25
CH46	5230	16.87	0.08	16.95	24.00	0.25

Test Mode: UNII-1/TX N40 Mode_ANT 6

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.21	0.08	13.29	24.00	0.25
CH46	5230	17.23	0.08	17.31	24.00	0.25

Test Mode: UNII-1/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.98	0.08	17.98	24.00	0.25
CH46	5230	21.96	0.08	21.96	24.00	0.25

Report No.: BTL-FCCP-1-1410139 Page 198 of 326



Test Mode: UNII-3/ TX A Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.34	0.02	19.36	30.00	1.00
CH157	5785	19.74	0.02	19.76	30.00	1.00
CH165	5825	17.33	0.02	17.35	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.21	0.02	18.23	30.00	1.00
CH157	5785	19.22	0.02	19.24	30.00	1.00
CH165	5825	19.66	0.02	19.68	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 6

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.33	0.02	19.35	30.00	1.00
CH157	5785	20.17	0.02	20.19	30.00	1.00
CH165	5825	17.13	0.02	17.15	30.00	1.00

Test Mode: UNII-3/ TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	23.78	0.02	23.78	30.00	1.00
CH157	5785	24.51	0.02	24.51	30.00	1.00
CH165	5825	22.99	0.02	22.99	30.00	1.00

Report No.: BTL-FCCP-1-1410139 Page 199 of 326



Test Mode: UNII-3/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.52	0.05	17.57	30.00	1.00
CH157	5785	20.44	0.05	20.49	30.00	1.00
CH165	5825	20.02	0.05	20.07	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.32	0.05	16.37	30.00	1.00
CH157	5785	21.42	0.05	21.47	30.00	1.00
CH165	5825	20.02	0.05	20.07	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 6

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.44	0.05	17.49	30.00	1.00
CH157	5785	19.93	0.05	19.98	30.00	1.00
CH165	5825	19.13	0.05	19.18	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.95	0.05	21.95	30.00	1.00
CH157	5785	25.46	0.05	25.46	30.00	1.00
CH165	5825	24.56	0.05	24.56	30.00	1.00

Report No.: BTL-FCCP-1-1410139 Page 200 of 326



Test Mode: UNII-3/ TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.78	0.08	14.86	30.00	1.00
CH159	5795	20.13	0.08	20.21	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	13.54	0.08	13.62	30.00	1.00
CH159	5795	21.08	0.08	21.16	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 6

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.75	0.08	14.83	30.00	1.00
CH159	5795	20.02	0.08	20.10	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.24	0.08	19.24	30.00	1.00
CH159	5795	25.28	0.08	25.28	30.00	1.00

Report No.: BTL-FCCP-1-1410139 Page 201 of 326



Test Mode: UNII-1/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.11	0.02	16.13	24.00	0.25
CH40	5200	14.97	0.02	14.99	24.00	0.25
CH48	5240	16.62	0.02	16.64	24.00	0.25

Test Mode: UNII-1/TX AC20 Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.88	0.02	15.90	24.00	0.25
CH40	5200	14.96	0.02	14.98	24.00	0.25
CH48	5240	16.81	0.02	16.83	24.00	0.25

Test Mode: UNII-1/TX AC20 Mode_ANT 6

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.13	0.02	16.15	24.00	0.25
CH40	5200	15.42	0.02	15.44	24.00	0.25
CH48	5240	17.18	0.02	17.20	24.00	0.25

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	20.83	0.02	20.83	24.00	0.25
CH40	5200	19.91	0.02	19.91	24.00	0.25
CH48	5240	21.66	0.02	21.66	24.00	0.25

Report No.: BTL-FCCP-1-1410139 Page 202 of 326



Test Mode: UNII-1/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.83	0.02	10.85	24.00	0.25
CH46	5230	17.12	0.02	17.14	24.00	0.25

Test Mode: UNII-1/TX AC40 Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.43	0.02	10.45	24.00	0.25
CH46	5230	16.88	0.02	16.90	24.00	0.25

Test Mode: UNII-1/TX AC40 Mode_ANT 6

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.32	0.02	10.34	24.00	0.25
CH46	5230	16.76	0.02	16.78	24.00	0.25

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.32	0.02	15.32	24.00	0.25
CH46	5230	21.71	0.02	21.71	24.00	0.25

Report No.: BTL-FCCP-1-1410139 Page 203 of 326



Test Mode: UNII-1/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	9.34	0.13	9.47	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	9.12	0.13	9.25	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode_ANT 6

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	9.37	0.13	9.50	24.00	0.25

Test Mode: UNII-1/TX AC80 Mode_Total

Channe	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.18	0.13	14.18	24.00	0.25

Report No.: BTL-FCCP-1-1410139 Page 204 of 326



Test Mode: UNII-3/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.42	0.02	17.44	30.00	1.00
CH157	5785	20.15	0.02	20.17	30.00	1.00
CH165	5825	19.88	0.02	19.90	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.32	0.02	16.34	30.00	1.00
CH157	5785	21.12	0.02	21.14	30.00	1.00
CH165	5825	20.04	0.02	20.06	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 6

	Fraguenay	Output	Duty	Output Power+Duty	Limit	Limit
Channel	Frequency	Power	Factor			
	(MHz)	(dBm)	(dBm)	Factor (dBm)	(dBm)	(Watt)
CH149	5745	17.47	0.02	17.49	30.00	1.00
CH157	5785	19.86	0.02	19.88	30.00	1.00
CH165	5825	19.33	0.02	19.35	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.89	0.02	21.89	30.00	1.00
CH157	5785	25.20	0.02	25.20	30.00	1.00
CH165	5825	24.55	0.02	24.55	30.00	1.00

Report No.: BTL-FCCP-1-1410139 Page 205 of 326



Test Mode: UNII-3/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	14.11	0.02	14.13	30.00	1.00
CH159	5795	20.35	0.02	20.37	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	13.37	0.02	13.39	30.00	1.00
CH159	5795	20.92	0.02	20.94	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 6

Channel	Frequency (MHz)	Output Power	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
		(dBm)	(dBm)			
CH151	5755	14.17	0.02	14.19	30.00	1.00
CH159	5795	19.24	0.02	19.26	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.69	0.02	18.69	30.00	1.00
CH159	5795	25.01	0.02	25.01	30.00	1.00

Report No.: BTL-FCCP-1-1410139 Page 206 of 326



Test Mode: UNII-3/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	11.84	0.13	11.97	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 5

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	11.43	0.13	11.56	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 6

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.18	0.13	12.31	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	16.73	0.13	16.73	30.00	1.00


Report No.: BTL-FCCP-1-1410139 Page 207 of 326




ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION

Report No.: BTL-FCCP-1-1410139 Page 208 of 326








Date: 27.JAN.2015 20:17:05


TX mode CH48



Date: 27.JAN.2015 20:27:32




Test Mode: UNII-1/TX A Mode_ANT 5 TX mode CH36 *RBW 1 MHz Marker 2 [T1] *VBW 3 MHz -41.68 dBm Ref 21.5 dBm *Att 30 dB SWT 20 ms 5.147200000 GHz




Date: 27.JAN.2015 20:17:35

TX mode CH48




Date: 27.JAN.2015 20:27:12







TX mode CH48 *RBW 1 MHz Marker 2 [T1] *VBW 3 MHz -42.85 dBm Ref 21.5 dBm *Att 30 dB SWT 20 ms 5.355600000 GHz *Att 30 dB SWT 20 ms 5.355000000 GHz **IBW 1 MARKER 1 [T1] **IB



Date: 27.JAN.2015 20:24:26









Date: 27.JAN.2015 20:20:19


TX mode CH48



Date: 27.JAN.2015 20:28:30









Date: 27.JAN.2015 20:19:58


TX mode CH48



Date: 27.JAN.2015 20:28:52









Date: 27.JAN.2015 20:19:33


TX mode CH48



Date: 27.JAN.2015 20:29:11









Date: 27.JAN.2015 21:22:06


TX mode CH46



Date: 27.JAN.2015 22:19:48









Date: 27.JAN.2015 21:22:53


TX mode CH46



Date: 27.JAN.2015 22:19:23








Date: 27.JAN.2015 21:22:28

TX mode CH46




Date: 27.JAN.2015 22:18:56




Test Mode: UNII-3/TX A Mode_ANT 4

TX A Mode CH149




Date: 27.JAN.2015 20:37:41

TX A Mode CH165




Date: 27.JAN.2015 21:15:17






TX A Mode CH149




Date: 27.JAN.2015 20:38:21

TX A Mode CH165




Date: 27.JAN.2015 21:14:42






TX A Mode CH149




Date: 27.JAN.2015 20:38:55

TX A Mode CH165




Date: 27.JAN.2015 21:15:41






TX HT20 mode CH149




Date: 27.JAN.2015 21:09:00

TX HT20 mode CH165




Date: 27.JAN.2015 21:16:42






TX HT20 mode CH149




Date: 27.JAN.2015 20:40:36

X HT20 mode CH165




Date: 27.JAN.2015 21:17:35






TX HT20 mode CH149



Date: 27.JAN.2015 20:40:02

X HT20 mode CH165




Date: 27.JAN.2015 21:17:06






UNII-3/TX HT40 mode CH151




Date: 27.JAN.2015 22:21:21

UNII-3/TX HT40 mode CH159




Date: 27.JAN.2015 22:25:19






TX HT40 mode CH151




Date: 27.JAN.2015 22:21:54

HT40 mode CH159




Date: 27.JAN.2015 22:24:52






TX HT40 mode CH151




Date: 27.JAN.2015 22:22:11

HT40 mode CH159



Date: 27.JAN.2015 22:24:24





Date: 27.JAN.2015 20:21:17

Center 5.096 GHz


*RBW 1 MHz Marker 2 [T1] *VBW 3 MHz -40.46 dBm Ref 21.5 dBm *Att 30 dB SWT 20 ms 5.355600000 GHz 20 Offset 1.5 dB Marker 1 [T1 -42.48 dBm 5.350000 DO GHz -10 D1 -27 dbm 5.350000 DO GHz 21 UVL -10 D1 -27 dbm 5.350000 DO GHz -50 F1 Center 5.312 GHz 20 MHz/ Span 200 MHz


20 MHz/

Span 200 MHz

Date: 27.JAN.2015 20:30:59









Date: 27.JAN.2015 20:21:42

TX mode CH48



Date: 27.JAN.2015 20:30:40






Date: 27.JAN.2015 20:22:15

Center 5.096 GHz

TX mode CH48


Span 200 MHz


20 MHz/



Date: 27.JAN.2015 20:30:15









Date: 27.JAN.2015 21:24:28


TX mode CH46



Date: 27.JAN.2015 21:26:13









Date: 27.JAN.2015 21:24:02


TX mode CH46



Date: 27.JAN.2015 21:56:02








Date: 27.JAN.2015 21:24:44

TX mode CH46




Date: 27.JAN.2015 21:56:31



Test Mode: UNII-1/TX AC80 Mode_ANT 4

TX mode CH42




Date: 27.JAN.2015 22:13:48

Report No.: BTL-FCCP-1-1410139 Page 233 of 326



Test Mode: UNII-1/TX AC80 Mode_ANT 5


TX mode CH42




Date: 27.JAN.2015 22:13:23

Report No.: BTL-FCCP-1-1410139 Page 234 of 326





TX mode CH42




Date: 27.JAN.2015 22:13:00

Report No.: BTL-FCCP-1-1410139 Page 235 of 326






TX AC HT20 mode CH149



Date: 27.JAN.2015 21:10:23

TX AC HT20 mode CH165




Date: 27.JAN.2015 21:20:08






TX AC HT20 mode CH149



Date: 27.JAN.2015 21:11:13

TX AC HT20 mode CH165




Date: 27.JAN.2015 21:19:32






TX AC HT20 mode CH149



Date: 27.JAN.2015 21:10:47

TX AC HT20 mode CH165




Date: 27.JAN.2015 21:20:31






TX AC HT40 mode CH151



Date: 27.JAN.2015 22:05:53

TX AC HT40 mode CH159




Date: 27.JAN.2015 22:07:27




Test Mode: UNII-3/TX AC40 Mode_ANT 5

TX AC HT40 mode CH151



Date: 27.JAN.2015 22:05:18

TX AC HT40 mode CH159




Date: 27.JAN.2015 22:08:12

Report No.: BTL-FCCP-1-1410139 Page 240 of 326




Test Mode: UNII-3/TX AC40 Mode_ANT 6

TX AC HT40 mode CH151



Date: 27.JAN.2015 22:04:14

TX AC HT40 mode CH159




Date: 27.JAN.2015 22:08:36

Report No.: BTL-FCCP-1-1410139 Page 241 of 326





TX AC HT80 mode CH155




Date: 27.JAN.2015 22:15:51

Report No.: BTL-FCCP-1-1410139 Page 242 of 326



Test Mode: UNII-3/TX AC80 Mode_ANT 5

TX AC HT80 mode CH155




Date: 27.JAN.2015 22:16:21

Report No.: BTL-FCCP-1-1410139 Page 243 of 326



Test Mode: UNII-3/TX AC80 Mode_ANT 6

TX AC HT80 mode CH155



Date: 27.JAN.2015 22:16:43

Report No.: BTL-FCCP-1-1410139 Page 244 of 326



ATTACHMENT H - POWER SPECTRAL DENSITY

Report No.: BTL-FCCP-1-1410139 Page 245 of 326




Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.97	0.02	2.99	11.00
CH40	5200	2.83	0.02	2.85	11.00
CH48	5240	3.22	0.02	3.24	11.00


Date: 27.JAN.2015 18:48:07

Report No.: BTL-FCCP-1-1410139 Page 246 of 326





Date: 27.JAN.2015 18:51:19



Date: 27.JAN.2015 18:53:04



Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.74	0.02	2.76	11.00
CH40	5200	2.41	0.02	2.43	11.00
CH48	5240	2.86	0.02	2.88	11.00

4 MHz/


Span 40 MHz

Date: 27.JAN.2015 18:48:25

Center 5.18 GHz

Report No.: BTL-FCCP-1-1410139 Page 248 of 326





Date: 27.JAN.2015 18:51:37




Date: 27.JAN.2015 18:53:21



Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.22	0.02	3.24	11.00
CH40	5200	2.85	0.02	2.87	11.00
CH48	5240	3.24	0.02	3.26	11.00


CH36



Date: 27.JAN.2015 18:48:43

Report No.: BTL-FCCP-1-1410139 Page 250 of 326





Date: 27.JAN.2015 18:51:55



Date: 27.JAN.2015 18:53:43



Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	7.76	0.02	7.76	11.00
CH40	5200	7.48	0.02	7.48	11.00
CH48	5240	7.89	0.02	7.89	11.00


Report No.: BTL-FCCP-1-1410139 Page 252 of 326



Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.60	0.05	3.65	11.00
CH40	5200	1.44	0.05	1.49	11.00
CH48	5240	2.75	0.05	2.80	11.00


CH36




Date: 27.JAN.2015 19:05:12

Report No.: BTL-FCCP-1-1410139 Page 253 of 326










Date: 27.JAN.2015 19:08:51



Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.44	0.05	3.49	11.00
CH40	5200	1.57	0.05	1.62	11.00
CH48	5240	2.44	0.05	2.49	11.00


CH36



Date: 27.JAN.2015 19:05:27

Report No.: BTL-FCCP-1-1410139 Page 255 of 326





Date: 27.JAN.2015 19:07:13




Date: 27.JAN.2015 19:09:13



Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.94	0.05	3.99	11.00
CH40	5200	1.86	0.05	1.91	11.00
CH48	5240	2.92	0.05	2.97	11.00


CH36





Date: 27.JAN.2015 19:05:45

Report No.: BTL-FCCP-1-1410139 Page 257 of 326









Date: 27.JAN.2015 19:10:47



Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.49	0.05	8.49	11.00
CH40	5200	6.45	0.05	6.45	11.00
CH48	5240	7.53	0.05	7.53	11.00

Report No.: BTL-FCCP-1-1410139 Page 259 of 326



Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.12	0.08	-3.04	11.00
CH46	5230	0.80	0.08	0.88	11.00

Report No.: BTL-FCCP-1-1410139 Page 260 of 326





Date: 27.JAN.2015 19:20:53



Date: 27.JAN.2015 19:22:36





Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.67	0.08	-3.59	11.00
CH46	5230	0.32	0.08	0.40	11.00

Report No.: BTL-FCCP-1-1410139 Page 262 of 326









Date: 27.JAN.2015 19:22:52





Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 6


Channe	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.86	0.08	-2.78	11.00
CH46	5230	1.11	0.08	1.19	11.00

Report No.: BTL-FCCP-1-1410139 Page 264 of 326









Date: 27.JAN.2015 19:23:10



Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.64	0.08	1.64	11.00
CH46	5230	5.60	0.08	5.60	11.00


Report No.: BTL-FCCP-1-1410139 Page 266 of 326



Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.92	0.02	6.94	30.00
CH157	5785	7.70	0.02	7.72	30.00
CH165	5825	4.64	0.02	4.66	30.00


TX CH149



Date: 27.JAN.2015 18:55:15

Report No.: BTL-FCCP-1-1410139 Page 267 of 326





Date: 27.JAN.2015 18:57:45




Date: 27.JAN.2015 18:59:54



Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.98	0.02	5.00	30.00
CH157	5785	5.75	0.02	5.77	30.00
CH165	5825	2.78	0.02	2.80	30.00


TX CH149



Date: 27.JAN.2015 18:55:31

Report No.: BTL-FCCP-1-1410139 Page 269 of 326





Date: 27.JAN.2015 18:58:04


Date: 27.JAN.2015 19:00:11



Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.98	0.02	7.00	30.00
CH157	5785	7.09	0.02	7.11	30.00
CH165	5825	4.21	0.02	4.23	30.00


TX CH149



Date: 27.JAN.2015 18:55:49

Report No.: BTL-FCCP-1-1410139 Page 271 of 326





Date: 27.JAN.2015 18:58:21

Date: 27.JAN.2015 19:00:28



Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.17	0.02	11.17	30.00
CH157	5785	11.71	0.02	11.71	30.00
CH165	5825	8.73	0.02	8.73	30.00


Report No.: BTL-FCCP-1-1410139 Page 273 of 326



Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.78	0.05	4.83	30.00
CH157	5785	7.27	0.05	7.32	30.00
CH165	5825	5.84	0.05	5.89	30.00

TX CH149




Date: 27.JAN.2015 19:12:30

Report No.: BTL-FCCP-1-1410139 Page 274 of 326





Date: 27.JAN.2015 19:14:34




Date: 27.JAN.2015 19:18:19



Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.04	0.05	3.09	30.00
CH157	5785	5.65	0.05	5.70	30.00
CH165	5825	4.33	0.05	4.38	30.00


TX CH149



Date: 27.JAN.2015 19:12:46

Report No.: BTL-FCCP-1-1410139 Page 276 of 326





Date: 27.JAN.2015 19:14:51




Date: 27.JAN.2015 19:18:41



Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.81	0.05	4.86	30.00
CH157	5785	6.57	0.05	6.62	30.00
CH165	5825	5.68	0.05	5.73	30.00


TX CH149




Date: 27.JAN.2015 19:13:01

Report No.: BTL-FCCP-1-1410139 Page 278 of 326





Date: 27.JAN.2015 19:15:09



Date: 27.JAN.2015 19:18:59



Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.11	0.05	9.11	30.00
CH157	5785	11.37	0.05	11.37	30.00
CH165	5825	10.15	0.05	10.15	30.00

Report No.: BTL-FCCP-1-1410139 Page 280 of 326




Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.17	0.08	-1.09	30.00
CH159	5795	3.57	0.08	3.65	30.00

Report No.: BTL-FCCP-1-1410139 Page 281 of 326





Date: 27.JAN.2015 19:24:39



Date: 27.JAN.2015 19:26:56




Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.54	0.08	-2.46	30.00
CH159	5795	2.51	0.08	2.59	30.00

Report No.: BTL-FCCP-1-1410139 Page 283 of 326





Date: 27.JAN.2015 19:25:00



Date: 27.JAN.2015 19:27:14




Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 6

Ī	Channel Frequency (MHz)		Power	Duty	Power Density+Duty	Limait
		Density	Factor	Factor	Limit	
		(IVIHZ)	(dBm/MHz)	(dBm/MHz)	(dBm/500kHz)	(dBm/500kHz)
Ī	CH151	5755	-1.06	0.08	-0.98	30.00
Ī	CH159	5795	3.73	0.08	3.81	30.00

Report No.: BTL-FCCP-1-1410139 Page 285 of 326





Date: 27.JAN.2015 19:25:25



Date: 27.JAN.2015 19:28:00



Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.31	0.08	3.31	30.00
CH159	5795	8.15	0.08	8.15	30.00

Report No.: BTL-FCCP-1-1410139 Page 287 of 326




Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.27	0.02	2.29	11.00
CH40	5200	1.24	0.02	1.26	11.00
CH48	5240	3.26	0.02	3.28	11.00

Date: 27.JAN.2015 19:30:42

Report No.: BTL-FCCP-1-1410139 Page 288 of 326










Date: 27.JAN.2015 19:34:33



Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.21	0.02	2.23	11.00
CH40	5200	1.18	0.02	1.20	11.00
CH48	5240	3.48	0.02	3.50	11.00


CH36





Date: 27.JAN.2015 19:31:03

Report No.: BTL-FCCP-1-1410139 Page 290 of 326










Date: 27.JAN.2015 19:34:52



Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.59	0.02	1.61	11.00
CH40	5200	1.53	0.02	1.55	11.00
CH48	5240	4.02	0.02	4.04	11.00


CH36





Date: 27.JAN.2015 19:31:19

Report No.: BTL-FCCP-1-1410139 Page 292 of 326









Date: 27.JAN.2015 19:35:09



Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.82	0.02	6.82	11.00
CH40	5200	6.11	0.02	6.11	11.00
CH48	5240	8.39	0.02	8.39	11.00

Report No.: BTL-FCCP-1-1410139 Page 294 of 326



Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.16	0.02	-5.14	11.00
CH46	5230	0.74	0.02	0.76	11.00

Report No.: BTL-FCCP-1-1410139 Page 295 of 326









Date: 27.JAN.2015 19:49:31



Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.77	0.02	-5.75	11.00
CH46	5230	0.63	0.02	0.65	11.00

Report No.: BTL-FCCP-1-1410139 Page 297 of 326





Date: 27.JAN.2015 19:48:02



Date: 27.JAN.2015 19:49:51




Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 6


	Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
	CH38	5190	-5.34	0.02	-5.32	11.00
ſ	CH46	5230	1.08	0.02	1.10	11.00

Report No.: BTL-FCCP-1-1410139 Page 299 of 326









Date: 27.JAN.2015 19:50:11



Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.63	0.02	-0.63	11.00
CH46	5230	5.61	0.02	5.61	11.00

Report No.: BTL-FCCP-1-1410139 Page 301 of 326



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-10.36	0.13	-10.23	11.00



Date: 27.JAN.2015 20:01:20

Report No.: BTL-FCCP-1-1410139 Page 302 of 326



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-10.92	0.13	-10.79	11.00



Date: 27.JAN.2015 20:01:40


Report No.: BTL-FCCP-1-1410139 Page 303 of 326



Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 6

Channel	Frequency (MHz)	Power	Duty	Power Density+Duty	Limit
		Density	Factor	Factor	
		(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)
CH42	5210	-10.39	0.13	-10.26	11.00

CH42



Date: 27.JAN.2015 20:02:01

Report No.: BTL-FCCP-1-1410139 Page 304 of 326



Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.65	0.13	-5.65	11.00


Report No.: BTL-FCCP-1-1410139 Page 305 of 326



Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	4.67	0.02	4.69	30.00
CH157	5785	6.90	0.02	6.92	30.00
CH165	5825	5.79	0.02	5.81	30.00


TX CH149




Date: 27.JAN.2015 19:36:33

Report No.: BTL-FCCP-1-1410139 Page 306 of 326





Date: 27.JAN.2015 19:38:41




Date: 27.JAN.2015 19:41:30



Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 5

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	3.42	0.02	3.44	30.00
CH157	5785	5.60	0.02	5.62	30.00
CH165	5825	4.39	0.02	4.41	30.00


TX CH149




Date: 27.JAN.2015 19:36:50

Report No.: BTL-FCCP-1-1410139 Page 308 of 326





Date: 27.JAN.2015 19:39:06




Date: 27.JAN.2015 19:41:53



Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 6

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	4.43	0.02	4.45	30.00
CH157	5785	6.53	0.02	6.55	30.00
CH165	5825	5.71	0.02	5.73	30.00


TX CH149



Date: 27.JAN.2015 19:37:09

Report No.: BTL-FCCP-1-1410139 Page 310 of 326





Date: 27.JAN.2015 19:39:26



Date: 27.JAN.2015 19:42:14



Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH149	5745	8.99	0.02	8.99	30.00
CH157	5785	11.17	0.02	11.17	30.00
CH165	5825	10.13	0.02	10.13	30.00

Report No.: BTL-FCCP-1-1410139 Page 312 of 326




Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-1.66	0.02	-1.64	30.00
CH159	5795	4.04	0.02	4.06	30.00

Report No.: BTL-FCCP-1-1410139 Page 313 of 326





Date: 27.JAN.2015 19:51:59



Date: 27.JAN.2015 19:53:45




Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 5


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-2.91	0.02	-2.89	30.00
CH159	5795	2.46	0.02	2.48	30.00

Report No.: BTL-FCCP-1-1410139 Page 315 of 326





Date: 27.JAN.2015 19:52:23



Date: 27.JAN.2015 19:54:04




Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 6


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	-1.26	0.02	-1.24	30.00
CH159	5795	3.59	0.02	3.61	30.00

Report No.: BTL-FCCP-1-1410139 Page 317 of 326





Date: 27.JAN.2015 19:52:40



Date: 27.JAN.2015 19:59:06



Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH151	5755	2.90	0.02	2.90	30.00
CH159	5795	8.20	0.02	8.20	30.00


Report No.: BTL-FCCP-1-1410139 Page 319 of 326



Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-7.03	0.13	-6.90	30.00

TX CH155



Date: 27.JAN.2015 20:03:11


Report No.: BTL-FCCP-1-1410139 Page 320 of 326



Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 5

Channel	Fraguanay	Power	Duty	Power Density+Duty	Limit
	Frequency	Density	Factor	Factor	Limit
	(MHz)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	(dBm/500kHz)
CH155	5775	-7.78	0.13	-7.65	30.00

TX CH155



Date: 27.JAN.2015 20:03:43


Report No.: BTL-FCCP-1-1410139 Page 321 of 326



Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 6

Channel	Fraguenay	Power	Duty	Power Density+Duty	Limit
	Frequency	Density	Factor	Factor	Limit (dBm/500kHz)
	(MHz)	(dBm/MHz)	(dBm/MHz)	(dBm/MHz)	(UDIII/SUUKHZ)
CH155	5775	-6.87	0.13	-6.74	30.00

TX CH155



Date: 27.JAN.2015 20:04:04

Report No.: BTL-FCCP-1-1410139 Page 322 of 326



Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/500kHz)
CH155	5775	-2.31	0.13	-2.31	30.00

Report No.: BTL-FCCP-1-1410139 Page 323 of 326



ATTACHMENT I - FREQUENCY STABILITY

Report No.: BTL-FCCP-1-1410139 Page 324 of 326



Test Mode: UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0120
120	5180.0470
108	5180.0260
Max. Deviation (MHz)	0.0470
Max. Deviation (ppm)	9.0734

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0120
120	5745.0220
108	5745.0080
Max. Deviation (MHz)	0.0220
Max. Deviation (ppm)	3.8294

Report No.: BTL-FCCP-1-1410139 Page 325 of 326



Test Mode: UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5180.0029
5	5180.0138
15	5180.0116
25	5180.0092
35	5180.0025
45	5180.0074
50	5180.0244
Max. Deviation (MHz)	0.0244
Max. Deviation (ppm)	4.7104

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5745.0091
5	5745.0101
15	5745.0083
25	5745.0014
35	5745.0025
45	5745.0147
50	5745.0241
Max. Deviation (MHz)	0.0241
Max. Deviation (ppm)	4.1950

Report No.: BTL-FCCP-1-1410139 Page 326 of 326