



CISCO SYSTEMS



S/N FHH0910W185
MAC 000BFCFFAFBC
LOT White REV 2

AIR-AP1242AG-A-K9

Input: 48V \pm 380mA
2.4 GHz 24 Mbps
5 GHz 144 Mbps

Partners: 5278680
5208881, 5049058
This device complies
with Part 15 of the
FCC rules.

FCC ID: LDK102066
CANADA 5481B-102066

Associated apparatus
provides non-hazardous field
circuits for Class I, Division 2,
Group A, B, C, and D.

WIFI
CERTIFIED

UL


I.T.E. for
US Haz Loc
5BA2

Cisco Systems, Inc. LISTED
170 West Tasman Drive
San Jose, CA 95134
USA


SEE MANUAL BEFORE USE

CAUTION

Hot
Surfaces



10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200 210 220 230 240 250 260 270
INCHES
PRODUCTS
ENGINEERING
MADE IN U.S.A.



SN: FHH0910W196


011308

IBM
PowerPC
405EP
18881

Macintosh

100K
0210101010
X 45

100K
0210101010
X 45




SN:FHH0910W196

55698-2
0905 05

73-10256-01 03

COPYRIGHT 2005





SN: FHH0910V0082

Cache Prefetch

Cache Prefetch

Cache Prefetch

IBM PowerPC 405EP 30M

IBM 405EP 30M

Cache Prefetch

Cache Prefetch

Cache Prefetch



SN FHI-0910W092

3M ULSA-V-8
S3698-2
8925 RS

73-9925-02 04

SDX 200

COVERTIGHT 2625

