


3:10


| | | | | |
|--|-----------------|----------|-------------------------------|-------------------|
| scale 1:1 | basic material | | treatment, surface | |
| | | | | |
| System: Pro/E | edited | 24.02.12 | 3084 bre | Assembly |
| A2 /001525_RFP36 | checked | | | |
| Aastra Aastra Deutschland GmbH "Copyright reserved" | released | 24.02.12 | 3085 hul | RFP 36 IP |
| | sheet 1 of 1 | | No. MI-63-001525-80 | Rev. 04 |

Layout according to this view
Printing ink black, wiping resistant




Line 1: FCC-ID + IC Number;


Line 2-7: This device complies with part 15 of the FCC Rules
and with RSS-210 of Industry Canada.
Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.

| | | | | | | | | | | | |
|------------------------------|------------|----------|------|-------------------------|--|---|--|---------------------------|--|--------|--|
| Erstm. in: | | | | Zul. Abweichg. | | Maßstab: 2:1 | | Werkstoff: | | | |
| | | | | | | | | Oberfläche: | | | |
| Adobe Illustrator CS3: | | | | Datum | | 16.03.12 | | RFP 36 / 37 IP, FCC Label | | | |
| Änderungen nur im CAD-System | | | | Bearb. | | Schoof | | | | | |
| | | | | Gepr. | | | | | | | |
| | | | | Norm | | | | | | | |
| | | | | | | | | | | | |
| | | | | | |  | | LB-42-001864-00 | | | |
| | | | | | | | | | | | |
| 02 | C03067 | 16.03.12 | Scho | Aastra Deutschland GmbH | | | | | | Blatt: | |
| Zust. | Mitteilung | Datum | Name | | | | | | | 1/1 | |
| | | | | | | | | | | | |


*Division of printing area according to this view
Printing ink black, wipeproof*




- Text: Logo + Product name - Arial 3 mm
 Other Text: - Arial 2.2 mm
 1) ERP-No: + Barcode 128 (high 5mm)
 2) EAN Code 13 - (readable + barcode)
 3) Symbol according to ElektroG, 5 mm high
 4) PDM-No

| | | | | | | |
|--|----------|---|-------|--|--|-------------------|
| System: Adobe Illustrator | edited | 13.12.11 | dscho | Label printing, RFP L36 IP - Type label | | |
| ECO: | checked | | | | | |
|  Aastra Deutschland GmbH „Copyright reserved“ | released | xx.02.10 | dscho | | | |
| Sheet: 1 of 1 | | Doc Cat. Part Cat. Number Variant LB-42-001730-A6 | | | | Rev. 01 |

*Division of printing area according to this view
Printing ink black, wipeproof*



- Text: Logo + Product name - Arial 3 mm
 Other Text: - Arial 2.2 mm
 1) ERP-No: + Barcode 128 (high 5mm)
 2) EAN Code 13 - (readable + barcode)
 3) Symbol according to ElektroG, 5 mm high
 4) PDM-No

| | | | | | | |
|--|----------|---|-------|---|--|-------------------|
| System: Adobe Illustrator | edited | 13.12.11 | dscho | Label printing, RFP 36 IP - Type label | | |
| ECO: | checked | | | | | |
|  Aastra Deutschland GmbH „Copyright reserved“ | released | xx.02.10 | dscho | | | |
| Sheet: 1 of 1 | | Doc Cat. Part Cat. Number Variant LB-42-001730-A5 | | | | Rev. 01 |