


FCC ID: UVZCT1100



Polarization:

Distance: 3m

Polarization:

Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz

Vertical

Site: site #1

Condition: FCC 15.247


Company: W6M20701-7793

EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH1 TX

Note:

		Frequency	Reading	Detector	Corrected	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment	ı
N	ık.	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)		



Site: site#1

Condition: FCC 15.247

Company: W6M20701-7793


EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH1 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)			Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4825.651	45.10	peak	-1.30	43.80	74.00	156	164	-30.20	



FCC ID: UVZCT1100



Polarization:

Distance: 3m

Polarization:

Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz

Vertical


Site: site #1

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH1 TX

Note:

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)			Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4825.651	50.60	peak	-1.30	49.30	74.00	150	175	-24.70	



Site: site#1

Condition: FCC 15.247

Company: W6M20701-7793


EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH1 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)		Tab.Pos (deg.)	Margin (dB)	Comment
- 1	3,				 	 		



FCC ID: UVZCT1100



Site: site #1

Condition: FCC 15.247

Company: W6M20701-7793

EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH1 TX

Note:

	.	Frequency	Reading	Detector	Corrected	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment	
M	k.	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)		

Polarization:

Distance: 3m

Polarization:


Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz

Vertical



Site: site#1


Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH1 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)		Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
1	, , , ,							



FCC ID: UVZCT1100



Site : site #1

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH1 TX

Note:

		Frequency	Reading	Detector	Corrected	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment	ı
N	ık.	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)		


Polarization:

Distance: 3m

Power: AC 110V/60Hz

Vertical

Horizontal



Site: site#1

 Condition :
 FCC 15.247
 Polarization:
 Horiz

 Company :
 W6M20701-7793
 Power :
 AC 110V/60Hz


 EUT Model:
 CT1100 (for Pad)
 Distance:
 3m

Execute Program: 802.11g CH1 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)	Corrected factor(dB)		Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
1	, , , ,							



FCC ID: UVZCT1100



Site: site #1

Condition: FCC 15.247 Company: W6M20701-7793 EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH1 TX

Note:

	.	Frequency	Reading	Detector	Corrected	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment	
M	k.	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)		

Polarization:

Distance: 3m

Polarization:


Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz

Vertical



Site: site #1


Condition: FCC 15.247 Company: W6M20701-7793 EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH6 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	173.1000	20.23	peak	19.78	40.01	43.50	340	172	-3.49	



FCC ID: UVZCT1100



Polarization:

Distance: 3m

Polarization:

Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz

Vertical

Site: site#1

Condition: FCC 15.247


Company: W6M20701-7793

EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH6 TX

Note:

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	165.6750	20.15	peak	19.45	39.60	43.50	183	175	-3.90	




Site: site#1

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)
Execute Program: 802.11g CH6 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	401.5000	6.29	peak	21.01	27.30	46.00	185	227	-18.70	



FCC ID: UVZCT1100



Polarization:

Distance: 3m

Polarization:

Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz

Vertical


Site: site#1

Condition: FCC 15.247 Company: W6M20701-7793 EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH6 TX

Note:

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	609.7500	6.50	peak	25.09	31.59	46.00	334	231	-14.41	




Site: site #1

Condition: FCC 15.247 Company: W6M20701-7793 EUT Model: CT1100 (for Pad) Execute Program: 802.11g CH6 TX

_										
l	Frequency	Reading	Detector	Corrected	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



FCC ID: UVZCT1100



Polarization:

Distance: 3m

Polarization:

Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz


Vertical

Site: site#1

Condition: FCC 15.247 Company: W6M20701-7793 EUT Model: CT1100 (for Pad) Execute Program: 802.11g CH6 TX

Note:

	Frequency	Reading	Detector	Corrected	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	




site #1 Site:

Condition: FCC 15.247 Company: W6M20701-7793 EUT Model: CT1100 (for Pad) Execute Program: 802.11g CH6 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)		Tab.Pos (deg.)	Margin (dB)	Comment
	100 100	ı			1			



FCC ID: UVZCT1100



Site: site#1

Condition: FCC 15.247

Company: W6M20701-7793

EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH6 TX

Note:

1										
	Frequency	Reading	Detector	Corrected	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	

Polarization:

Distance: 3m

Polarization:


Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz

Vertical




Site: site#1

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)
Execute Program: 802.11g CH6 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)		Tab.Pos (deg.)	Margin (dB)	Comment
*	4873.748	47.31	peak	-1.30	46.01	74.00	151	164	-27.99	



FCC ID: UVZCT1100



Polarization:

Distance: 3m

Polarization:

Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz

Vertical


Site: site#1

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH6 TX

Note:

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
×	4873.748	50.72	peak	-1.30	49.42	74.00	147	153	-24.58	




Site: site#1

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)
Execute Program: 802.11g CH6 TX

	Frequency	Reading	Detector	Corrected				Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



FCC ID: UVZCT1100



Polarization:

Distance: 3m

Polarization:

Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz


Vertical

Site: site#1

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)
Execute Program: 802.11g CH6 TX

Note:

	Frequency	Reading	Detector	Corrected	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	




Site: site#1

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)
Execute Program: 802.11g CH6 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)		Corrected factor(dB)				Tab.Pos (deg.)	Margin (dB)	Comment	
-----	--------------------	---------------------	--	-------------------------	--	--	--	-------------------	----------------	---------	--



FCC ID: UVZCT1100



Polarization:

Distance: 3m

Polarization:

Distance: 3m

Power: AC 110V/60Hz

Horizontal

Power: AC 110V/60Hz

Vertical


Site: site#1

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH6 TX

Note:

	Frequency	Reading	Detector	Corrected				Tab.Pos		Comment
Mk	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	




Site: site#1

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)
Execute Program: 802.11g CH6 TX

_										
l	Frequency	Reading	Detector	Corrected	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



FCC ID: UVZCT1100



Site: site#1

Condition: FCC 15.247 Company: W6M20701-7793 EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH6 TX

Polarization: Vertical Power: AC 110V/60Hz Distance: 3m

Horizontal


Polarization:

Distance: 3m

Power: AC 110V/60Hz

Note:

	Frequency	Reading	Detector	Corrected	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
M	(MHz)	(dBuV/m)		factor(dB)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Site: site #1

Condition: FCC 15.247 Company: W6M20701-7793 EUT Model: CT1100 (for Pad) Execute Program: 802.11g CH11 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	173.1000	20.95	peak	19.78	40.73	43.50	301	130	-2.77	



FCC ID: UVZCT1100



Site: site#

Condition: FCC 15.247

Company: W6M20701-7793

EUT Model: CT1100 (for Pad)

Execute Program: 802.11g CH11 TX

Note:


Mk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)				Tab.Pos (deg.)	Margin (dB)	Comment
*	165.6750	20.61	peak	19.45	40.06	43.50	175	150	-3.44	

Polarization:

Distance: 3m

Power: AC 110V/60Hz

Vertical



Site : site #1

 Condition :
 FCC 15.247
 Polarization:
 Horizontal

 Company :
 W6M20701-7793
 Power :
 AC 110V/60Hz


 EUT Model:
 CT1100 (for Pad)
 Distance: 3m

Execute Program: 802.11g CH11 TX

N	Λk.	Frequency (MHz)	Reading (dBuV/m)	Detector	Corrected factor(dB)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	401.5000	6.55	peak	21.01	27.56	46.00	200	200	-18.44	



FCC ID: UVZCT1100



Site: site#

Condition: FCC 15.247
Company: W6M20701-7793
EUT Model: CT1100 (for Pad)

Distance: 3m

Power: AC 110V/60Hz


Polarization:

Vertical

Execute Program: 802.11g CH11 TX

Note:

Mk.	Frequency (MHz)	Reading (dBuV/m)		Corrected factor(dB)			Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	401.5000	5.63	peak	21.01	26.64	46.00	307	219	-19.36	



Site : site #1

 Condition :
 FCC 15.247
 Polarization:
 Horizontal

 Company :
 W6M20701-7793
 Power :
 AC 110V/60Hz

 EUT Model:
 CT1100 (for Pad)
 Distance: 3m

Execute Program: 802.11g CH11 TX

Mk.	Frequency (MHz)	Reading (dBuV/m)		Corrected factor(dB)				Tab.Pos (deg.)	Margin (dB)	Comment
-----	--------------------	---------------------	--	-------------------------	--	--	--	-------------------	----------------	---------