

FCC RF Test Report Report No. :FG672014-10B



TEL: 886-3-327-3456 FAX: 886-3-328-4978 FCC RF Test Report Report No. :FG672014-10B



TEL: 886-3-327-3456 FAX: 886-3-328-4978 CC RF Test Report No.: FG672014-10B



TEL: 886-3-327-3456 FAX: 886-3-328-4978

Frequency Stability

Test Conditions		LTE Band 2 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0105	PASS
40	Normal Voltage	0.0096	
30	Normal Voltage	0.0102	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0098	
0	Normal Voltage	0.0010	
-10	Normal Voltage	0.0102	
-20	Normal Voltage	0.0109	
-30	Normal Voltage	0.0108	
20	Maximum Voltage	0.0004	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0010	

Note:

- 1. Normal Voltage =3.6 V.; Battery End Point (BEP) =3.45 V.; Maximum Voltage =4.2 V.
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block.

SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 Report No. :FG672014-10B