





Band 3 - Straddle Channel

WIFI 802.11a (Harmonic @ 3m)






Band 3 – Straddle Channel
WIFI 802.11n HT20 (Harmonic @ 3m)






Band 3 – Straddle Channel
WIFI 802.11n HT40 (Harmonic @ 3m)






Band 3 – Straddle Channel
WIFI 802.11ac VHT80 (Harmonic @ 3m)





Emission below 1GHz

5GHz WIFI 802.11n HT20 (LF)







<For Antenna 4>


<Chain 1>

Band 1 - 5150~5250MHz

WIFI 802.11a (Band Edge @ 3m)












WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11a CH44 5220MHz - R		
	Horizontal	Fundamental
Peak	<p>Site : 03AH12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : SNO846 Mode : 271 Setting : 21</p>	Left blank
Avg.	<p>Site : 03AH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : Peak Project : SNO846 Mode : 271 Setting : 21</p>	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11a CH44 5220MHz - L	
	Vertical	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 271 Setting : 21	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 271 Setting : 21
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 271 Setting : 21	Left blank




WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11a CH44 5220MHz - R		
	Vertical	Fundamental
Peak	 <p>Graph showing WiFi peak signal at 5220MHz. The Y-axis is Level (dBvV/m) from 10 to 140. The X-axis is Frequency (MHz) from 5180 to 5460. A blue curve shows a sharp peak around 5220MHz. A red vertical line marks the peak at approximately 115 dBvV/m. Text on the graph includes: Date: 2019-01-30, Site: 03AK12-HV, Condition: PEAK_BE_74 3m HORN_9120D_132B VERTICAL, Detector: Peak, Project: SNO846, Mode: 271, Setting: 21.</p>	Left blank
Avg.	 <p>Graph showing WiFi average signal at 5220MHz. The Y-axis is Level (dBvV/m) from 10 to 140. The X-axis is Frequency (MHz) from 5180 to 5460. A blue curve shows a broad peak around 5220MHz. A red vertical line marks the average level at approximately 55 dBvV/m. A small blue vertical line is also present at 5370MHz. Text on the graph includes: Date: 2019-01-30, Site: 03CH12-HV, Condition: AVG_BE_54 3m HORN_9120D_132B VERTICAL, Detector: Peak, Project: SNO846, Mode: 271, Setting: 21.</p>	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11a CH48 5240MHz - R		
	Horizontal	Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : SNO846 Mode : 272 Setting : 21	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : SNO846 Mode : 272 Setting : 21	Left blank










WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11a CH48 5240MHz - R		
	Vertical	Fundamental
Peak	 Date: 2019-01-30 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : SNO846 Mode : 272 Setting : 21	Left blank
Avg.	 Date: 2019-01-30 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : Peak Project : SNO846 Mode : 272 Setting : 21	Left blank





Band 1 5150~5250MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT20 CH36 5180MHz	
	Horizontal	Fundamental
Peak	 <p>Site : 03GH12-HV Condition : AVG,BE_74 3m HORN_91200_1328 HORIZONTAL Detector : 8BW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Project : 8N0846 Mode : 273 Setting : 20.5</p>	 <p>Site : 03GH12-HV Condition : AVG,UNIT 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 273 Setting : 20.5</p>
Avg.	 <p>Site : 03GH12-HV Condition : AVG,BE_54 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 273 Setting : 20.5</p>	Left blank










WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT20 CH44 5220MHz - R	
	Horizontal	Fundamental
Peak	 <p>Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 274 Setting : 21</p>	Left blank
Avg.	 <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : Peak Project : 8N0846 Mode : 274 Setting : 21</p>	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT20 CH44 5220MHz - L	
	Vertical	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846 Mode : 274 Setting : 21	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846 Mode : 274 Setting : 21
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846 Mode : 274 Setting : 21	Left blank




WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11n HT20 CH44 5220MHz - R		
	Vertical	Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 274 Setting : 21	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 274 Setting : 21	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11n HT20 CH48 5240MHz - R		
Horizontal		Fundamental
Peak	<p>Site : 03AH12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : SNO846 Mode : 275 Setting : 21</p>	Left blank
Avg.	<p>Site : 03AH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : SNO846 Mode : 275 Setting : 21</p>	Left blank








WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11n HT20 CH48 5240MHz - R		
	Vertical	Fundamental
Peak	<p>Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : SNO846 Mode : 275 Setting : 21</p>	Left blank
Avg.	<p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : Peak Project : SNO846 Mode : 275 Setting : 21</p>	Left blank




Band 1 5150~5250MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT40 CH38 5190MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site Condition : 03GH12-HV Condition : AVG,BE_74 3m HORN_91200_1328 HORIZONTAL Detector : 8BW:1000.0000Hz VBW:3.0000KHz SWT:Auto Project : 8N0846 Mode : 276 Setting : 16.5</p>	 <p>Site Condition : 03GH12-HV Condition : AVG,BE_74 3m HORN_91200_1328 HORIZONTAL Detector : 8BW:1000.0000Hz VBW:3.0000KHz SWT:Auto Project : 8N0846 Mode : 276 Setting : 16.5</p>
Avg.	 <p>Site Condition : AVG,BE_54 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 276 Setting : 16.5</p>	Left blank




WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11n HT40 CH38 5190MHz - R		
	Horizontal	
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 276 Setting : 16.5	Fundamental Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 276 Setting : 16.5	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT40 CH38 5190MHz - R	
	Vertical	Fundamental
Peak	<p>Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 276 Setting : 16.5</p>	Left blank
Avg.	<p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 276 Setting : 16.5</p>	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11n HT40 CH46 5230MHz - R		
Horizontal		Fundamental
Peak	 Site : 03AH12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 277 Setting : 20	Left blank
Avg.	 Site : 03AH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 277 Setting : 20	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT40 CH46 5230MHz - L	
	Vertical	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 277 Setting : 20	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 277 Setting : 20
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 277 Setting : 20	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT40 CH46 5230MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5230 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is dated 2019-01-31.</p> <p>Site : 03AH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : SNO846 Mode : 277 Setting : 20</p>	Left blank
Avg.	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a broad average envelope labeled 'AVG_BE_54'. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is dated 2019-01-31.</p> <p>Site : 03AH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : SNO846 Mode : 277 Setting : 20</p>	Left blank




Band 1 5150~5250MHz

WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT80 CH42 5210MHz - L	
	Horizontal	Fundamental
Peak	 Site Condition : 03GH12-HY Project : AVG_BE_74 3m HORN_91200_1328 HORIZONTAL Detector : Peak Mode : 278 Setting : 16 Date: 2019-01-31	 Site Condition : 03GH12-HY Project : AVG(HORN) 3m HORN_91200_1328 HORIZONTAL Detector : Peak Mode : 278 Setting : 16 Date: 2019-01-31
Avg.	 Site Condition : AVG_BE_54 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 278 Setting : 16 Date: 2019-01-31	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT80 CH42 5210MHz - R	
	Horizontal	Fundamental
Peak	 Date: 2019-01-31 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 278 Setting : 16	Left blank
Avg.	 Date: 2019-01-31 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 278 Setting : 16	Left blank







WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT80 CH42 5210MHz - R	
	Vertical	Fundamental
Peak	 Date: 2019-01-31 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 278 Setting : 16	Left blank
Avg.	 Date: 2019-01-31 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 278 Setting : 16	Left blank




Band 1 - 5150~5250MHz

WIFI 802.11a (Harmonic @ 3m)












Band 1 5150~5250MHz
WIFI 802.11n HT20 (Harmonic @ 3m)












Band 1 5150~5250MHz
WIFI 802.11n HT40 (Harmonic @ 3m)







Band 1 5150~5250MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)






Band 2 - 5250~5350MHz

WIFI 802.11a (Band Edge @ 3m)



WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11a CH52 5260MHz - L	
	Horizontal	Fundamental
Peak	 Site: 03CH12-HY Condition: PEAK, BE_74 3m HORN, 91200_1328 HORIZONTAL Detector: 8BW1000.000kHz VBW:3000.000kHz SWT:Auto Project: 8N0846 Mode: 279 Setting: 21	 Site: 03CH12-HY Condition: PEAK(QUINT) 3m HORN, 91200_1328 HORIZONTAL Detector: 8BW1000.000kHz VBW:3000.000kHz SWT:Auto Project: 8N0846 Mode: 279 Setting: 21
Avg.	 Site: 03CH12-HY Condition: AVG_BE_54 3m HORN, 91200_1328 HORIZONTAL Detector: 8BW1000.000kHz VBW:1.000kHz SWT:Auto Project: 8N0846 Mode: 279 Setting: 21	Left blank




WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
802.11a CH52 5260MHz - R		
	Horizontal	Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : RND846 Mode : 279 Setting : 21	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : Peak Project : RND846 Mode : 279 Setting : 21	Left blank








WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11a CH52 5260MHz - R	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5260 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-01-30</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : RND846 Mode : 279 Setting : 21</p>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad average response labeled 'AVG_BE_54' centered around 5260 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-01-30</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : Peak Project : RND846 Mode : 279 Setting : 21</p>	Left blank









WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
802.11a CH60 5300MHz - R		
	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5300 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-01-30</p> <p>Site : 03AK12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 280 Setting : 21</p>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad average response labeled 'AVG_BE_54' centered around 5300 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-01-30</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 280 Setting : 21</p>	Left blank








WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11a CH60 5300MHz - R	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5300 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-01-30</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 280 Setting : 21</p> <p>Left blank</p>	
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad peak labeled 'AVG_BE_54' at approximately 5300 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-01-30</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 280 Setting : 21</p> <p>Left blank</p>	










Band 2 5250~5350MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11n HT20 CH52 5260MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_91200_1328 HORIZONTAL Detector : 8BW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Project : 8N0846 Mode : 282 Setting : 215</p>	 <p>Site : 03CH12-HV Condition : PEAK(HORN) 3m HORN_91200_1328 HORIZONTAL Detector : 8BW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Project : 8N0846 Mode : 282 Setting : 215</p>
Avg.	 <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 282 Setting : 215</p>	Left blank




WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11n HT20 CH52 5260MHz - R	
	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m)</p> <p>Date: 2019-01-30</p> <p>Site : 03AK12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 282 Setting : 215</p>	Left blank
Avg.	 <p>Level (dBuV/m)</p> <p>Date: 2019-01-30</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 282 Setting : 215</p>	Left blank








WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
802.11n HT20 CH52 5260MHz - R		
	Vertical	Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 282 Setting : 21.5	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 282 Setting : 21.5	Left blank









WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11n HT20 CH60 5300MHz - R	
	Horizontal	Vertical
Peak	 <p>Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 283 Setting : 21</p>	Left blank
Avg.	 <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 283 Setting : 21</p>	Left blank








WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11n HT20 CH60 5300MHz - R	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5290 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-01-30</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 283 Setting : 21</p> <p>Left blank</p>	
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad peak labeled 'AVG_BE_54' at approximately 5290 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-01-30</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 283 Setting : 21</p> <p>Left blank</p>	









Band 2 5250~5350MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11n HT40 CH54 5270 - L	
	Horizontal	Fundamental
Peak	 Site Condition : 03GH12-HV Project : PEAK Detector : Peak Mode : 285 Setting : 21 Date: 2019-01-31	 Site Condition : 03GH12-HV Project : PEAK Detector : Peak Mode : 285 Setting : 21 Date: 2019-01-31
Avg.	 Site Condition : AVG,BE_54 3m HORN_91200_1328 HORIZONTAL Project : 8N0846 Detector : Peak Mode : 285 Setting : 21 Date: 2019-01-31	Left blank




WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11n HT40 CH54 5270 - R	
	Horizontal	Fundamental
Peak	 <p>Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 285 Setting : 21</p>	Left blank
Avg.	 <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 285 Setting : 21</p>	Left blank






WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
802.11n HT40 CH54 5270 - R		
	Vertical	Vertical
Peak	<p>Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 285 Setting : 21</p>	Left blank
Avg.	<p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 285 Setting : 21</p>	Left blank







WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11n HT40 CH62 5310 - R	
	Horizontal	Fundamental
Peak	<p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5310 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz. The plot is dated 2019-01-31.</p> <p>Site : 03AK12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 286 Setting : 16.5</p>	Left blank
Avg.	<p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad average level labeled 'AVG_BE_54' at approximately 5310 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz. The plot is dated 2019-01-31.</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 286 Setting : 16.5</p>	Left blank





WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11n HT40 CH62 5310 - R	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) Date: 2019-01-31 Site : 03AK12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846 Mode : 286 Setting : 16.5</p>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) Date: 2019-01-31 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846 Mode : 286 Setting : 16.5</p>	Left blank




Band 2 5250~5350MHz

WIFI 802.11ac VHT80 (Band Edge @ 3m)



WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT80 CH58 5290MHz - L	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : AVG_BE_74 3m HORN_91200_1328 HORIZONTAL Detector : 8BW:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 287 Setting : 15	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 287 Setting : 15
Avg.	 Site : AVG_BE_54 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 287 Setting : 15	Left blank



WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT80 CH58 5290MHz - R	
	Horizontal	Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 8N0846 Setting : 287 : 15	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : Peak Mode : 8N0846 Setting : 287 : 15	Left blank







WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT80 CH58 5290MHz - R	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m)</p> <p>Date: 2019-01-31</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 287 Setting : 15</p>	Left blank
Avg.	 <p>Level (dBuV/m)</p> <p>Date: 2019-01-31</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 287 Setting : 15</p>	Left blank




Band 2 - 5250~5350MHz

WIFI 802.11a (Harmonic @ 3m)












Band 2 5250~5350MHz
WIFI 802.11n HT20 (Harmonic @ 3m)












Band 2 5250~5350MHz
WIFI 802.11n HT40 (Harmonic @ 3m)







Band 2 5250~5350MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)







Band 3 - 5470~5725MHz

WIFI 802.11a (Band Edge @ 3m)


WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11a CH100 5500MHz	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PFRK_BE(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL : 8BW:1000.000kHz VBW:3000.000Hz SWT:Auto Detector : Pedo Project : BN0846 Mode : 288 Setting : 19	 Site : 03CH12-HY Condition : PFRK_BE(UNIT) 3m HORN_91200_1328 HORIZONTAL : 8BW:1000.000kHz VBW:3000.000Hz SWT:Auto Detector : Pedo Project : BN0846 Mode : 288 Setting : 19
Avg.	 Site : 03CH12-HY Condition : AVG_BE(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL : 8BW:1000.000kHz VBW:1.000kHz SWT:Auto Detector : Pedo Project : BN0846 Mode : 288 Setting : 19	Left blank









WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11a CH116 5580MHz - R	
	Horizontal	Fundamental
Peak	<p>The graph displays a single sharp peak at 5580 MHz, which is the operating frequency for channel 116. The peak level is indicated as approximately 115 dBmV/m. The x-axis represents Frequency (MHz) from 5450 to 5765, and the y-axis represents Level (dBmV/m) from 10 to 140. The plot is titled "Date: 2019-01-31". Below the graph, there is a detailed list of test parameters:</p> <p>Site : 030H2-JW Condition : PEAK_BE(UNIT).R3.3mHORN_912ID_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 8N8646 Setting : 209 Setting : 21</p>	Left blank








WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11a CH116 5580MHz - R	
	Vertical	Fundamental
Peak	<p>The graph displays a single sharp peak at 5580 MHz, reaching approximately 115 dBm/Hz. The x-axis represents Frequency (MHz) from 5450 to 5765, and the y-axis represents Level (dBm/Hz) from 10 to 140. A red vertical line marks the peak frequency. The plot is titled "Date: 2019-01-31". Below the graph, a series of parameters are listed:</p> <p>Site : 030H2-JV Condition : PEAK_BE(UNIT).R3.3mHORN_912ID_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 8N8646 Setting : 209 Setting : 21</p>	Left blank









Band 3 5470~5725MHz
WIFI 802.11n HT20 (Band Edge @ 3m)


WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11n HT20 CH100 5500MHz	
	Horizontal	Fundamental
Peak	 <p>Site Condition : 03CH12-HV Condition : PEAK_SEQUENTIAL_83 3m HORN_91200_1328 HORIZONTAL RFBW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Detector : PwK Project : 8N0846 Mode : 292 Setting : 18.5</p>	 <p>Site Condition : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 HORIZONTAL RFBW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Detector : PwK Project : 8N0846 Mode : 292 Setting : 18.5</p>
Avg.	 <p>Site Condition : AVG_BEF(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL Condition : RF:1000.0000Hz VBW:1.0000Hz SWT:Auto Detector : Peak Project : 8N0846 Mode : 292 Setting : 18.5</p>	Left blank









WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11n HT20 CH116 5580MHz - R	
	Horizontal	Fundamental
Peak	<p>The figure is a spectrum plot titled "Band 3 5470~5725MHz Band Edge @ 3m". The Y-axis is labeled "Level (dBmV/m)" and ranges from 10 to 140. The X-axis is labeled "Frequency (MHz)" and ranges from 5450 to 5765. A blue curve shows a single sharp peak at 5580 MHz, reaching a level of about 115 dBmV/m. A red vertical line marks the peak frequency. The plot includes a legend and a date stamp: "Date: 2019.01.31". Below the plot, there is a block of test parameters:</p> <pre>Site : 030H2-JW Condition : PEAK_BE(UNIT).R3.3mHORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 8N8B46 Setting : 21</pre>	Left blank








WIFI	Band 3 5470~5725MHz Band Edge @ 3m													
	802.11n HT20 CH116 5580MHz - R													
	Vertical	Fundamental												
Peak	<p>The graph displays a single prominent peak at 5580 MHz, reaching approximately 115 dBm/Hz. The x-axis represents Frequency (MHz) from 5450 to 5765, and the y-axis represents Level (dBm/Hz) from 10 to 140. A red vertical line marks the peak frequency. The plot is titled "Date: 2019-01-31". Below the graph, a series of parameters are listed:</p> <table><tr><td>Site</td><td>:030H2-JV</td></tr><tr><td>Condition</td><td>:PEAK_BE(UNIT).R3.3mHORN_9120D_132B VERTICAL</td></tr><tr><td>Detector</td><td>:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto</td></tr><tr><td>Project</td><td>:Peak</td></tr><tr><td>Mode</td><td>:293</td></tr><tr><td>Setting</td><td>:21</td></tr></table>	Site	:030H2-JV	Condition	:PEAK_BE(UNIT).R3.3mHORN_9120D_132B VERTICAL	Detector	:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto	Project	:Peak	Mode	:293	Setting	:21	Left blank
Site	:030H2-JV													
Condition	:PEAK_BE(UNIT).R3.3mHORN_9120D_132B VERTICAL													
Detector	:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto													
Project	:Peak													
Mode	:293													
Setting	:21													








Band 3 5470~5725MHz
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11n HT40 CH102 5510MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site Condition : 03CH12-HV Project : PEAK(BE(UNIT))_B3 3m HORN_91200_1328 HORIZONTAL Detector : PwK Mode : 296 Setting : 17.5</p>	 <p>Site Condition : 03CH12-HV Project : PEAK(BE(UNIT))_3m HORN_91200_1328 HORIZONTAL Detector : PwK Mode : 296 Setting : 17.5</p>
Avg.	 <p>Site Condition : AVG_BEF(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 296 Setting : 17.5</p>	Left blank





WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11n HT40 CH102 5510MHz - R	
	Horizontal	Fundamental
Peak	<p>The figure is a spectrum analysis plot titled "802.11n HT40 CH102 5510MHz - R". The y-axis is labeled "Level (dBvV/m)" and ranges from 10 to 140. The x-axis is labeled "Frequency (MHz)" and ranges from 5450 to 5765. A blue line represents the signal level, which shows a prominent peak at approximately 5510 MHz reaching about 115 dBvV/m. There are also smaller peaks at 5470 MHz and 5720 MHz. A red vertical line marks the peak frequency at 5510 MHz. The plot is dated "2019.02.04". Below the plot, there is a block of text providing test parameters:</p> <p>Site : 030H2-JW Condition : PEAK_BE(UNIT).R3.3mHORN_912ID_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 880846 Mode : 296 Setting : 17.5</p>	Left blank








WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11n HT40 CH102 5510MHz - R	
	Vertical	Fundamental
Peak	<p>The graph displays a spectrum analysis plot with Level (dBvV/m) on the y-axis (ranging from 10 to 140) and Frequency (MHz) on the x-axis (ranging from 5450 to 5765). A blue line represents the signal level, which shows a prominent peak at approximately 5510 MHz reaching about 110 dBvV/m. A red vertical line marks the peak frequency. The plot is titled "Date: 2019-01-31". Below the graph, there is a series of parameters:</p> <p>Site : 030H2-JW Condition : PEAK_BE(UNITS)_R3_3mHORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 880846 Mode : 296 Setting : 17.5</p>	Left blank




















WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11n HT40 CH134 5670MHz - R	
	Vertical	Fundamental
Peak	<p>Site : 03AK12-JV Condition : PEAK_BE(UNITS)_R3_3mHORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 88N846 Setting : 20</p>	Left blank




Band 3 5470~5725MHz

WIFI 802.11ac VHT80 (Band Edge @ 3m)


WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT80 CH106 5530MHz - L	
	Horizontal	Fundamental
Peak	 Site Condition : 03CH12-HV Condition : PEAK(BE(UNIT))_B3 3m HORN_91200_1328 HORIZONTAL Detector : RBW1000.000KHz VBW3.000KHz SWT-Auto Project : 8N0846 Mode : 300 Setting : 17 Date: 2019-01-31	 Site Condition : 03CH12-HV Condition : PEAK(BE(UNIT))_3m HORN_91200_1328 HORIZONTAL Detector : RBW1000.000KHz VBW3.000KHz SWT-Auto Project : 8N0846 Mode : 300 Setting : 17 Date: 2019-01-31
Avg.	 Site Condition : AVG_BEF(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 300 Setting : 17 Date: 2019-01-31	Left blank








WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT80 CH106 5530MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBvV/m)</p> <p>Date: 2019-01-31</p> <p>Frequency (MHz)</p> <p>Site : 030H2-JW Condition : PEAK_BE(UNIT).R3.3mHORN_912ID_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 880846 Mode : 300 Setting : 17</p>	Left blank





WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT80 CH122 5610MHz - R	
	Horizontal	Fundamental
Peak	<p>The graph displays a spectrum analysis plot with Level (dBvV/m) on the Y-axis (ranging from 10 to 140) and Frequency (MHz) on the X-axis (ranging from 5450 to 5765). A blue curve shows a prominent peak at approximately 5610 MHz, reaching a level of about 115 dBvV/m. A red vertical line marks the peak frequency. The plot includes a grid and a date stamp 'Date: 2019.01.31'. Below the graph, a series of parameters are listed:</p> <p>Site : 030H2-JV Condition : PEAK_BE(UNIT),R3.3m,HORN_912ID_132B_HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 808646 Mode : 301 Setting : 21.5</p>	Left blank







WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT80 CH122 5610MHz - R	
	Vertical	Fundamental
Peak	<p>Site : 030H2-JVY Condition : PEAK_BE(UNIT), R3_3m_HORN_9120D_1328 VERTICAL Detector : Peak Project : 80N0846 Mode : 301 Setting : 21.5</p>	Left blank




Band 3 - 5470~5725MHz

WIFI 802.11a (Harmonic @ 3m)












Band 3 5470~5725MHz
WIFI 802.11n HT20 (Harmonic @ 3m)












Band 3 5470~5725MHz
WIFI 802.11n HT40 (Harmonic @ 3m)











Band 3 5470~5725MHz
WIFI 802.11ac VHT80 (Harmonic @ 3m)








Band 3 - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11a CH144 5720MHz - L	
	Horizontal	Fundamental
Peak	 Site Condition : 030H12-HY : 3M STRADDLES U-NII-1&2A 3m HORN_91200_1328 HORIZONTAL. : 88W/1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : BN0846 Mode : 291 Setting : 215 Date: 2019-01-31 Frequency (MHz) 5350 5380 5400 5420 5440 5460 5480 5500 5520 5540 5560 5580 5600 5620 5640 5660 5680 5700 5740 Level (dBmV/m) 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 1 2	 Site Condition : 030H12-HY : 3M STRADDLES U-NII-1&2A 3m HORN_91200_1328 HORIZONTAL. : 88W/1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : BN0846 Mode : 291 Setting : 215 Date: 2019-01-31 Frequency (MHz) 1000 2000 3000 4000 5000 6000 7000 Level (dBmV/m) 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 1 PEAKUND
Avg.	 Site Condition : 030H12-HY : U-NII-1&2A AVERAGE 3m HORN_91200_1328 HORIZONTAL. : 88W/1000.000KHz VBW:1.000KHz SWT:Auto Detector : Peak Project : BN0846 Mode : 291 Setting : 215 Date: 2019-01-31 Frequency (MHz) 5350 5380 5400 5420 5440 5460 5480 5500 5520 5540 5560 5580 5600 5620 5640 5660 5680 5700 5740 Level (dBmV/m) 140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 1	Left blank



WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11a CH144 5720MHz - R	
	Horizontal	Fundamental
Peak	<p>Level (dBvV/m)</p> <p>Date: 2019-01-31</p> <p>5700 5730 5750 5770 5790 5810 5830 5850 Frequency (MHz)</p> <p>Site : 030H2-HV Condition : STRADDLES U-NIT-142A 3m HORN_91200_1328 HORIZONTAL Detector : 8BW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 88N846 Mode : 201 Setting : 21.5</p>	Left blank










WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11a CH144 5720MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBvV/m)</p> <p>Date: 2019-01-31</p> <p>5700 5730 5750 5770 5790 5810 5830 5850 5870 5890 5910 5930 5950</p> <p>Site : 030H2-HV Condition : STRADDLES U-NIT-142A 3m HORN_91200_1328 VERTICAL Detector : 88W1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 88N846 Setting : 21.5</p>	Left blank




Band 3 – Straddle Channel
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11n HT20 CH144 5720MHz - L	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : U-NIT-1A2A 3m HORN_91200_1328 HORIZONTAL Detector : 8BW1000.000kHz VBW:3000.000kHz SWT:Auto Project : PEAK Mode : 295 Setting : 20  Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 VERTICAL Detector : Peak Project : PEAK Mode : 295 Setting : 20	
Avg.	 Site : 03CH12-HV Condition : U-NIT-1A2A AVERAGE 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 295 Setting : 20	Left blank














Band 3 – Straddle Channel
WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11n HT40 CH142 5710MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site : 03CH12-HV Condition : U-NIT-1A2 A 3m HORN_91200_1328 HORIZONTAL Detector : 8BW1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 299 Setting : 21</p>	 <p>Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 299 Setting : 21</p>
Avg.	 <p>Site : 03CH12-HV Condition : U-NIT-1A2 A AVERAGE 3m HORN_91200_1328 HORIZONTAL Detector : 8BW1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 299 Setting : 21</p>	Left blank












WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11n HT40 CH142 5710MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBvV/m)</p> <p>Date: 2019-01-31</p> <p>5700 5730 5750 5770 5790 5810 5830 5850 5870 5890 5910 5930 5950</p> <p>Site : 030H2-HV Condition : STRADDLES U-NI-142A 3m HORN_91200_1328 VERTICAL Detector : 8BW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 886846 Setting : 299</p>	Left blank



Band 3 – Straddle Channel
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT80 CH138 5690MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site : 03CH12-HV Condition : U-NIT-1A2A 3m HORN_91200_1328 HORIZONTAL Detector : 8BW1000.000KHz VBW:3000.000KHz SWT:Auto Project : PEAK Mode : 302 Setting : 22</p>	 <p>Site : 03CH12-HV Condition : PEAK(5690) 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 302 Setting : 22</p>
Avg.	 <p>Site : 03CH12-HV Condition : U-NIT-1A2A AVERAGE 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 302 Setting : 22</p>	Left blank








WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT80 CH138 5690MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBmV/m)</p> <p>Date: 2019-01-31</p> <p>5700 5730 5750 5770 5790 5810 5830 5850 5870 5890 5910 5930 5950</p> <p>Site : 030422-HV Condition : STRA00LE5 U-NI-142A 3m HORN_91200_1328 VERTICAL Detector : 88W1000.000KHz VBW:3000.000KHz SWT:Auto Project : 880846 Mode : 302 Setting : 22</p>	Left blank




Band 3 - Straddle Channel

WIFI 802.11a (Harmonic @ 3m)






Band 3 – Straddle Channel
WIFI 802.11n HT20 (Harmonic @ 3m)






Band 3 – Straddle Channel
WIFI 802.11n HT40 (Harmonic @ 3m)






Band 3 – Straddle Channel
WIFI 802.11ac VHT80 (Harmonic @ 3m)





Emission below 1GHz
5GHz WIFI 802.11n HT40 (LF)







Band 3 - 5470~5725MHz

WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11n HT40 CH102 5510MHz - L	
	Horizontal	Fundamental
Peak	 Site Condition : 03CH12-HY Condition : PEAK(BE(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL Detector : R8W1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 312 Setting : 16 Date: 2019-02-04	 Site Condition : 03CH12-HY Condition : PEAK(BE(UNIT) 3m HORN_91200_1328 HORIZONTAL Detector : R8W1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 312 Setting : 16 Date: 2019-02-04
Avg.	 Site Condition : 03CH12-HY Condition : AVG_BE(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL Detector : R8W1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846 Mode : 312 Setting : 16 Date: 2019-02-04	Left blank








WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11n HT40 CH102 5510MHz - R	
	Vertical	Fundamental
Peak	<p>The figure is a spectrum analysis plot titled "Band 3 5470~5725MHz Band Edge @ 3m". The Y-axis is labeled "Level (dBvV/m)" and ranges from 10 to 140. The X-axis is labeled "Frequency (MHz)" and ranges from 5450 to 5765. A blue line represents the signal level, which remains low until approximately 5480 MHz, then rises sharply to a peak of about 95 dBvV/m at 5510 MHz, before falling back to baseline levels. A red vertical line marks the peak frequency. The plot is dated "2019.02.04". Below the plot, there is a block of test parameters:</p> <pre>Site : 030H2-JVY Condition : PEAK_BE(UNIT).R3.3mHORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 8N846 Setting : 312 Setting : 16</pre>	Left blank



Band 3 - 5470~5725MHz

WIFI 802.11n HT40 (Harmonic @ 3m)






Band 3 5470~5725MHz

Emission below 1GHz




5GHz WIFI 802.11n HT40 (LF)





Band 3 - 5470~5725MHz

WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH102 5510MHz - L	
2	Horizontal	Fundamental
Peak	 <p>Site Condition : 03CH12-HY Project : PEAK_BE(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL Detector : Pedi Mode : 312 Setting : 16</p>  <p>Site Condition : 03CH12-HY Project : PEAK_BE(UNIT) 3m HORN_91200_1328 HORIZONTAL Detector : Pedi Mode : 312 Setting : 16</p>	
Avg.	 <p>Site Condition : AVG_BE(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL Project : Peak Detector : Pedi Mode : 312 Setting : 16</p>	Left blank






WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH102 5510MHz - R	
2	Horizontal	Fundamental
Peak	<p>The graph displays a spectrum analysis plot with 'Level (dBvV/m)' on the y-axis (ranging from 10 to 140) and 'Frequency (MHz)' on the x-axis (ranging from 5450 to 5765). A blue line represents the signal level, which shows a prominent peak around 5510MHz. A red vertical line marks the peak frequency. The plot includes a grid and a date stamp 'Date: 2019.02.04'. Below the graph, there is a series of parameters listed:</p> <p>Site : 030H2-JW Condition : PEAK_BE(UNIT),R3.3m,HORN_912ID_132B_HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 8N846 Setting : 312 Setting : 16</p>	Left blank




WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11n HT40 CH102 5510MHz - L	
2	Vertical	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE(UNIT), B3 3m HORN_912ID_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 312 Setting : 16	 Site : 03CH12-HY Condition : PEAK(UNIT) 3m HORN_912ID_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 312 Setting : 16
Avg.	 Site : 03CH12-HY Condition : AVG_BE(UNIT), B3 3m HORN_912ID_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 312 Setting : 16	Left blank





Band 3 - 5470~5725MHz

WIFI 802.11n HT40 (Harmonic @ 3m)






Band 3 5470~5725MHz

Emission below 1GHz

5GHz WIFI 802.11n HT40 (LF)










<Chain 2>

Band 3 - 5470~5725MHz

WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11n HT40 CH102 5510MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site Condition : 03CH12-HY Project : PEAK_BEF(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL Detector : Pedi Mode : 312 Setting : 16</p>  <p>Site Condition : 03CH12-HY Project : PEAK_BEF(UNIT)_3m HORN_91200_1328 HORIZONTAL Detector : Pedi Mode : 312 Setting : 16</p>	
Avg.	 <p>Site Condition : 03CH12-HY Project : AVG_BEF(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL Detector : Pedi Mode : 312 Setting : 16</p>	Left blank








WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11n HT40 CH102 5510MHz - R	
	Vertical	Fundamental
Peak	<p>The figure is a spectrum analysis plot titled "Band 3 5470~5725MHz Band Edge @ 3m". The Y-axis is labeled "Level (dBvV/m)" and ranges from 10 to 140. The X-axis is labeled "Frequency (MHz)" and ranges from 5450 to 5765. A blue line represents the signal level, which remains low until approximately 5490 MHz, then rises sharply to a peak of about 95 dBvV/m at 5510 MHz, before falling back to baseline levels. A red vertical line marks the peak frequency. The plot is dated "2019.02.04". Below the plot, there is a block of test parameters:</p> <pre>Site : 030H2-JVY Condition : PEAK_BE(UNIT).R3.3mHORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 8N846 Setting : 312 Setting : 16</pre>	Left blank



Band 3 - 5470~5725MHz

WIFI 802.11n HT40 (Harmonic @ 3m)






Band 3 5470~5725MHz

Emission below 1GHz

5GHz WIFI 802.11n HT40 (LF)









MIMO <Chain 1+2>


Band 1 - 5150~5250MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11a CH36 5180MHz	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_91200_1328 HORIZONTAL Detector : 8BW1000.000KHz VBW:3000.000KHz SWT:Auto Project : P00000 Mode : 8N846 Setting : 313 : 16  Site : 03CH12-HV Condition : PEAK(U)NDT 3m HORN_91200_1328 HORIZONTAL Detector : 8BW1000.000KHz VBW:3000.000KHz SWT:Auto Project : P00000 Mode : 8N846 Setting : 313 : 16	
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_91200_1328 HORIZONTAL Detector : 8BW1000.000KHz VBW:1.000KHz SWT:Auto Project : P00000 Mode : 8N846 Setting : 313 : 16	Left blank









WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11a CH44 5220MHz - R	
	Horizontal	Fundamental
Peak	 Date: 2019-01-26 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 314 Setting : 16 Frequency (MHz) 5180, 5210, 5230, 5250, 5270, 5290, 5310, 5330, 5350, 5370, 5390, 5410, 5430, 5460 Level (dBvV/m) 140, 130, 110, 90, 70, 50, 30, 10 PEAK_BE_74	Left blank
Avg.	 Date: 2019-01-26 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 314 Setting : 16 Frequency (MHz) 5180, 5210, 5230, 5250, 5270, 5290, 5310, 5330, 5350, 5370, 5390, 5410, 5430, 5460 Level (dBvV/m) 140, 130, 110, 90, 70, 50, 30, 10 AVG_BE_54	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11a CH44 5220MHz - L	
	Vertical	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 314 Setting : 16	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 314 Setting : 16
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846 Mode : 314 Setting : 16	Left blank




WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11a CH44 5220MHz - R		
	Vertical	Fundamental
Peak	<p>Graph showing Level (dBvV/m) vs Frequency (MHz). The peak is labeled PEAK_BE_74. The graph includes measurement parameters: Site: 03AK12-HY, Condition: PEAK_BE_74 3m HORN_9120D_132B VERTICAL, Detector: Peak, Project: 8N0846, Mode: 314, Setting: 16.</p>	Left blank
Avg.	<p>Graph showing Level (dBvV/m) vs Frequency (MHz). The average level is labeled AVG_BE_54. The graph includes measurement parameters: Site: 03CH12-HY, Condition: AVG_BE_54 3m HORN_9120D_132B VERTICAL, Detector: Peak, Project: 8N0846, Mode: 314, Setting: 16.</p>	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11a CH48 5240MHz - L	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 315 Setting : 16	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 315 Setting : 16
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 315 Setting : 16	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11a CH48 5240MHz - R		
	Horizontal	Fundamental
Peak	 Date: 2019-01-26 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 315 Setting : 16 Frequency (MHz) 5180, 5210, 5230, 5250, 5270, 5290, 5310, 5330, 5350, 5370, 5390, 5410, 5430. Level (dBvV/m) 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0, -1, -2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14	Left blank
Avg.	 Date: 2019-01-26 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 315 Setting : 16 Frequency (MHz) 5180, 5210, 5230, 5250, 5270, 5290, 5310, 5330, 5350, 5370, 5390, 5410, 5430. Level (dBvV/m) 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0, -1, -2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14	Left blank








WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11a CH48 5240MHz - R		
	Vertical	Fundamental
Peak	<p>Site : 03AK12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846 Mode : 315 Setting : 16</p>	Left blank
Avg.	<p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846 Mode : 315 Setting : 16</p>	Left blank




Band 1 5150~5250MHz
WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT20 CH36 5180MHz	
	Horizontal	Fundamental
Peak	 Site Condition : 03GH12-HV : AVG_BE_74 3m HORN_91200_1328 HORIZONTAL Detector : 8BW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Project : 8N0846 Mode : 316 Setting : 16.5	 Site Condition : 03GH12-HV : PEAK(UNIT) 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 316 Setting : 16.5
Avg.	 Site Condition : AVG_BE_54 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846 Mode : 316 Setting : 16.5	Left blank




WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT20 CH36 5180MHz	
	Vertical	Fundamental
Peak	 Site : 030H12-HY Condition : PEAK_BE_74 3m HORN_91200_1328 VERTICAL Detector : 8BW1000.000GHz VBW:3000.000GHz SWT:Auto Project : 8N0846 Mode : 316 Setting : 16.5	 Site : 030H12-HY Condition : PEAK(BE) 3m HORN_91200_1328 VERTICAL Detector : 8BW1000.000GHz VBW:3000.000GHz SWT:Auto Project : 8N0846 Mode : 316 Setting : 16.5
Avg.	 Site : 030H12-HY Condition : AVG_BE_54 3m HORN_91200_1328 VERTICAL Detector : 8BW1000.000GHz VBW:1.000GHz SWT:Auto Project : 8N0846 Mode : 316 Setting : 16.5	Left blank






WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT20 CH44 5220MHz - R	
	Horizontal	Fundamental
Peak	 Date: 2019-01-27 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 317 Setting : 16.5 The plot shows a single sharp peak at approximately 5210 MHz, reaching about 115 dBm. A red box highlights the peak area, labeled 'PEAK_BE_74'. The x-axis is Frequency (MHz) from 5180 to 5460, and the y-axis is Level (dBm) from 10 to 140.	Left blank
Avg.	 Date: 2019-01-27 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 317 Setting : 16.5 The plot shows a broad emission centered around 5210 MHz, with a flat-top average power level of approximately 54 dBm. A red box highlights the emission area, labeled 'AVG_BE_54'. The x-axis is Frequency (MHz) from 5180 to 5460, and the y-axis is Level (dBm) from 10 to 140.	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT20 CH44 5220MHz - R	
	Vertical	Fundamental
Peak	<p>Site : 03AK12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 317 Setting : 16.5</p>	Left blank
Avg.	<p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 317 Setting : 16.5</p>	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11n HT20 CH48 5240MHz - R	
	Horizontal	Fundamental
Peak	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a single sharp peak labeled 'PEAK_BE_74' at approximately 5240 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is dated 2019-01-27.</p> <p>Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846 Mode : 31B Setting : 16.5</p>	Left blank
Avg.	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a broad peak labeled 'AVG_BE_54' at approximately 5240 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is dated 2019-01-27.</p> <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846 Mode : 31B Setting : 16.5</p>	Left blank