






<For Antenna 2>



<Chain 1+2>


Band 1 - 5150~5250MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH36 5180MHz	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_91200_1328 HORIZONTAL : 88W/1000.000KHz VBW/3000.000KHz SWF/Auto Detector : Peak Project : 8N0846-03 Mode : 30 Setting : 20	 Site : 03CH12-HY Condition : PEAK(UNIT) 3m HORN_91200_1328 HORIZONTAL : 88W/1000.000KHz VBW/3000.000KHz SWF/Auto Detector : Peak Project : 8N0846-03 Mode : 30 Setting : 20
Avg.	 Site : AVG_BE_54 3m HORN_91200_1328 HORIZONTAL Condition : 88W/1000.000KHz VBW/1000KHz SWF/Auto Detector : Peak Project : 8N0846-03 Mode : 30 Setting : 20	Left blank




WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH36 5180MHz	
	Vertical	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846-03 Mode : 30 Setting : 20	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846-03 Mode : 30 Setting : 20
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846-03 Mode : 30 Setting : 20	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m													
802.11ac VHT20 CH44 5220MHz - R														
Horizontal		Fundamental												
Peak	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a single sharp peak labeled 'PEAK_BE_74' at approximately 5220 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is titled 'Date: 2019-04-11'. Below the plot is a table of parameters:</p> <table><tr><td>Site</td><td>:03CH12-HY</td></tr><tr><td>Condition</td><td>:PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL</td></tr><tr><td>Detector</td><td>:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto</td></tr><tr><td>Project</td><td>:8N0846-03</td></tr><tr><td>Mode</td><td>:31</td></tr><tr><td>Setting</td><td>:20</td></tr></table>	Site	:03CH12-HY	Condition	:PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL	Detector	:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto	Project	:8N0846-03	Mode	:31	Setting	:20	Left blank
Site	:03CH12-HY													
Condition	:PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL													
Detector	:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto													
Project	:8N0846-03													
Mode	:31													
Setting	:20													
Avg.	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a single sharp peak labeled 'AVG_BE_54' at approximately 5220 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is titled 'Date: 2019-04-11'. Below the plot is a table of parameters:</p> <table><tr><td>Site</td><td>:03CH12-HY</td></tr><tr><td>Condition</td><td>:AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL</td></tr><tr><td>Detector</td><td>:R8W:1000.000KHz VBW:1.000KHz SWT:Auto</td></tr><tr><td>Project</td><td>:8N0846-03</td></tr><tr><td>Mode</td><td>:31</td></tr><tr><td>Setting</td><td>:20</td></tr></table>	Site	:03CH12-HY	Condition	:AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL	Detector	:R8W:1000.000KHz VBW:1.000KHz SWT:Auto	Project	:8N0846-03	Mode	:31	Setting	:20	Left blank
Site	:03CH12-HY													
Condition	:AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL													
Detector	:R8W:1000.000KHz VBW:1.000KHz SWT:Auto													
Project	:8N0846-03													
Mode	:31													
Setting	:20													






WIFI	Band 1 5150~5250MHz Band Edge @ 3m													
	802.11ac VHT20 CH44 5220MHz - R													
	Vertical	Fundamental												
Peak	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5210 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is titled 'Date: 2019-04-11'. Below the plot is a table of parameters:</p> <table><tr><td>Site</td><td>:03CH12-HY</td></tr><tr><td>Condition</td><td>:PEAK_BE_74 3m HORN_9120D_1328 VERTICAL</td></tr><tr><td>Detector</td><td>:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto</td></tr><tr><td>Project</td><td>:8N0846-03</td></tr><tr><td>Mode</td><td>:31</td></tr><tr><td>Setting</td><td>:20</td></tr></table>	Site	:03CH12-HY	Condition	:PEAK_BE_74 3m HORN_9120D_1328 VERTICAL	Detector	:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto	Project	:8N0846-03	Mode	:31	Setting	:20	Left blank
Site	:03CH12-HY													
Condition	:PEAK_BE_74 3m HORN_9120D_1328 VERTICAL													
Detector	:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto													
Project	:8N0846-03													
Mode	:31													
Setting	:20													
Avg.	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a broad average envelope labeled 'AVG_BE_54' centered around 5210 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is titled 'Date: 2019-04-11'. Below the plot is a table of parameters:</p> <table><tr><td>Site</td><td>:03CH12-HY</td></tr><tr><td>Condition</td><td>:AVG_BE_54 3m HORN_9120D_1328 VERTICAL</td></tr><tr><td>Detector</td><td>:R8W:1000.000KHz VBW:1.000KHz SWT:Auto</td></tr><tr><td>Project</td><td>:8N0846-03</td></tr><tr><td>Mode</td><td>:31</td></tr><tr><td>Setting</td><td>:20</td></tr></table>	Site	:03CH12-HY	Condition	:AVG_BE_54 3m HORN_9120D_1328 VERTICAL	Detector	:R8W:1000.000KHz VBW:1.000KHz SWT:Auto	Project	:8N0846-03	Mode	:31	Setting	:20	Left blank
Site	:03CH12-HY													
Condition	:AVG_BE_54 3m HORN_9120D_1328 VERTICAL													
Detector	:R8W:1000.000KHz VBW:1.000KHz SWT:Auto													
Project	:8N0846-03													
Mode	:31													
Setting	:20													



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH48 5240MHz - L	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 32 Setting : 20	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 32 Setting : 20
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_91200_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 32 Setting : 20	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11ac VHT20 CH48 5240MHz - R		
Horizontal		Fundamental
Peak	<p>Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 32 Setting : 20</p>	Left blank
Avg.	<p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 32 Setting : 20</p>	Left blank






WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH48 5240MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBvV/m)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 32 Setting : 20</p> <p>Left blank</p>	
Avg.	<p>Level (dBvV/m)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846-03 Mode : 32 Setting : 20</p> <p>Left blank</p>	




Band 1 5150~5250MHz

WIFI 802.11ac VHT40 (Band Edge @ 3m)






WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT40 CH38 5190MHz - R	
	Horizontal	Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 33 Setting : 12.5	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 33 Setting : 12.5	Left blank







WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT40 CH38 5190MHz - R	
	Vertical	Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 33 Setting : 12.5	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 33 Setting : 12.5	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT40 CH46 5230MHz - R	
	Horizontal	Fundamental
Peak	 <p>Level (dBvV/m)</p> <p>Date: 2019-04-10</p> <p>Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 34 Setting : 20</p>	Left blank
Avg.	 <p>Level (dBvV/m)</p> <p>Date: 2019-04-10</p> <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 34 Setting : 20</p>	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT40 CH46 5230MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBuV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5230 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is dated 2019-04-10.</p> <p>Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 34 Setting : 20</p>	Left blank
Avg.	<p>Level (dBuV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a broad average level labeled 'AVG_BE_54' centered around 5230 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is dated 2019-04-10.</p> <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846-03 Mode : 34 Setting : 20</p>	Left blank




Band 1 5150~5250MHz

WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT80 CH42 5210MHz - L	
	Horizontal	Fundamental
Peak	 Site : 030H12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : Pekk Project : 8N0846-03 Mode : 35 Setting : 15	 Site : 030H12-HV Condition : PEAKUNIT 3m HORN_9120D_132B HORIZONTAL Detector : Pekk Project : 8N0846-03 Mode : 35 Setting : 15
Avg.	 Site : 030H12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : Pekk Project : 8N0846-03 Mode : 35 Setting : 15	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11ac VHT80 CH42 5210MHz - R		
Horizontal		Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 35 Setting : 15	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 35 Setting : 15	Left blank







WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11ac VHT80 CH42 5210MHz - R		
	Vertical	Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : SN0846-03 Mode : 35 Setting : 19	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : SN0846-03 Mode : 35 Setting : 15	Left blank




Band 1 - 5150~5250MHz

WIFI 802.11ac VHT20 (Harmonic @ 3m)











Band 1 5150~5250MHz

WIFI 802.11ac VHT40 (Harmonic @ 3m)








Band 1 5150~5250MHz

WIFI 802.11ac VHT80 (Harmonic @ 3m)







Band 2 - 5250~5350MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)



WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH52 5260MHz - L	
	Horizontal	Fundamental
Peak	 Site : 03C112-HY Condition : PEAK_BE_74 3m HORN_91200_1328 HORIZONTAL BW : 80W/1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 36 Setting : 20 Date: 2019-04-11	 Site : 03C112-HY Condition : PEAK(UND) 3m HORN_91200_1328 HORIZONTAL BW : 80W/1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 36 Setting : 20 Date: 2019-04-11
Avg.	 Site : 03C112-HY Condition : AVG_BE_54 3m HORN_91200_1328 HORIZONTAL BW : 80W/1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 36 Setting : 20 Date: 2019-04-11	Left blank




WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH52 5260MHz - R	
	Horizontal	Fundamental
Peak	 <p>Level (dBvV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a single sharp peak labeled 'PEAK_BE_74' at approximately 5260 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 36 Setting : 20</p> <td>Left blank</td>	Left blank
Avg.	 <p>Level (dBvV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad peak labeled 'AVG_BE_54' at approximately 5260 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846-03 Mode : 36 Setting : 20</p> <td>Left blank</td>	Left blank








WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH52 5260MHz - R	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5260 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 36 Setting : 20</p> <td>Left blank</td>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad average response labeled 'AVG_BE_54' at approximately 5260 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846-03 Mode : 36 Setting : 20</p> <td>Left blank</td>	Left blank









WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH60 5300MHz - R	
	Horizontal	Fundamental
Peak	 <p>Level (dBvV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a single sharp peak labeled 'PEAK_BE_74' at approximately 5290 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 37 Setting : 20</p>	Left blank
Avg.	 <p>Level (dBvV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad peak labeled 'AVG_BE_54' at approximately 5290 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846-03 Mode : 37 Setting : 20</p>	Left blank





WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH60 5300MHz - R	
	Vertical	Fundamental
Peak	 <p>Level (dBvV/m) vs Frequency (MHz) Date: 2019-04-11 Site : 03AK12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 37 Setting : 20</p>	Left blank
Avg.	 <p>Level (dBvV/m) vs Frequency (MHz) Date: 2019-04-11 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846-03 Mode : 37 Setting : 20</p>	Left blank








Band 2 5250~5350MHz

WIFI 802.11ac VHT40 (Band Edge @ 3m)


WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT40 CH54 5270MHz - L	
	Horizontal	Fundamental
Peak	 Site : 030H12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : Pekk Project : 8N0846-03 Mode : 3 Setting : 18	 Site : 030H12-HV Condition : PEAK(UNIT) 3m HORN_9120D_132B HORIZONTAL Detector : Pekk Project : 8N0846-03 Mode : 3 Setting : 18
Avg.	 Site : 030H12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : Pekk Project : 8N0846-03 Mode : 39 Setting : 18	Left blank




WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT40 CH54 5270MHz - R	
	Horizontal	Fundamental
Peak	<p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 39 Setting : 18</p>	Left blank
Avg.	<p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : Peak Mode : 39 Setting : 18</p>	Left blank








WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT40 CH54 5270MHz - R	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5270 MHz. The y-axis ranges from 10 to 140 dBuV/m.</p> <p>Date: 2019-04-10</p> <p>Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 39 Setting : 18</p>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad average response labeled 'AVG_BE_54' centered around 5270 MHz. The y-axis ranges from 10 to 140 dBuV/m.</p> <p>Date: 2019-04-10</p> <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 39 Setting : 18</p>	Left blank





WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT40 CH62 5310MHz - R	
	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a single sharp peak labeled 'PEAK_BE_74' at approximately 5310 MHz. The y-axis ranges from 10 to 140 dBuV/m.</p> <p>Date: 2019-04-10</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 40 Setting : 9.5</p>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad average response labeled 'AVG_BE_54' centered around 5310 MHz. The y-axis ranges from 10 to 140 dBuV/m.</p> <p>Date: 2019-04-10</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 40 Setting : 9.5</p>	Left blank






WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
802.11ac VHT40 CH62 5310MHz - R		
	Vertical	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 40 Setting : 9.5	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 40 Setting : 9.5	Left blank




Band 2 5250~5350MHz

WIFI 802.11ac VHT80 (Band Edge @ 3m)







WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
802.11ac VHT80 CH58 5290MHz - R		
Horizontal		Fundamental
Peak	<p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 41 Setting : 12</p>	Left blank
Avg.	<p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 41 Setting : 12</p>	Left blank







WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT80 CH58 5290MHz - R	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a sharp peak labeled "PEAK_BE_74" at approximately 5290 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-04-10</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 8N0846-03 Setting : 41 Setting : 12</p>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad average level labeled "AVG_BE_54" at approximately 5290 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-04-10</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : Peak Mode : 8N0846-03 Setting : 41 Setting : 12</p>	Left blank




Band 2 - 5250~5350MHz

WIFI 802.11ac VHT20 (Harmonic @ 3m)











Band 2 5250~5350MHz

WIFI 802.11ac VHT40 (Harmonic @ 3m)








Band 2 5250~5350MHz

WIFI 802.11ac VHT80 (Harmonic @ 3m)







Band 3 - 5470~5725MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)


WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT20 CH100 5500MHz	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK, BE(UNIT), B3 3m HORN, 9120D, 1328 HORIZONTAL : RBW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 42 Setting : 12	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN, 9120D, 1328 HORIZONTAL : RBW:1000.0000Hz VBW:3000.0000Hz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 42 Setting : 12
Avg.	 Site : 03CH12-HV Condition : AVG_BE(UNIT), B3 3m HORN, 9120D, 1328 HORIZONTAL : RBW:1000.0000Hz VBW:1.0000Hz SWT:Auto Detector : Avg Project : ProjK Mode : 42 Setting : 12	Left blank









WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT20 CH116 5580MHz - R	
	Horizontal	Fundamental
Peak	<p>Date: 2019-04-11</p> <p>Site : 030H2-JW Condition : PEAK_BE(UNIT).R3.3mHORN_912ID_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 43 Setting : 20</p>	Left blank





WIFI	Band 3 5470~5725MHz Band Edge @ 3m													
	802.11ac VHT20 CH116 5580MHz - R													
	Vertical	Fundamental												
Peak	<p>The figure is a spectrum plot titled "Date: 2019-04-11". The Y-axis is labeled "Level (dBmV/m)" and ranges from 10 to 140. The X-axis is labeled "Frequency (MHz)" and ranges from 5450 to 5765. A single blue curve shows a sharp peak at 5580 MHz, reaching a level of about 115 dBmV/m. A red vertical line marks the peak frequency. Below the plot is a table of test parameters:</p> <table><tr><td>Site</td><td>:030H2-JY</td></tr><tr><td>Condition</td><td>:PEAK_BE(UNIT).R3.3mHORN_912ID_132B VERTICAL</td></tr><tr><td>Detector</td><td>:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto</td></tr><tr><td>Project</td><td>:Peak</td></tr><tr><td>Mode</td><td>:43</td></tr><tr><td>Setting</td><td>:20</td></tr></table>	Site	:030H2-JY	Condition	:PEAK_BE(UNIT).R3.3mHORN_912ID_132B VERTICAL	Detector	:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto	Project	:Peak	Mode	:43	Setting	:20	Left blank
Site	:030H2-JY													
Condition	:PEAK_BE(UNIT).R3.3mHORN_912ID_132B VERTICAL													
Detector	:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto													
Project	:Peak													
Mode	:43													
Setting	:20													













Band 3 5470~5725MHz


WIFI 802.11ac VHT40 (Band Edge @ 3m)


WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT40 CH102 5510MHz - L	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE(UNIT)_B3 3m HORN_9120D_1328 HORIZONTAL Detector : 8BW1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 4G Setting : 17.5	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_9120D_1328 HORIZONTAL Detector : 8BW1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 4G Setting : 17.5
Avg.	 Site : 03CH12-HV Condition : AVG_BE(UNIT)_B3 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 4G Setting : 17.5	Left blank




















WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT40 CH110 5550MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBvV/m)</p> <p>Frequency (MHz)</p> <p>Date: 2019-04-10</p> <p>PEAK_BE(UNIT).R3 3m HORN_912ID_132B VERTICAL</p> <p>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> <p>Detector:Peak</p> <p>Project:FR8N0846-03</p> <p>Mode:47</p> <p>Setting:20</p>	Left blank












Band 3 5470~5725MHz


WIFI 802.11ac VHT80 (Band Edge @ 3m)


WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT80 CH106 5530MHz - L	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE(UNIT)_B3 3m HORN_9120D_1328 HORIZONTAL Detector : 8BW1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 50 Setting : 16.5	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_9120D_1328 HORIZONTAL Detector : 8BW1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 50 Setting : 16.5
Avg.	 Site : 03CH12-HV Condition : AVG_BE(UNIT)_B3 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 50 Setting : 16.5	Left blank





WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT80 CH106 5530MHz - R	
	Horizontal	Fundamental
Peak	<p>Date: 2019-04-10</p> <p>Site : 030H2-JW Condition : PEAK_BE(UNIT).R3.3mHORN_912ID_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 3 Setting : 16.5</p>	Left blank















WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT80 CH122 5610MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBvV/m)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>Site : 030H2-HV Condition : PEAK_BE(UNIT).R3 3m HORN_912ID_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : S1 Setting : 20</p>	Left blank




Band 3 - 5470~5725MHz

WIFI 802.11ac VHT20 (Harmonic @ 3m)












Band 3 5470~5725MHz

WIFI 802.11ac VHT40 (Harmonic @ 3m)











Band 3 5470~5725MHz

WIFI 802.11ac VHT80 (Harmonic @ 3m)








Band 3 - Straddle Channel

WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT20 CH144 5720MHz - L	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HY Condition : STRADDLES U-NIT-1&2A 3m HORN_9120D_1328 HORIZONTAL Detector : R8W1000.000KHz VBW:3000.000KHz SWT:Auto Project : BN0846-03 Mode : 45 Setting : 19.5 Site : 03CH12-HY Condition : PEAK(UNIT) 3m HORN_9120D_1328 (MHz) Detector : R8W1000.000KHz VBW:3000.000KHz SWT:Auto Project : BN0846-03 Mode : 45 Setting : 19.5	
Avg.	 Site : 03CH12-HY Condition : U-NIT-1&2 AVERAGE 3m HORN_9120D_1328 HORIZONTAL Detector : R8W1000.000KHz VBW:1000KHz SWT:Auto Project : BN0846-03 Mode : 45 Setting : 19.5 Left blank	



WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT20 CH144 5720MHz - R	
	Horizontal	Fundamental
Peak	<p>Level (dBmV/m)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>STRADDLES U-NIT-1A2A 3m HORN, 91200_1328 HORIZONTAL</p> <p>Site : 93CH12-HV Condition : STRADDLES U-NIT-1A2A 3m HORN, 91200_1328 HORIZONTAL Detector : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Project : Peak Model : FR8N0846-03 Setting : 10.2</p> <p>Left blank</p>	








WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT20 CH144 5720MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBm/Vm)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>Site : 03CH12-HV Condition : STRADDLES U-NI-18.2A 3m HORN, 91200_1328 VERTICAL. Detector : 8BW1000.000kHz VBW:3000.000kHz SWT:Auto Project : Peak Model : 8N0846-03 Setting : 10.2</p>	Left blank




Band 3 – Straddle Channel
WIFI 802.11ac VHT40 (Band Edge @ 3m)

WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT40 CH142 5710MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site : 03CH12-HY Condition : STRADDLES U-NII-1&2A 3m HORN_91200_1328 HORIZONTAL. Detector : Peak Project : BN0846-03 Mode : 49 Setting : 20</p>	 <p>Site : 03CH12-HY Condition : PEAK(UNIT) 3m HORN_91200_1328 HORIZONTAL. Detector : Peak Project : BN0846-03 Mode : 49 Setting : 20</p>
Avg.	 <p>Site : 03CH12-HY Condition : U-NII-1&2A AVERAGE 3m HORN_91200_1328 HORIZONTAL. Detector : Peak Project : BN0846-03 Mode : 49 Setting : 20</p>	Left blank



WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT40 CH142 5710MHz - R	
	Horizontal	Fundamental
Peak	<p>Level (dBmV/m)</p> <p>Date: 2019.04.10</p> <p>STRADDLES U-NII-1&2A</p> <p>Site : 03CH12-HV Condition : STRADDLES U-NII-1&2A 3m HORN_91200_1328 HORIZONTAL. Detector : Peak Project : 8N0846-03 Mode : 49 Setting : 20</p>	Left blank








WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT40 CH142 5710MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBm/Vm)</p> <p>Date: 2019.04.10</p> <p>Frequency (MHz)</p> <p>STRADDLES U-NII-1&2A</p> <p>Site : 03CH12-HV Condition : STRADDLES U-NII-1&2A 3m HORN_91200_1328 VERTICAL. Detector : Peak Project : 8N0846-03 Mode : 49 Setting : 20</p>	Left blank




Band 3 – Straddle Channel
WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT80 CH138 5690MHz - L	
	Horizontal	Fundamental
Peak	 <p>Site : 03CH12-HY Condition : STRAIGHT LINE U-NIT-J42 A 3m HORN_9120D_1328 HORIZONTAL Detector : RBW1000.000KHz VBW:3000.000KHz SWT:Auto Project : BNO846-03 Mode : 52 Setting : 20</p>	 <p>Site : 03CH12-HY Condition : PEAK(UNIT) 3m HORN_9120D_1328 HORIZONTAL Detector : RBW1000.000KHz VBW:3000.000KHz SWT:Auto Project : BNO846-03 Mode : 52 Setting : 20</p>
Avg.	 <p>Site : 03CH12-HY Condition : U-NIT-J42 A AVERAGE 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : BNO846-03 Mode : 52 Setting : 20</p>	Left blank



WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT80 CH138 5690MHz - R	
	Horizontal	Fundamental
Peak	<p>Level (dBm/Vm)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>STRADDLES U-NIT-1A2A</p> <p>Site : 03CH12-HV Condition : STRADDLES U-NIT-1A2A 3m HORN_91200_1328 HORIZONTAL Detector : RBW1000.0000Hz VBW:3000.0000Hz SWT:Auto Detector : Peak Project : FR8N0846-03 Mode : S2 Setting : 20</p>	Left blank





WIFI	Band 3 Straddle Channel Band Edge @ 3m	
	802.11ac VHT80 CH138 5690MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBmV/m)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>Site : 03CH12-HV Condition : STRADDLES U-NI-18.2A 3m HORN, 91200_1328 VERTICAL. Detector : 8BW1000.000kHz VBW:3000.000kHz SWT:Auto Project : Peak Model : 8N0846-03 Setting : 52 Setting : 20</p> <p>Left blank</p>	




Band 3 - Straddle Channel

WIFI 802.11ac VHT20 (Harmonic @ 3m)

WIFI	Band 3 Straddle Channel Harmonic @ 3m	
	802.11ac VHT20 CH144 5720MHz	
	Horizontal	Vertical
Peak	 <p>Site : 03CH12-HY Condition : PEAK(UNIT) 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : FR8N0846-03 Mode : 45 Setting : 19.5</p>	 <p>Site : 03CH12-HY Condition : PEAK(UNIT) 3m HORN_9120D_1328 VERTICAL Detector : Peak Project : FR8N0846-03 Mode : 45 Setting : 19.5</p>
Avg.		




Band 3 – Straddle Channel
WIFI 802.11ac VHT40 (Harmonic @ 3m)






Band 3 – Straddle Channel
WIFI 802.11ac VHT80 (Harmonic @ 3m)





Emission below 1GHz
5GHz WIFI 802.11ac VHT20 (LF)





<For Antenna 4>



<Chain 1+2>

Band 1 - 5150~5250MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH36 5180MHz	
	Horizontal	Fundamental
Peak	 Site: 03CH12-HY Condition: PEAK_BE_74 3m HORN_91200_1328 HORIZONTAL Detector: 88W1000.000KHz VBW:3000.000KHz SWT:Auto Project: 8N0846-03 Mode: 59 Setting: 20	 Site: 03CH12-HY Condition: PEAK(UNIT) 3m HORN_91200_1328 HORIZONTAL Detector: 88W1000.000KHz VBW:3000.000KHz SWT:Auto Project: 8N0846-03 Mode: 59 Setting: 20
Avg.	 Site: AVG_BE_54 3m HORN_91200_1328 HORIZONTAL Condition: 88W1000.000KHz VBW:10000KHz SWT:Auto Detector: Peak Project: 8N0846-03 Mode: 59 Setting: 20	Left blank




WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH36 5180MHz	
	Vertical	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846-03 Mode : 59 Setting : 20	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846-03 Mode : 59 Setting : 20
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846-03 Mode : 59 Setting : 20	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH44 5220MHz - L	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120ID_132B HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 60 Setting : 20	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_9120ID_132B HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 60 Setting : 20
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120ID_132B HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 60 Setting : 20	Left blank




WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH44 5220MHz - R	
	Horizontal	Fundamental
Peak	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a single sharp peak at approximately 5210 MHz labeled 'PEAK_BE_74'. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is titled 'Date: 2019-04-11'.</p> <p>Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 60 Setting : 20</p>	Left blank
Avg.	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a single sharp peak at approximately 5210 MHz labeled 'AVG_BE_54'. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is titled 'Date: 2019-04-11'.</p> <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846-03 Mode : 60 Setting : 20</p>	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH44 5220MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The peak is labeled PEAK_BE_74 at approximately 5220 MHz.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 60 Setting : 20</p>	Left blank
Avg.	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The peak is labeled AVG_BE_54 at approximately 5220 MHz.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : R8W:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846-03 Mode : 60 Setting : 20</p>	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH48 5240MHz - R	
	Horizontal	Fundamental
Peak	<p>Level (dBvV/m)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>Site : 03AH12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 8N0846-03 Setting : 61 :20</p>	Left blank
Avg.	<p>Level (dBvV/m)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>Site : 03AH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 61 Setting : 20</p>	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT20 CH48 5240MHz - L	
	Vertical	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846-03 Mode : 61 Setting : 20	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846-03 Mode : 61 Setting : 20
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_91200_1328 VERTICAL Detector : Peak Project : 8N0846-03 Mode : 61 Setting : 20	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m													
	802.11ac VHT20 CH48 5240MHz - R													
	Vertical	Fundamental												
Peak	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a single sharp peak labeled 'PEAK_BE_74' at approximately 5240 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is titled 'Date: 2019-04-11'. Below the plot is a table of parameters:</p> <table><tr><td>Site</td><td>:03CH12-HY</td></tr><tr><td>Condition</td><td>:PEAK_BE_74 3m HORN_9120D_1328 VERTICAL</td></tr><tr><td>Detector</td><td>:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto</td></tr><tr><td>Project</td><td>:8N0846-03</td></tr><tr><td>Mode</td><td>:61</td></tr><tr><td>Setting</td><td>:20</td></tr></table>	Site	:03CH12-HY	Condition	:PEAK_BE_74 3m HORN_9120D_1328 VERTICAL	Detector	:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto	Project	:8N0846-03	Mode	:61	Setting	:20	Left blank
Site	:03CH12-HY													
Condition	:PEAK_BE_74 3m HORN_9120D_1328 VERTICAL													
Detector	:R8W:1000.000KHz VBW:3000.000KHz SWT:Auto													
Project	:8N0846-03													
Mode	:61													
Setting	:20													
Avg.	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a broad peak labeled 'AVG_BE_54' at approximately 5240 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is titled 'Date: 2019-04-11'. Below the plot is a table of parameters:</p> <table><tr><td>Site</td><td>:03CH12-HY</td></tr><tr><td>Condition</td><td>:AVG_BE_54 3m HORN_9120D_1328 VERTICAL</td></tr><tr><td>Detector</td><td>:R8W:1000.000KHz VBW:1.000KHz SWT:Auto</td></tr><tr><td>Project</td><td>:8N0846-03</td></tr><tr><td>Mode</td><td>:61</td></tr><tr><td>Setting</td><td>:20</td></tr></table>	Site	:03CH12-HY	Condition	:AVG_BE_54 3m HORN_9120D_1328 VERTICAL	Detector	:R8W:1000.000KHz VBW:1.000KHz SWT:Auto	Project	:8N0846-03	Mode	:61	Setting	:20	Left blank
Site	:03CH12-HY													
Condition	:AVG_BE_54 3m HORN_9120D_1328 VERTICAL													
Detector	:R8W:1000.000KHz VBW:1.000KHz SWT:Auto													
Project	:8N0846-03													
Mode	:61													
Setting	:20													



Band 1 5150~5250MHz

WIFI 802.11ac VHT40 (Band Edge @ 3m)

WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT40 CH38 5190MHz - L	
	Horizontal	Fundamental
Peak	 Site : 030H12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : Pekk Project : 8N8N0846-03 Mode : 62 Setting : 12.5	 Site : 030H12-HV Condition : PEAK(UNIT) 3m HORN_9120D_132B HORIZONTAL Detector : Pekk Project : 8N8N0846-03 Mode : 62 Setting : 12.5
Avg.	 Site : 030H12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : Pekk Project : 8N8N0846-03 Mode : 62 Setting : 12.5	Left blank




WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT40 CH38 5190MHz - R	
	Horizontal	Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 62 Setting : 12.5	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 62 Setting : 12.5	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT40 CH38 5190MHz - L	
	Vertical	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_91200_1328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 62 Setting : 12.5	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 62 Setting : 12.5
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_91200_1328 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 62 Setting : 12.5	Left blank




WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT40 CH38 5190MHz - R	
	Vertical	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 62 Setting : 12.5	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 62 Setting : 12.5	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT40 CH46 5230MHz - R	
	Horizontal	Fundamental
Peak	<p>Graph showing WiFi signal level (dBm) vs Frequency (GHz). The signal peaks at approximately 115 dBm around 5230 GHz. The graph includes a red vertical line labeled "PEAK_BE_74".</p> <p>Date: 2019-04-12</p> <p>Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 63 Setting : 20</p>	Left blank
Avg.	<p>Graph showing WiFi signal level (dBm) vs Frequency (GHz). The signal peaks at approximately 110 dBm around 5230 GHz. The graph includes a red vertical line labeled "AVG_BE_54".</p> <p>Date: 2019-04-12</p> <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 63 Setting : 20</p>	Left blank





WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT40 CH46 5230MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5230 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is dated 2019-04-12.</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 63 Setting : 20</p>	Left blank
Avg.	<p>Level (dBvV/m) vs Frequency (MHz) from 5180 to 5460. The plot shows a broad average level labeled 'AVG_BE_54' centered around 5230 MHz. The y-axis ranges from 10 to 140 dBvV/m. The x-axis ranges from 5180 to 5460 MHz. The plot is dated 2019-04-12.</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 63 Setting : 20</p>	Left blank




Band 1 5150~5250MHz

WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT80 CH42 5210MHz - L	
	Horizontal	Fundamental
Peak	 Site : 030H12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : 8BW1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 64 Setting : 15	 Site : 030H12-HV Condition : PEAK(UNIT) 3m HORN_9120D_132B HORIZONTAL Detector : 8BW1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 64 Setting : 15
Avg.	 Site : 030H12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 64 Setting : 15	Left blank



WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
802.11ac VHT80 CH42 5210MHz - R		
Horizontal		Fundamental
Peak	 Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 64 Setting : 15	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 64 Setting : 15	Left blank







WIFI	Band 1 5150~5250MHz Band Edge @ 3m	
	802.11ac VHT80 CH42 5210MHz - R	
	Vertical	Fundamental
Peak	 Date: 2019-04-12 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 64 Setting : 15	Left blank
Avg.	 Date: 2019-04-12 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 64 Setting : 15	Left blank




Band 1 - 5150~5250MHz

WIFI 802.11ac VHT20 (Harmonic @ 3m)













Band 1 5150~5250MHz

WIFI 802.11ac VHT40 (Harmonic @ 3m)





Site : 03QH2-I-Y
Condition : PEAK(UNIT) 3m HORN_9120D_1328 HORIZONTAL
Detector : Peak
Project : 8N0846-03
Mode : 6.3
Setting : 20




Site : 03QH2-I-Y
Condition : PEAK(UNIT) 3m HORN_91200_1328 VERTICAL
Detector : Peak
Project : 8N0846-03
Mode : 6.3
Setting : 20



Band 1 5150~5250MHz

WIFI 802.11ac VHT80 (Harmonic @ 3m)






Band 2 - 5250~5350MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)

WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH52 5260MHz - L	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_91200_1328 VERTICAL : RBW:1000.000Hz VBW:3000.000Hz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 65 Setting : 20	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 VERTICAL : RBW:1000.000Hz VBW:3000.000Hz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 65 Setting : 20
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_91200_1328 VERTICAL : RBW:1000.000Hz VBW:1.000Hz SWT:Auto Detector : Avg Project : ProjK Mode : 65 Setting : 20	Left blank




WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH52 5260MHz - R	
	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a single sharp peak labeled 'PEAK_BE_74' at approximately 5260 MHz with a maximum level of about 115 dBuV/m. The background noise floor is around 50 dBuV/m.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 65 Setting : 20</p> <td>Left blank</td>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad average envelope labeled 'AVG_BE_54' centered around 5260 MHz with a maximum level of about 95 dBuV/m. The background noise floor is around 50 dBuV/m.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846-03 Mode : 65 Setting : 20</p> <td>Left blank</td>	Left blank





WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH52 5260MHz - L	
	Vertical	Fundamental
Peak	 Site : 03C112-HY Condition : PEAK_BE_74 3m HORN_91200_1328 HORIZONTAL : 88W:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 65 Setting : 20	 Site : 03C112-HY Condition : PEAK(U)NID 3m HORN_91200_1328 HORIZONTAL : 88W:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 65 Setting : 20
Avg.	 Site : 03C112-HY Condition : AVG_BE_54 3m HORN_91200_1328 HORIZONTAL : 88W:1000.000KHz VBW:1000.000KHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 65 Setting : 20	Left blank




WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH52 5260MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a single sharp peak labeled 'PEAK_BE_74' at approximately 5260 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz. The plot is dated 2019-04-11.</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 65 Setting : 20</p>	Left blank
Avg.	<p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad peak labeled 'AVG_BE_54' at approximately 5260 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz. The plot is dated 2019-04-11.</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 65 Setting : 20</p>	Left blank







WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH60 5300MHz - R	
	Horizontal	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a sharp peak labeled 'PEAK_BE_74' at approximately 5290 MHz. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-04-11</p> <p>Site : 03AK12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 66 Setting : 20</p> <td>Left blank</td>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) from 5220 to 5460. The plot shows a broad average envelope labeled 'AVG_BE_54'. The y-axis ranges from 10 to 140 dBuV/m. The x-axis ranges from 5220 to 5460 MHz.</p> <p>Date: 2019-04-11</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 HORIZONTAL Detector : RBW:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846-03 Mode : 66 Setting : 20</p> <td>Left blank</td>	Left blank





WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT20 CH60 5300MHz - R	
	Vertical	Fundamental
Peak	<p>Level (dBvV/m)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 66 Setting : 20</p> <p>Left blank</p>	
Avg.	<p>Level (dBvV/m)</p> <p>Date: 2019-04-11</p> <p>Frequency (MHz)</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:1.000KHz SWT:Auto Project : 8N0846-03 Mode : 66 Setting : 20</p> <p>Left blank</p>	











Band 2 5250~5350MHz

WIFI 802.11ac VHT40 (Band Edge @ 3m)








WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
802.11ac VHT40 CH54 5270MHz - R		
Horizontal		Fundamental
Peak	 <p>Site : 03AK12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 68 Setting : 18</p>	Left blank
Avg.	 <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : Peak Mode : 68 Setting : 18</p>	Left blank






WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT40 CH54 5270MHz - R	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) Date: 2019-04-12</p> <p>Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 68 Setting : 18</p>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) Date: 2019-04-12</p> <p>Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_1328 VERTICAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : Peak Mode : 68 Setting : 18</p>	Left blank







WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
802.11ac VHT40 CH62 5310MHz - R		
Horizontal		Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 69 Setting : 9.5	Left blank
Avg.	 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 69 Setting : 9.5	Left blank





WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT40 CH62 5310MHz - R	
	Vertical	Fundamental
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) Date: 2019-04-12 Site : 03CH12-HY Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 69 Setting : 9.5</p>	Left blank
Avg.	 <p>Level (dBuV/m) vs Frequency (MHz) Date: 2019-04-12 Site : 03CH12-HY Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : Peak Project : 8N0846-03 Mode : 69 Setting : 9.5</p>	Left blank





Band 2 5250~5350MHz

WIFI 802.11ac VHT80 (Band Edge @ 3m)

WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT80 CH58 5290MHz - L	
	Horizontal	Fundamental
Peak	 Site : 030H12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : P8W1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 70 Setting : 12	 Site : 030H12-HV Condition : PEAKUNIT 3m HORN_9120D_132B HORIZONTAL Detector : P8W1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 70 Setting : 12
Avg.	 Site : 030H12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : Peak Project : 8N0846-03 Mode : 70 Setting : 12	Left blank



WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
802.11ac VHT80 CH58 5290MHz - R		
Horizontal		Fundamental
Peak	 <p>Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : 8N0846-03 Mode : 70 Setting : 12</p>	Left blank
Avg.	 <p>Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B HORIZONTAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : 8N0846-03 Mode : 70 Setting : 12</p>	Left blank







WIFI	Band 2 5250~5350MHz Band Edge @ 3m	
	802.11ac VHT80 CH58 5290MHz - R	
	Vertical	Fundamental
Peak	 Date: 2019-04-12 Site : 03CH12-HV Condition : PEAK_BE_74 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Model : 8N0846-03 Mode : 70 Setting : 12	Left blank
Avg.	 Date: 2019-04-12 Site : 03CH12-HV Condition : AVG_BE_54 3m HORN_9120D_132B VERTICAL Detector : RBW:1000.000KHz VBW:3.000KHz SWT:Auto Project : Peak Model : 8N0846-03 Mode : 70 Setting : 12	Left blank




Band 2 - 5250~5350MHz

WIFI 802.11ac VHT20 (Harmonic @ 3m)











Band 2 5250~5350MHz

WIFI 802.11ac VHT40 (Harmonic @ 3m)








Band 2 5250~5350MHz

WIFI 802.11ac VHT80 (Harmonic @ 3m)







Band 3 - 5470~5725MHz

WIFI 802.11ac VHT20 (Band Edge @ 3m)


WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT20 CH100 5500MHz	
	Horizontal	Fundamental
Peak	 Site : 03CH12-HV Condition : PEAK_BEF(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL BW : 80W1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 71 Setting : 12	 Site : 03CH12-HV Condition : PEAK(UNIT) 3m HORN_91200_1328 HORIZONTAL BW : 80W1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 71 Setting : 12
Avg.	 Site : 03CH12-HV Condition : AVG_BEF(UNIT)_B3 3m HORN_91200_1328 HORIZONTAL BW : 80W1000.000KHz VBW:1.000KHz SWT:Auto Detector : Peak Project : 8N0846-03 Mode : 71 Setting : 12	Left blank










WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT20 CH116 5580MHz - R	
	Horizontal	Fundamental
Peak	<p>The figure is a spectrum analysis plot titled "Date: 2019-04-11". The Y-axis is labeled "Level (dBmV/m)" and ranges from 10 to 140. The X-axis is labeled "Frequency (MHz)" and ranges from 5450 to 5765. A blue line shows a single sharp peak centered around 5580 MHz, reaching a maximum level of about 115 dBmV/m. A red vertical line marks the peak frequency. Below the plot, there is a detailed text log of test parameters:</p> <p>Site : 030H2-HV Condition : PEAK_BE(UNIT).R3.3mHORN_912ID_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : T2 Setting : 20</p>	Left blank













Band 3 5470~5725MHz

WIFI 802.11ac VHT40 (Band Edge @ 3m)







WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT40 CH102 5510MHz - R	
	Horizontal	Fundamental
Peak	<p>The graph displays a single sharp peak at 5510 MHz, which is the center frequency of channel 102. The peak level is approximately 115 dBmV/m. The x-axis represents Frequency (MHz) from 5450 to 5765, and the y-axis represents Level (dBmV/m) from 10 to 140. A red vertical line marks the peak frequency, and a red horizontal bar indicates the bandwidth of the VHT40 channel.</p> <p>Date: 2019-04-12</p> <p>Site : 030H2-JW Condition : PEAK_BE(UNIT).R3.3m HORN_912ID_132B HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 3 Setting : 17.5</p> <p>Left blank</p>	








WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT40 CH102 5510MHz - R	
	Vertical	Fundamental
Peak	<p>Date: 2019-04-12</p> <p>Site : 030H2-JW Condition : PEAK_BE(UNITS)_R3_3mHORN_9120D_1328 VERTICAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 3 Setting : 17.5</p>	Left blank













WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
	802.11ac VHT40 CH134 5670MHz - R	
	Horizontal	Fundamental
Peak	<p>Site : 03AK12-JV Condition : PEAK_BE(UNIT),R3.3m,HORN_912ID_1328 HORIZONTAL Detector : R8W:1000.000KHz VBW:3000.000KHz SWT:Auto Project : Peak Mode : 3 Setting : 20</p>	Left blank