

Report No.: 06261241
Download Mode
(With Docking Station)
EUT's AC Mains "L"

Tested By: Hong, Report No.: 06261241

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
12	9k	30M	EW1449



Report No.: 06261241
Download Mode
(With Docking Station)
EUT's AC Mains "L"

Tested By: Hong, Report No.: 06261241

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

12.05000	46.7	60.0
17.90000	35.4	60.0
24.10500	48.3	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

12.05000	46.0	50.0
18.07500	34.6	50.0
24.10500	43.8	50.0

* limit

Report No.: 06261241
Download Mode
(With Docking Station)
EUT's AC Mains "N"

Tested By: Hong, Report No.: 06261241

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
12	9k	30M	EW1449



Report No.: 06261241
Download Mode
(With Docking Station)
EUT's AC Mains "N"

Tested By: Hong, Report No.: 06261241

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

9.84500	34.9	60.0
12.05000	45.4	60.0
17.88500	38.6	60.0
24.10500	53.4	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

12.05000	45.1	50.0
18.07500	36.1	50.0
24.12000	44.4	50.0

* limit