

Report No.: SZEM180400321702

Page: 1 of 36

Appendix B

LTE-M1 BAND 2



Report No.: SZEM180400321702

Page: 2 of 36

CONTENT

		Page
1 EFF	FECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	3
2 PEA	AK-TO-AVERAGE RATIO	7
2.1	For LTE-M1	7
2.1.	1 Test Band = LTE-M1 BAND2	7
3 MO	DULATION CHARACTERISTICS	14
3.1	For LTE-M1	14
3.1.	1 Test Band = LTE-M1 BAND2	14
4 BAN	NDWIDTH	16
4.1	For LTE	16
4.1.	1 Test Band = LTE-M1 BAND2	16
5 BAN	ND EDGES COMPLIANCE	23
5.1	For LTE-M1	23
5.1.	1 Test Band = LTE-M1 BAND2	23
6 SPL	JRIOUS EMISSION AT ANTENNA TERMINAL	28
6.1	For LTE-M1	28
6.1.	1 Test Band = LTE-M1 BAND2	28
7 FIE	LD STRENGTH OF SPURIOUS RADIATION	32
7.1	For LTE-M1	32
7.1.	1 Test Band = LTE-M1 BAND2	32
8 FRE	EQUENCY STABILITY	34
8.1	FREQUENCY ERROR VS. VOLTAGE	34
8.2	FREQUENCY ERROR VS. TEMPERATURE	35



Report No.: SZEM180400321702

Page: 3 of 36

1 Effective (Isotropic) Radiated Power Output Data

Effective Isotropic Radiated Power of Transmitter (EIRP) for LTE-M1 BAND 2

Elleci	ive isoli opi	C Radiated Pow	ei Oi IIalis	SHITTEL (FILZE) IOI LIL-IVII	DAND Z		
Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	22.92	24.02	33.00	PASS
			LCH	RB1#5	22.81	23.91	33.00	PASS
	LTE- M1/TM1	1.4M		RB6#0	21.04	22.14	33.00	PASS
				RB1#0	23.02	24.12	33.00	PASS
BAND2			MCH	RB1#5	22.97	24.07	33.00	PASS
	1011/11011			RB6#0	21.17	22.27	33.00	PASS
				RB1#0	23.24	24.34	33.00	PASS
			HCH	RB1#5	23.34	24.44	33.00	PASS
				RB6#0	21.18	22.28	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	22.21	23.31	33.00	PASS
	LTE- M1/TM2	1.4M	LCH	RB1#5	22.26	23.36	33.00	PASS
				RB6#0	21.03	22.13	33.00	PASS
				RB1#0	22.44	23.54	33.00	PASS
BAND2			MCH	RB1#5	22.55	23.65	33.00	PASS
				RB6#0	21.1	22.2	33.00	PASS
				RB1#0	22.45	23.55	33.00	PASS
			HCH	RB1#5	22.59	23.69	33.00	PASS
				RB6#0	21.07	22.17	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	23.07	24.17	33.00	PASS
			LCH	RB1#5	23.1	24.2	33.00	PASS
	LTE- M1/TM1	3M		RB6#0	21.11	22.21	33.00	PASS
				RB1#0	23.21	24.31	33.00	PASS
BAND2			MCH	RB1#5	23.23	24.33	33.00	PASS
				RB6#0	21.24	22.34	33.00	PASS
				RB1#0	23.24	24.34	33.00	PASS
			HCH	RB1#5	23.25	24.35	33.00	PASS
				RB6#0	21.17	22.27	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	22.3	23.4	33.00	PASS
		3M	LCH	RB1#5	22.19	23.29	33.00	PASS
BAND2	LTE-			RB6#0	21.12	22.22	33.00	PASS
M1/TM2		MOLI	RB1#0	22.45	23.55	33.00	PASS	
			MCH	RB1#5	22.5	23.6	33.00	PASS



Report No.: SZEM180400321702

Page: 4 of 36

		RB6#0	21.08	22.18	33.00	PASS
		RB1#0	22.49	23.59	33.00	PASS
	HCH	RB1#5	22.53	23.63	33.00	PASS
		RB6#0	21.16	22.26	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	22.99	24.09	33.00	PASS
		LCH	RB1#5	22.91	24.01	33.00	PASS	
		1 5M		RB6#0	22.05	23.15	33.00	PASS
	LTE- M1/TM1			RB1#0	23.23	24.33	33.00	PASS
BAND2			MCH	RB1#5	23.26	24.36	33.00	PASS
				RB6#0	22.36	23.46	33.00	PASS
				RB1#0	23.18	24.28	33.00	PASS
			HCH	RB1#5	23.22	24.32	33.00	PASS
				RB6#0	22.2	23.3	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	22.44	23.54	33.00	PASS
			LCH	RB1#5	22.51	23.61	33.00	PASS
	LTE- M1/TM2	5M		RB6#0	21.01	22.11	33.00	PASS
				RB1#0	22.64	23.74	33.00	PASS
BAND2			MCH	RB1#5	22.67	23.77	33.00	PASS
				RB6#0	21.16	22.26	33.00	PASS
				RB1#0	22.71	23.81	33.00	PASS
			HCH	RB1#5	22.6	23.7	33.00	PASS
				RB6#0	21.35	22.45	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	22.99	24.09	33.00	PASS
		10M	LCH	RB1#5	22.99	24.09	33.00	PASS
	LTE- M1/TM1			RB6#0	22.03	23.13	33.00	PASS
				RB1#0	23.23	24.33	33.00	PASS
BAND2			MCH	RB1#5	23.23	24.33	33.00	PASS
				RB6#0	22.28	23.38	33.00	PASS
				RB1#0	23.13	24.23	33.00	PASS
			HCH	RB1#5	23.12	24.22	33.00	PASS
				RB6#0	22.19	23.29	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	22.46	23.56	33.00	PASS
	LTE-	10M	LCH	RB1#5	22.48	23.58	33.00	PASS
BAND2				RB6#0	21.21	22.31	33.00	PASS
DANUZ	M1/TM2			RB1#0	22.63	23.73	33.00	PASS
			MCH	RB1#5	22.64	23.74	33.00	PASS
				RB6#0	21.18	22.28	33.00	PASS

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180400321702

Page: 5 of 36

	RB1#0	22.53	23.63	33.00	PASS
HCH	RB1#5	22.54	23.64	33.00	PASS
	RB6#0	21.14	22.24	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	23.17	24.27	33.00	PASS
			LCH	RB1#5	23.08	24.18	33.00	PASS
		15M		RB6#0	23.08	24.18	33.00	PASS
	LTE- M1/TM1			RB1#0	23.21	24.31	33.00	PASS
BAND2			мсн	RB1#5	23.12	24.22	33.00	PASS
				RB6#0	23.15	24.25	33.00	PASS
				RB1#0	23.09	24.19	33.00	PASS
			HCH	RB1#5	23.03	24.13	33.00	PASS
				RB6#0	23.07	24.17	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	22.39	23.49	33.00	PASS
			LCH	RB1#5	22.35	23.45	33.00	PASS
		15M		RB6#0	22.98	24.08	33.00	PASS
			MCH	RB1#0	22.61	23.71	33.00	PASS
BAND2	LTE- M1/TM2			RB1#5	22.62	23.72	33.00	PASS
	IVI I/ I IVIZ			RB6#0	23.14	24.24	33.00	PASS
				RB1#0	22.46	23.56	33.00	PASS
			HCH	RB1#5	22.51	23.61	33.00	PASS
				RB6#0	23.02	24.12	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	22.96	24.06	33.00	PASS
			LCH	RB1#5	23.02	24.12	33.00	PASS
				RB6#0	23	24.1	33.00	PASS
		20M	MCH	RB1#0	22.97	24.07	33.00	PASS
BAND2	LTE- M1/TM1			RB1#5	22.91	24.01	33.00	PASS
	1011/11011			RB6#0	22.97	24.07	33.00	PASS PASS PASS
				RB1#0	22.99	24.09	33.00	PASS
			HCH	RB1#5	23.03	24.13	33.00	PASS PASS PASS PASS PASS PASS PASS PASS
				RB6#0	23.11	24.21	33.00	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	EIRP (dBm)	limit (dBm)	Verdict
				RB1#0	22.46	23.56	33.00	PASS
			LCH	RB1#5	22.53	23.63	33.00	PASS
				RB6#0	23.07	24.17	33.00	PASS
BAND2	LTE- M1/TM2	20M		RB1#0	22.43	23.53	33.00	PASS
			MCH	RB1#5	22.38	23.48	33.00	PASS
				RB6#0	23.02	24.12	33.00	PASS
			HCH	RB1#0	22.56	23.66	33.00	PASS

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180400321702

Page: 6 of 36

RB1#5	22.51	23.61	33.00	PASS
RB6#0	23.15	24.25	33.00	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

EIRP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi]

b: SGP=Signal Generator Level



Report No.: SZEM180400321702

Page: 7 of 36

2 Peak-to-Average Ratio

Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
	TN44/5N4	LCH	4.93	13	PASS
	TM1/5M Full RB	MCH	5.04	13	PASS
	Full KB	HCH	4.23	13	PASS
	TM1/5M 1 RB	LCH	4.32	13	PASS
		MCH	4.55	13	PASS
Band 2		HCH	4.32	13	PASS
Danu 2	TN 40 /5N 4	LCH	4.96	13	PASS
	TM2/5M Full RB	MCH	6.38	13	PASS
	T dil ND	HCH	6.20	13	PASS
		LCH	5.30	13	PASS
	TM2/5M 1 RB	MCH	4.84	13	PASS
	I KB	HCH	4.84	13	PASS


Part II - Test Plots

2.1 For LTE-M1

2.1.1 Test Band = LTE-M1 BAND2

2.1.1.1 Test Mode = LTE-M1/TM1.Bandwidth=5MHz Full RB

2.1.1.1.1 Test Channel = LCH



Date: 2.JUL.2018 04:05:20



Report No.: SZEM180400321702


Page: 8 of 36

2.1.1.1.2 Test Channel = MCH



Date: 2.JUL.2018 04:06:48

2.1.1.1.3 Test Channel = HCH



Date: 2.JUL.2018 04:38:27




Report No.: SZEM180400321702

Page: 9 of 36


2.1.1.2 Test Mode = LTE-M1/TM1.Bandwidth=5MHz 1 RB

2.1.1.2.1 Test Channel = LCH



Date: 2.JUL.2018 06:08:21

2.1.1.2.2 Test Channel = MCH



Date: 2.JUL.2018 06:07:51



Report No.: SZEM180400321702

Page: 10 of 36


2.1.1.2.3 Test Channel = HCH



Date: 2.JUL.2018 06:09:49

2.1.1.3 Test Mode = LTE-M1/TM2.Bandwidth=5MHz Full RB

2.1.1.3.1 Test Channel = LCH



Date: 2.JUL.2018 04:05:56



Report No.: SZEM180400321702


Page: 11 of 36

2.1.1.3.2 Test Channel = MCH



Date: 2.JUL.2018 04:06:35

2.1.1.3.3 Test Channel = HCH



Date: 2.JUL.2018 04:38:56




Report No.: SZEM180400321702

Page: 12 of 36


2.1.1.4 Test Mode = LTE-M1/TM2.Bandwidth=5MHz 1 RB

2.1.1.4.1 Test Channel = LCH



Date: 2.JUL.2018 06:08:44

2.1.1.4.2 Test Channel = MCH




Date: 2.JUL.2018 06:07:19



Report No.: SZEM180400321702

Page: 13 of 36

2.1.1.4.3 Test Channel = HCH



Date: 2.JUL.2018 06:09:25



Report No.: SZEM180400321702

Page: 14 of 36

3 Modulation Characteristics


Part I - Test Plots

3.1 For LTE-M1

3.1.1 Test Band = LTE-M1 BAND2

3.1.1.1 Test Mode = LTE-M1 /TM1 5MHz

3.1.1.1.1 Test Channel = MCH






Report No.: SZEM180400321702

Page: 15 of 36

3.1.1.2 Test Mode = LTE-M1 /TM2 5MHz





Report No.: SZEM180400321702

Page: 16 of 36

4 Bandwidth

Part I - Test Results


Test Band	Test Mode	Test Channel	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
		LCH	1.10	1.41	PASS
	TM1/ 5MHz	MCH	1.10	1.39	PASS
DANDO		HCH	1.11	1.38	PASS
BAND2	TM2/ 5MHz	LCH	1.13	1.48	PASS
		MCH	1.13	1.46	PASS
		HCH	1.13	1.40	PASS

4.1 For LTE

4.1.1 Test Band = LTE-M1 BAND2

4.1.1.1 Test Mode = LTE-M1/TM1 5MHz

4.1.1.1.1 Test Channel = LCH




Date: 5.JUL.2018 08:16:45




Report No.: SZEM180400321702

Page: 17 of 36



Date: 5.JUL.2018 08:19:29

4.1.1.1.2 Test Channel = MCH




Date: 5.JUL.2018 08:22:35



Report No.: SZEM180400321702

Page: 18 of 36



Date: 5.JUL.2018 08:20:20

4.1.1.1.3 Test Channel = HCH




Date: 5.JUL.2018 08:23:18



Report No.: SZEM180400321702


Page: 19 of 36



Date: 5.JUL.2018 08:25:33

4.1.1.2 Test Mode = LTE-M1/TM2 5MHz

4.1.1.2.1 Test Channel = LCH




Date: 5.JUL.2018 08:17:36




Report No.: SZEM180400321702

Page: 20 of 36



Date: 5.JUL.2018 08:18:31

4.1.1.2.2 Test Channel = MCH




Date; 5.JUL.2018 08:21:52




Report No.: SZEM180400321702

Page: 21 of 36



Date: 5.JUL.2018 08:21:17

4.1.1.2.3 Test Channel = HCH




Date: 5.JUL.2018 08:23:54



Report No.: SZEM180400321702

Page: 22 of 36



Date: 5.JUL.2018 08:25:00



Report No.: SZEM180400321702

Page: 23 of 36

5 Band Edges Compliance


5.1 For LTE-M1

5.1.1 Test Band = LTE-M1 BAND2

5.1.1.1 Test Mode = LTE-M1/TM1 5MHz

5.1.1.1.1 Test Channel = LCH

5.1.1.1.1.1 Test RB=1RB




Date: 5.JUL.2018 08:14:24



Report No.: SZEM180400321702

Page: 24 of 36


5.1.1.1.1.2 Test RB=6RB



Date: 5.JUL.2018 08:15:59

5.1.1.1.2 Test Channel = HCH

5.1.1.1.2.1 Test RB=1RB




Date: 5.JUL.2018 08:13:02



Report No.: SZEM180400321702

Page: 25 of 36


5.1.1.1.2.2 Test RB=6RB



5.1.1.2 Test Mode = LTE-M1/TM2 5MHz

5.1.1.2.1 Test Channel = LCH

5.1.1.2.1.1 Test RB=1RB



Date: 5.JUL.2018 08:15:13


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180400321702


Page: 26 of 36

Test RB=6RB



5.1.1.2.2 Test Channel = HCH

5.1.1.2.2.1 Test RB=1RB




5.1.1.2.2.2 Test RB=6RB

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180400321702

Page: 27 of 36



Date: 5.JUL.2018 08:11:28



Report No.: SZEM180400321702

Page: 28 of 36

6 Spurious Emission at Antenna Terminal

NOTE1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k* (Span / RBW)" with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

NOTE2: only the worst case data displayed in this report.


Part I - Test Plots

6.1 For LTE-M1

6.1.1 Test Band = LTE-M1 BAND2

6.1.1.1 Test Mode = LTE-M1 / TM1 5MHz RB1#0

6.1.1.1.1 Test Channel = LCH




Date; 5.JUL.2018 05:48:07



Report No.: SZEM180400321702


Page: 29 of 36

6.1.1.1.2 Test Channel = MCH



Date: 5.JUL.2018 05:48:52

6.1.1.1.3 Test Channel = HCH



Date: 5.JUL.2018 05;55:03

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: SZEM180400321702

Page: 30 of 36


6.1.1.2 Test Mode = LTE-M1 / TM2 5MHz RB1#0

6.1.1.2.1 Test Channel = LCH



Date: 5.JUL.2018 05:47:08

6.1.1.2.2 Test Channel = MCH



Date: 5.JUL.2018 05:49:39


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180400321702

Page: 31 of 36

6.1.1.2.3 Test Channel = HCH



Date: 5.JUL.2018 05;52:31



Report No.: SZEM180400321702

Page: 32 of 36

7 Field Strength of Spurious Radiation

7.1 For LTE-M1

7.1.1 Test Band = LTE-M1 BAND2

7.1.1.1 Test Mode =LTE-M1/TM1 5MHz RB1#0

7.1.1.1.1 Test Channel = LCH

7.1.1.1.1 Test Chamiler = LOTI							
Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization			
64.100000	-82.39	-13.00	-69.39	Vertical			
125.000000	-87.32	-13.00	-74.32	Vertical			
306.050000	-87.52	-13.00	-74.52	Vertical			
3701.025000	-53.80	-13.00	-40.80	Vertical			
5704.650000	-67.09	-13.00	-54.09	Vertical			
7401.150000	-58.62	-13.00	-45.62	Vertical			
62.550000	-77.77	-13.00	-64.77	Horizontal			
110.200000	-93.24	-13.00	-80.24	Horizontal			
283.150000	-87.71	-13.00	-74.71	Horizontal			
3700.375000	-43.21	-13.00	-30.21	Horizontal			
5572.050000	-67.36	-13.00	-54.36	Horizontal			
7401.150000	-63.51	-13.00	-50.51	Horizontal			

7.1.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
65.000000	-82.03	-13.00	-69.03	Vertical
124.950000	-87.36	-13.00	-74.36	Vertical
346.150000	-86.16	-13.00	-73.16	Vertical
3755.300000	-51.30	-13.00	-38.30	Vertical
5633.150000	-65.93	-13.00	-52.93	Vertical
7510.675000	-57.54	-13.00	-44.54	Vertical
62.700000	-78.31	-13.00	-65.31	Horizontal
110.350000	-93.64	-13.00	-80.64	Horizontal
300.300000	-87.25	-13.00	-74.25	Horizontal
3755.300000	-44.66	-13.00	-31.66	Horizontal
5731.625000	-67.04	-13.00	-54.04	Horizontal
7511.000000	-61.29	-13.00	-48.29	Horizontal



Report No.: SZEM180400321702

Page: 33 of 36

7.1.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
65.000000	-82.48	-13.00	-69.48	Vertical
125.000000	-87.41	-13.00	-74.41	Vertical
313.100000	-86.53	-13.00	-73.53	Vertical
3809.900000	-53.51	-13.00	-40.51	Vertical
5716.025000	-61.22	-13.00	-48.22	Vertical
7621.175000	-54.66	-13.00	-41.66	Vertical
62.300000	-77.91	-13.00	-64.91	Horizontal
110.350000	-93.24	-13.00	-80.24	Horizontal
262.450000	-87.93	-13.00	-74.93	Horizontal
3810.550000	-48.28	-13.00	-35.28	Horizontal
5716.350000	-65.33	-13.00	-52.33	Horizontal
7621.500000	-63.56	-13.00	-50.56	Horizontal

NOTE:

- 1) The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 2) We have tested all modulation and all bandwidth, but only the worst case data presented in this report.



Report No.: SZEM180400321702

Page: 34 of 36

8 Frequency Stability

8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				VL	-11.51	-0.006205	PASS
		LCH	TN	VN	3.95	0.002132	PASS
				VH	-9.78	-0.005274	PASS
		мсн		VL	9.55	0.005079	PASS
	LTE-M1/TM1 5MHz		TN	VN	-8.67	-0.004614	PASS
	SIVII IZ			VH	1.37	0.000726	PASS
		НСН	TN	VL	8.75	0.004594	PASS
				VN	-3.10	-0.001629	PASS
LTE-M1				VH	-8.84	-0.004639	PASS
BAND2		LCH	TN	VL	6.36	0.003430	PASS
				VN	1.99	0.001074	PASS
				VH	9.48	0.005113	PASS
				VL	2.75	0.001461	PASS
	LTE-M1/TM2 5MHz	MCH	TN	VN	5.15	0.002740	PASS
	OIVII IZ			VH	-1.61	-0.000858	PASS
		НСН	TN	VL	3.91	0.002051	PASS
				VN	3.83	0.002009	PASS
				VH	-3.20	-0.001679	PASS



Report No.: SZEM180400321702

Page: 35 of 36

8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				-30	9.46	0.005102	PASS
				-20	-7.30	-0.003936	PASS
				-10	6.48	0.003494	PASS
				0	0.59	0.000319	PASS
		LCH	VN	10	-0.30	-0.000164	PASS
				20	-2.96	-0.001595	PASS
				30	4.35	0.002345	PASS
				40	1.51	0.000815	PASS
				50	9.38	0.005059	PASS
	LTE-M1/TM1 5MHz	мсн		-30	6.57	0.003496	PASS
			VN	-20	6.10	0.003243	PASS
				-10	9.85	0.005241	PASS
LTE MA				0	8.11	0.004314	PASS
LTE-M1 BAND2				10	2.17	0.001152	PASS
DANUZ	01/11/12			20	0.23	0.000122	PASS
				30	-2.38	-0.001268	PASS
				40	-6.13	-0.003259	PASS
				50	-5.25	-0.002790	PASS
				-30	-1.95	-0.001023	PASS
				-20	3.22	0.001689	PASS
				-10	-6.30	-0.003308	PASS
				0	3.58	0.001882	PASS
		HCH	VN	10	-9.25	-0.004856	PASS
				20	-7.34	-0.003851	PASS
				30	-3.01	-0.001582	PASS
				40	-6.16	-0.003233	PASS
				50	-6.60	-0.003462	PASS



Report No.: SZEM180400321702

Page: 36 of 36

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
				-30	-2.46	-0.001328	PASS	
				-20	5.60	0.003018	PASS	
				-10	2.20	0.001188	PASS	
					0	4.22	0.002274	PASS
		LCH	VN	10	5.75	0.003101	PASS	
				20	-4.56	-0.002459	PASS	
				30	3.19	0.001722	PASS	
				40	-2.42	-0.001304	PASS	
				50	7.90	0.004258	PASS	
		мсн	VN	-30	-8.13	-0.004323	PASS	
				-20	5.65	0.003003	PASS	
				-10	-4.77	-0.002536	PASS	
LTE-M1	LTE-M1/TM2 5MHz			0	9.80	0.005214	PASS	
BAND2				10	5.26	0.002797	PASS	
				20	-7.81	-0.004152	PASS	
				30	9.19	0.004886	PASS	
				40	0.28	0.000147	PASS	
				50	-5.44	-0.002895	PASS	
				-30	7.07	0.003711	PASS	
				-20	-4.49	-0.002359	PASS	
				-10	2.15	0.001129	PASS	
				0	7.08	0.003718	PASS	
		НСН	VN	10	5.37	0.002817	PASS	
				20	8.84	0.004643	PASS	
				30	2.75	0.001443	PASS	
				40	-3.31	-0.001738	PASS	
				50	-4.66	-0.002445	PASS	

The End