

Report No.: SZEM180400321702

Page: 1 of 36

Appendix B

LTE-M1 BAND12



Report No.: SZEM180400321702

Page: 2 of 36

CONTENT

		Page
1 EF	FECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA	3
2 PE	AK-TO-AVERAGE RATIO	6
2.1	For LTE-M1	6
2.1	1.1 Test Band = LTE-M1 band12	6
3 MC	DDULATION CHARACTERISTICS	13
3.1	For LTE-M1	13
3.1	1.1 Test Band = LTE-M1 band12	13
4 BA	NDWIDTH	15
4.1	For LTE	15
4.1	1.1 Test Band = LTE-M1 band12	15
5 BA	AND EDGES COMPLIANCE	22
5.1	For LTE-M1	22
5.1	1.1 Test Band = LTE-M1 band12	22
6 SP	PURIOUS EMISSION AT ANTENNA TERMINAL	27
6.1	For LTE-M1	27
6.1	1.1 Test Band = LTE-M1 band12	27
7 FIE	ELD STRENGTH OF SPURIOUS RADIATION	31
7.1	FOR LTE-M1	31
7.1	1.1 Test Band = LTE-M1 band12	31
8 FR	EQUENCY STABILITY	33
8.1	FREQUENCY ERROR VS. VOLTAGE	33
8.2	FREQUENCY ERROR VS. TEMPERATURE	34



Report No.: SZEM180400321702

Page: 3 of 36

1 Effective (Isotropic) Radiated Power Output Data

Effective Isotropic Radiated Power of Transmitter (EIRP) for LTE-M1 BAND12

Ellect	Effective isotropic Radiated Fower of Transmitter (EIRF) for ETE-WIT BAND 12									
Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict		
				RB1#0	23.37	20.62	34.77	PASS		
			LCH	RB1#5	23.43	20.68	34.77	PASS		
	LTE- M1/TM1	1.4M		RB6#0	22.21	19.46	34.77	PASS		
			МСН	RB1#0	23.19	20.44	34.77	PASS		
BAND12				RB1#5	23.21	20.46	34.77	PASS		
				RB6#0	22.22	19.47	34.77	PASS		
				RB1#0	23.13	20.38	34.77	PASS		
			HCH	RB1#5	23.16	20.41	34.77	PASS		
				RB6#0	22.05	19.3	34.77	PASS		

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
				RB1#0	22.52	19.77	34.77	PASS
			LCH	RB1#5	22.53	19.78	34.77	PASS
		1.4M		RB6#0	21.28	18.53	34.77	PASS
	LTE- M1/TM2		MCH	RB1#0	22.55	19.8	34.77	PASS
BAND12				RB1#5	22.61	19.86	34.77	PASS
	IVI 1/ 1 IVIZ			RB6#0	21.26	18.51	34.77	PASS
			НСН	RB1#0	22.25	19.5	34.77	PASS
				RB1#5	22.53	19.78	34.77	PASS
				RB6#0	21.08	18.33	34.77	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
				RB1#0	23.43	20.68	34.77	PASS
			LCH	RB1#5	23.49	20.74	34.77	PASS
	LTE- M1/TM1	3M		RB6#0	22.33	19.58	34.77	PASS
			MCH	RB1#0	23.06	20.31	34.77	PASS
BAND12				RB1#5	23.12	20.37	34.77	PASS
	1011/11011			RB6#0	22.13	19.38	34.77	PASS
				RB1#0	23.01	20.26	34.77	PASS
			HCH	RB1#5	23.07	20.32	34.77	PASS
				RB6#0	22.31	19.56	34.77	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
		3M		RB1#0	22.83	20.08	34.77	PASS
	LTE-		LCH	RB1#5	22.73	19.98	34.77	PASS
DANIDAG				RB6#0	21.06	18.31	34.77	PASS
BAND12	M1/TM2		MCH	RB1#0	22.28	19.53	34.77	PASS
				RB1#5	22.26	19.51	34.77	PASS
			RB6#0	21.08	18.33	34.77	PASS	



Report No.: SZEM180400321702

Page: 4 of 36

	RB1#0	22.31	19.56	34.77	PASS
HCH	RB1#5	22.38	19.63	34.77	PASS
	RB6#0	21.06	18.31	34.77	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
				RB1#0	23.38	20.63	34.77	PASS
			LCH	RB1#5	23.42	20.67	34.77	PASS
				RB6#0	22.41	19.66	34.77	PASS
	LTE- M1/TM1	5M	MCH	RB1#0	23.42	20.67	34.77	PASS
BAND12				RB1#5	23.48	20.73	34.77	PASS
				RB6#0	22.14	19.39	34.77	PASS
				RB1#0	23.25	20.5	34.77	PASS
			HCH	RB1#5	23.27	20.52	34.77	PASS
				RB6#0	22.02	19.27	34.77	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
				RB1#0	22.98	20.23	34.77	PASS
			LCH	RB1#5	22.86	20.11	34.77	PASS
				RB6#0	21.35	18.6	34.77	PASS
	LTE- M1/TM2	5M	MCH	RB1#0	22.42	19.67	34.77	PASS
BAND12				RB1#5	22.87	20.12	34.77	PASS
				RB6#0	21.35	18.6	34.77	PASS
				RB1#0	22.61	19.86	34.77	PASS
			HCH	RB1#5	22.7	19.95	34.77	PASS
				RB6#0	21.25	18.5	34.77	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
				RB1#0	23.19	20.44	34.77	PASS
			LCH	RB1#5	23.23	20.48	34.77	PASS
		10M		RB6#0	22.16	19.41	34.77	PASS
	LTE- M1/TM1		мсн нсн	RB1#0	23.22	20.47	34.77	PASS
BAND12				RB1#5	23.2	20.45	34.77	PASS
				RB6#0	22.1	19.35	34.77	PASS
				RB1#0	23.13	20.38	34.77	PASS
				RB1#5	23.07	20.32	34.77	PASS
				RB6#0	21.98	19.23	34.77	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
				RB1#0	22.91	20.16	34.77	PASS
	LTE- M1/TM2	10M	MCH	RB1#5	22.97	20.22	34.77	PASS
				RB6#0	21.17	18.42	34.77	PASS
BAND12				RB1#0	22.87	20.12	34.77	PASS
	1011/11012			RB1#5	22.77	20.02	34.77	PASS
				RB6#0	22.1	19.35	34.77	PASS
			HCH	RB1#0	22.86	20.11	34.77	PASS

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180400321702

Page: 5 of 36

RB1#5	22.76	20.01	34.77	PASS
RB6#0	21.12	18.37	34.77	PASS

Note:

a: For getting the ERP (Efficient Radiated Power) in substitution method, the following formula should be taken to calculate it,

ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd]

b: SGP=Signal Generator Level



Report No.: SZEM180400321702

Page: 6 of 36

2 Peak-to-Average Ratio

Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
	TM1/5M Full RB	LCH	5.30	13	PASS
		MCH	5.68	13	PASS
		HCH	5.36	13	PASS
	TM1/5M	LCH	4.17	13	PASS
	1 RB	MCH	5.01	13	PASS
BAND12	IND	HCH	6.17	13	PASS
DAND 12	TM2/5M Full RB	LCH	5.54	13	PASS
		MCH	6.55	13	PASS
	Full ND	HCH	5.45	13	PASS
	TM2/FM	LCH	5.45	13	PASS
	TM2/5M 1 RB	MCH	5.48	13	PASS
	IKD	HCH	5.45	13	PASS


Part II - Test Plots

2.1 For LTE-M1

2.1.1 Test Band = LTE-M1 band12

2.1.1.1 Test Mode = LTE-M1/TM1.Bandwidth=5MHz Full RB

2.1.1.1.1 Test Channel = LCH



Date: 2.JUL.2018 07:44:34



Report No.: SZEM180400321702


Page: 7 of 36

2.1.1.1.2 Test Channel = MCH



Date: 2.JUL.2018 07:55:22

2.1.1.1.3 Test Channel = HCH



Date: 2.JUL.2018 07:59:32



Report No.: SZEM180400321702

Page: 8 of 36


2.1.1.2 Test Mode = LTE-M1/TM1.Bandwidth=5MHz 1 RB

2.1.1.2.1 Test Channel = LCH



Date: 2.JUL.2018 07:42:44

2.1.1.2.2 Test Channel = MCH



Date: 2.JUL.2018 07:56:38



Report No.: SZEM180400321702

Page: 9 of 36


2.1.1.2.3 Test Channel = HCH



Date: 2.JUL.2018 07:57:32

2.1.1.3 Test Mode = LTE-M1/TM2.Bandwidth=5MHz Full RB

2.1.1.3.1 Test Channel = LCH




Date: 2.JUL.2018 07:44:11



Report No.: SZEM180400321702


Page: 10 of 36

2.1.1.3.2 Test Channel = MCH



Date: 2.JUL.2018 07:55:52

2.1.1.3.3 Test Channel = HCH



Date: 2.JUL.2018 07:59:07




Report No.: SZEM180400321702

Page: 11 of 36


2.1.1.4 Test Mode = LTE-M1/TM2.Bandwidth=5MHz 1 RB

2.1.1.4.1 Test Channel = LCH



Date: 2.JUL.2018 07:43:46

2.1.1.4.2 Test Channel = MCH



Date: 2.JUL.2018 07:56:11


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180400321702

Page: 12 of 36

2.1.1.4.3 Test Channel = HCH



Date: 2.JUL.2018 07:57:52



Report No.: SZEM180400321702

Page: 13 of 36

3 Modulation Characteristics


Part I - Test Plots

3.1 For LTE-M1

3.1.1 Test Band = LTE-M1 band12

3.1.1.1 Test Mode = LTE-M1 /TM1 5MHz

3.1.1.1.1 Test Channel = MCH






Report No.: SZEM180400321702

Page: 14 of 36

3.1.1.2 Test Mode = LTE-M1 /TM2 5MHz 3.1.1.2.1 Test Channel = MCH





Report No.: SZEM180400321702

Page: 15 of 36

4 Bandwidth

Part I - Test Results


Test Band	Test Mode	Test Channel	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
	TM1/ 5MHz	LCH	1.10	1.38	PASS
Band12		MCH	1.11	1.39	PASS
		HCH	1.11	1.40	PASS
	TM2/ 5MHz	LCH	1.11	1.48	PASS
		MCH	1.11	1.47	PASS
		HCH	1.11	1.48	PASS

4.1 For LTE

4.1.1 Test Band = LTE-M1 band12

4.1.1.1 Test Mode = LTE-M1/TM1 5MHz

4.1.1.1.1 Test Channel = LCH




Date: 2.JUL.2018 07:49:12




Report No.: SZEM180400321702

Page: 16 of 36



Date: 2.JUL.2018 07:46:00

4.1.1.1.2 Test Channel = MCH



Date: 2.JUL.2018 07:51:08




Report No.: SZEM180400321702

Page: 17 of 36



4.1.1.1.3 Test Channel = HCH



Date: 2.JUL.2018 08:04:47




Report No.: SZEM180400321702

Page: 18 of 36



4.1.1.2 Test Mode = LTE-M1/TM2 5MHz

4.1.1.2.1 Test Channel = LCH




Date: 2.JUL.2018 07:48:24




Report No.: SZEM180400321702

Page: 19 of 36



4.1.1.2.2 Test Channel = MCH




Date: 2.JUL.2018 07:52:33




Report No.: SZEM180400321702

Page: 20 of 36



4.1.1.2.3 Test Channel = HCH




Date: 2.JUL.2018 08:02:32



Report No.: SZEM180400321702

Page: 21 of 36





Report No.: SZEM180400321702

Page: 22 of 36

5 Band Edges Compliance


5.1 For LTE-M1

5.1.1 Test Band = LTE-M1 band12

5.1.1.1 Test Mode = LTE-M1/TM1 5MHz

5.1.1.1.1 Test Channel = LCH

5.1.1.1.1 Test RB=1RB



Date: 2.JUL.2018 08:10:14



Report No.: SZEM180400321702


Page: 23 of 36

5.1.1.1.1.2 Test RB=6RB



5.1.1.1.2 Test Channel = HCH

5.1.1.1.2.1 Test RB=1RB






Report No.: SZEM180400321702

Page: 24 of 36


5.1.1.1.2.2 Test RB=6RB



5.1.1.2 Test Mode = LTE-M1/TM2 5MHz

5.1.1.2.1 Test Channel = LCH

5.1.1.2.1.1 Test RB=1RB




Date: 2.JUL.2018 08:11:31



Report No.: SZEM180400321702


Page: 25 of 36

5.1.1.2.1.2 Test RB=6RB



5.1.1.2.2 Test Channel = HCH

5.1.1.2.2.1 Test RB=1RB




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of its is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SZEM180400321702

Page: 26 of 36

5.1.1.2.2.2 Test RB=6RB



Date: 2.JUL.2018 08:06:40



Report No.: SZEM180400321702

Page: 27 of 36

6 Spurious Emission at Antenna Terminal

NOTE1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k = 4 * (Span / RBW) with k = 4 * (Span / RBW)

NOTE2: only the worst case data displayed in this report.


Part I - Test Plots

6.1 For LTE-M1

6.1.1 Test Band = LTE-M1 band12

6.1.1.1 Test Mode = LTE-M1 / TM1 5MHz RB1#0

6.1.1.1.1 Test Channel = LCH




Date: 5.JUL.2018 04:49:48



Report No.: SZEM180400321702


Page: 28 of 36

6.1.1.1.2 Test Channel = MCH



Date: 5.JUL.2018 04:51:42

6.1.1.1.3 Test Channel = HCH



Date: 5.JUL.2018 04:54:19

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of his document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




Report No.: SZEM180400321702

Page: 29 of 36

6.1.1.2 Test Mode = LTE-M1 / TM2 5MHz RB1#0

6.1.1.2.1 Test Channel = LCH




Date: 5.JUL.2018 04:47:20



Report No.: SZEM180400321702

Page: 30 of 36

6.1.1.2.2 Test Channel = MCH




Date: 5.JUL.2018 04:53:02



Report No.: SZEM180400321702

Page: 31 of 36

6.1.1.2.3 Test Channel = HCH



Date: 5.JUL.2018 04:53:40



Report No.: SZEM180400321702

Page: 32 of 36

7 Field Strength of Spurious Radiation

7.1 For LTE-M1

7.1.1 Test Band = LTE-M1 band12

7.1.1.1 Test Mode =LTE-M1/TM1 5MHz RB1#0

7.1.1.1.1 Test Channel = LCH

	Test Chailler = LC	71 1		
Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
63.693333	-82.31	-13.00	-69.31	Vertical
125.013333	-86.79	-13.00	-73.79	Vertical
933.083333	-63.85	-13.00	-50.85	Vertical
1398.000000	-47.88	-13.00	-34.88	Vertical
2098.500000	-60.70	-13.00	-47.70	Vertical
5594.475000	-63.39	-13.00	-50.39	Vertical
63.226667	-78.41	-13.00	-65.41	Horizontal
932.120833	-61.51	-13.00	-48.51	Horizontal
1398.500000	-40.99	-13.00	-27.99	Horizontal
2098.000000	-52.72	-13.00	-39.72	Horizontal
6041.512500	-65.70	-13.00	-52.70	Horizontal
7855.987500	-64.38	-13.00	-51.38	Horizontal

7.1.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
64.393333	-82.16	-13.00	-69.16	Vertical
124.966667	-87.31	-13.00	-74.31	Vertical
941.104167	-65.49	-13.00	-52.49	Vertical
1410.500000	-44.48	-13.00	-31.48	Vertical
2116.000000	-60.12	-13.00	-47.12	Vertical
7053.075000	-62.61	-13.00	-49.61	Vertical
63.553333	-78.32	-13.00	-65.32	Horizontal
300.293333	-86.70	-13.00	-73.70	Horizontal
940.187500	-61.47	-13.00	-48.47	Horizontal
1410.500000	-39.66	-13.00	-26.66	Horizontal
2116.500000	-54.71	-13.00	-41.71	Horizontal
5643.225000	-65.20	-13.00	-52.20	Horizontal



Report No.: SZEM180400321702

Page: 33 of 36

7.1.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
65.606667	-82.63	-13.00	-69.63	Vertical
124.966667	-87.26	-13.00	-74.26	Vertical
929.875000	-66.28	-13.00	-53.28	Vertical
1422.500000	-43.92	-13.00	-30.92	Vertical
2200.000000	-59.40	-13.00	-46.40	Vertical
5690.025000	-64.24	-13.00	-51.24	Vertical
62.666667	-77.61	-13.00	-64.61	Horizontal
949.033333	-58.23	-13.00	-45.23	Horizontal
1422.500000	-40.30	-13.00	-27.30	Horizontal
2134.000000	-57.57	-13.00	-44.57	Horizontal
3556.237500	-68.73	-13.00	-55.73	Horizontal
5690.512500	-65.21	-13.00	-52.21	Horizontal

NOTE:

- 1) The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 2) We have tested all modulation and all bandwidth, but only the worst case data presented in this report.



Report No.: SZEM180400321702

Page: 34 of 36

8 Frequency Stability

8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		LCH	TN	VL	-4.15	-0.005913	PASS
				VN	1.52	0.002170	PASS
				VH	-5.14	-0.007324	PASS
				VL	-6.03	-0.008529	PASS
	LTE-M1/TM1 5MHz	MCH	TN	VN	7.24	0.010235	PASS
				VH	6.15	0.008704	PASS
		НСН		VL	-4.36	-0.006118	PASS
			TN	VN	-9.67	-0.013566	PASS
LTE-M1				VH	9.77	0.013712	PASS
Band12	LTE-M1/TM2 5MHz	LCH	TN	VL	7.34	0.010461	PASS
				VN	-1.45	-0.002068	PASS
				VH	5.16	0.007363	PASS
		МСН	TN	VL	1.82	0.002579	PASS
				VN	-2.80	-0.003957	PASS
				VH	-2.78	-0.003937	PASS
				VL	-8.06	-0.011306	PASS
		HCH TN	TN	VN	5.87	0.008244	PASS
			VH	-2.85	-0.003997	PASS	



Report No.: SZEM180400321702

Page: 35 of 36

8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				-30	-4.52	-0.006449	PASS
				-20	-2.76	-0.003938	PASS
				-10	-0.37	-0.000526	PASS
				0	-7.02	-0.010012	PASS
		LCH	VN	10	-6.08	-0.008667	PASS
				20	-7.27	-0.010359	PASS
				30	8.62	0.012287	PASS
				40	9.54	0.013595	PASS
				50	0.20	0.000280	PASS
				-30	-6.83	-0.009658	PASS
			VN	-20	-1.46	-0.002062	PASS
		МСН		-10	-3.43	-0.004852	PASS
LTE-M1				0	-9.98	-0.014114	PASS
Band12	LTE-M1/TM1 5MHz			10	6.36	0.008991	PASS
				20	0.30	0.000425	PASS
				30	-2.49	-0.003521	PASS
				40	-5.07	-0.007170	PASS
				50	-3.84	-0.005438	PASS
				-30	-5.02	-0.007042	PASS
				-20	1.21	0.001702	PASS
				-10	-9.79	-0.013741	PASS
				0	-1.71	-0.002404	PASS
		НСН	VN	10	3.15	0.004424	PASS
				20	-7.68	-0.010773	PASS
				30	-6.04	-0.008479	PASS
				40	7.24	0.010164	PASS
				50	-4.75	-0.006668	PASS



Report No.: SZEM180400321702

Page: 36 of 36

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict	
				-30	-9.21	-0.013127	PASS	
				-20	1.68	0.002391	PASS	
				-10	9.17	0.013078	PASS	
				0	6.38	0.009088	PASS	
		LCH	VN	10	0.80	0.001146	PASS	
				20	-3.01	-0.004294	PASS	
				30	6.80	0.009694	PASS	
				40	-4.02	-0.005731	PASS	
				50	-7.80	-0.011119	PASS	
				-30	-3.55	-0.005027	PASS	
				-20	7.35	0.010396	PASS	
		МСН		-10	-7.63	-0.010790	PASS	
LTE-M1				0	3.60	0.005087	PASS	
band2	LTE-M1/TM2 5MHz		MCH MCH	VN	10	0.74	0.001049	PASS
				20	7.72	0.010913	PASS	
				30	1.82	0.002576	PASS	
				40	5.66	0.008001	PASS	
				50	1.69	0.002391	PASS	
				-30	-6.25	-0.008776	PASS	
				-20	8.41	0.011803	PASS	
				-10	7.17	0.010068	PASS	
				0	-4.38	-0.006153	PASS	
		НСН	VN	10	4.05	0.005689	PASS	
				20	2.72	0.003824	PASS	
				30	-2.47	-0.003465	PASS	
				40	-8.58	-0.012036	PASS	
				50	-3.82	-0.005358	PASS	

The End